

Issue 2007.10.23

Revision 2024.10.10

## Safety Data Sheet (SDS)

### Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-1085B/Ink-B85
Product Code	1085B/JP-B85
Reference Number	20
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Department in Charge	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	aida-kohhei@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers
Restriction on Use	If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.

### Section 2 – HAZARDS IDENTIFICATION

#### GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Reproductive toxicity Category 1B Specific target organ toxicity (single exposure) Category 1 (visual organ, kidney, central nervous system, systemic toxicity) Specific target organ toxicity (single exposure) Category 3 (narcotic effect, respiratory tract irritation)  Specific target organ toxicity (repeated exposure) Category 1 (visual organ, nervous system, central nervous system)
Environmental Hazards	Hazardous to the aquatic environment, long-term (chronic) Category 3  Other hazards than mentioned above are Not classified or Classification not possible.

#### GHS Label Elements

##### Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H360 May damage fertility or the unborn child H370 Causes damage to visual organ, kidney, central nervous system, systemic toxicity H372 Causes damage to visual organ, nervous system, central nervous system through prolonged or repeated exposure

## H412 Harmful to aquatic life with long lasting effects

## Precautionary Statements

## Prevention

Obtain special instructions before use.(P201)  
 Do not handle until all safety precautions have been read and understood.(P202)  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233)  
 Ground and bond container and receiving equipment.(P240)  
 Use explosion-proof electrical, ventilating and lighting equipment.(P241)  
 Use non-sparking tools.(P242)  
 Take action to prevent static discharges.(P243)

Do not breathe  
 dust/fume/gas/mist/vapours/spray.(P260)  
 Avoid breathing  
 dust/fume/gas/mist/vapours/spray.(P261)  
 Wash hand thoroughly after handling.(P264)  
 Wash eye thoroughly after handling.(P264)  
 Do not eat, drink or smoke when using this product.(P270)  
 Use only outdoors or in a well-ventilated area.(P271)

Avoid release to the environment.(P273)  
 Wear protective gloves/protective clothing/eye protection/face protection.(P280)

## Response

IF ON SKIN: Wash with plenty of soap and water.(P302+P352)  
 IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313)  
 Call a doctor if you feel unwell.(P312)  
 Get medical advice and attention if you feel unwell.(P314)

Specific treatment.(P321)  
 If skin irritation occurs: Get medical advice/attention.(P332+P313)  
 If eye irritation persists: Get medical advice/attention.(P337+P313)  
 Take off contaminated clothing and wash it before reuse.(P362+P364)

In case of fire: Use appropriate media to extinguish.(P370+P378)

## Storage

Store in a well-ventilated place. Keep container tightly closed.(P403+P233)  
 Store in a well-ventilated place. Keep cool.(P403+P235)  
 Store locked up.(P405)

Disposal Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

## Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (wt%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Methyl ethyl ketone	50-60	CH <sub>3</sub> CH <sub>2</sub> COCH <sub>3</sub>	(2)-542	Registered	78-93-3
Methanol	10-20	CH <sub>3</sub> OH	(2)-201	Registered	67-56-1
Chromium and its compounds	0.1-0.3	-	Registered(Trade secret)	Registered(Trade secret)	Trade secret
Copper and its compounds	5-10	-	Registered(Trade secret)	Registered(Trade secret)	Trade secret
tributylbenzylammonium 4-hydroxynaphthalene-1-sulfonate	1-5	-	3-2694	Registered	102561-46-6

## Section 4 – FIRST AID MEASURES

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

IF exposed or concerned: Call a doctor.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

Eye Contact

If skin irritation occurs: Get medical advice and attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

IF exposed or concerned: Call a doctor.

Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

## Section 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media

When dust occurs, use dry sand.

Cylindric water.

Specific Hazards in Case of Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate extinguishing media.

Prohibit unauthorized staff from entering the area around the fire.

Keep unnecessary people away.

Special Protective Equipment and Precautions for Fire Fighters

Use goggles in combination with dust mask, and another protections as appropriate to situation.

## Section 6 – ACCIDENTAL RELEASE MEASURES

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Personal Precautions,  
Protective Equipment and  
Emergency Procedures

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions

Large spills :Evacuate area.  
Ensure adequate ventilation.  
Do not discharge into the drains, surface waters or ground water directly.

Methods and Equipment for  
Containment and Cleaning  
Up

small spill : absorb with material such as non-combustible material wash thoroughly after handling

Prevention Measures for  
Secondary Accidents

Large spills: Dike spills and dispose of in safe area.  
Keep away from sources of ignition and prepare extinguishing media.  
Risk of slipping. Spilled material forms slippery floor.

Do not recklessly walk on the spillage.

## Section 7 – HANDLING AND STORAGE

### Handling

### Technical Measures

Provide ventilation system and use necessary personal protective equipment as described in “Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION”.

Ground/bond container and receiving equipment.  
Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

### Precautions for Safe Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.

### Prevents Handling of Incompatible Substances or Mixtures

Refer to “Section 10 – STABILITY AND REACTIVITY”.

### Storage

### Conditions for Safe Storage

Refer to “Section 10 – STABILITY AND REACTIVITY”.

Store locked up.

Store container tightly closed in well-ventilated place.

## Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	TLVs (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m <sup>3</sup> )	TWA 200 ppm, STEL 300 ppm
Methanol	200ppm	200ppm(260mg/m <sup>3</sup> )(skin)	TWA 200 ppm, STEL 250 ppm (Skin)
Chromium and its compounds	Not listed	0.5mg/m <sup>3</sup> as Cr <sup>3+</sup>	Not listed
Copper and its compounds	Not listed	Not listed	Not listed
tributylbenzylammonium 4-hydroxynaphthalene-1-sulfonate	Not listed	Not listed	Not listed

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

	Concentration standards specified by the Minister of Health, Labour and Welfare	
	Concentration standard value for 8-hours exposure	Concentration standard value for short-term exposure/ceiling
Methyl ethyl ketone	Not listed	Not listed
Methanol	Not listed	Not listed
Chromium and its compounds	Not listed	Not listed
Copper and its compounds	Not listed	Not listed
tributylbenzylammonium 4-hydroxynaphthalene-1-sulfonate	Not listed	Not listed

## Engineering Controls

Use local exhaust ventilation in case of production of fume or mist.  
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

## Personal Protective Equipment

## Respiratory Protection

Use explosion-proof electrical equipment and prevent from static electricity.

Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.

## Hand Protection

Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate.

Select and wear appropriate safety gloves based on risk assessments and other measures.

## Eye/Face Protection

Select and wear appropriate face and eye protection based on risk assessments and other measures.

## Skin and Body Protection

Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate.

Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.

## Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

## Physical State

Liquid

## Form

Liquid

## Colour

Blue

## Odour

Solvent odor

## Melting Point/Freezing Point

No data available

## Boiling Point or Initial Boiling Point and Boiling Ranges

79.6 °C

## Flammability

No data available

## Lower and Upper Explosion Limit / Flammability Limit

No data available

## Upper Limit

No data available

## Flash Point

-5.2°C (Tag Closed Cup)

## Auto-Ignition Temperature

No data available

## Decomposition Temperature

No data available

## pH

No data available

## Kinematic Viscosity

No data available

## Solubility

Insoluble in the following materials: Cold water.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Partition Coefficient : n-Octanol/Water	No data available
Vapour Pressure	No data available
Density and/or Relative Density	0.899
Relative Gas Density	No data available
Particle Characteristics	No data available
as Methyl ethyl ketone	
Melting Point/Freezing Point	-86.4°C
Boiling Point or Initial Boiling Point and Boiling Ranges	79.6°C
Density and/or Relative Density	0.8061
as Methanol	
Melting Point/Freezing Point	-93.9°C
Boiling Point or Initial Boiling Point and Boiling Ranges	64.1°C, 59.4°C(610mmHg), 39.9°C(260mmHg), 15°C(73mmHg)
Density and/or Relative Density	0.866(-59°C/4°C), 0.81(0°C/4°C), 0.8006(10°C/4°C), 0.7910(20°C), 0.7964(15°C/15°C)

## Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available
Other Data	No data available

## Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Unable to classify due to insufficient data.
	Dermal	Unable to classify due to insufficient data.
	Inhalation	(gas) Does not fall under gas based on GHS definitions.
		(vapour) Classified as Category 4 since ATE is 2500 to (dust and mist)
Skin Corrosion/Irritation		Unable to classify due to insufficient data. Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation		Classified as Category 2A since the sum of Eye Category 2A is more than 10%.
Respiratory Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Skin Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Germ Cell Mutagenicity		Classification not possible since lots of the concentrations of unknown ingredients.
Carcinogenicity		Unable to classify due to insufficient data.
Reproductive Toxicity		(Reproductive toxicity)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

	Classified as Category 1B since one of the Category 1B ingredients is more than 0.3%. (Reproductive toxicity, effects on or via lactation)
Specific Target Organ Toxicity (Single Exposure)	Unable to classify due to insufficient data. Classified as Category 1 (visual organ) since one of the Category 1 (visual organ) ingredients is more than 10%.  Classified as Category 1 (kidney) since one of the Category 1 (kidney) ingredients is more than 10%. Classified as Category 1 (central nervous system) since one of the Category 1 (central nervous system) ingredients is more than 10%. Classified as Category 1 (systemic toxicity) since one of the Category 1 (systemic toxicity) ingredients is more than 10%. Classified as Category 3 (narcotic effect) since the sum of Category 3 (narcotic effect) ingredients is more than 20%. Classified as Category 3 (respiratory tract irritation) since the sum of Category 3 (respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)	Classified as Category 1 (visual organ) since one of the Category 1 (visual organ) ingredients is more than 10%.  Classified as Category 1 (nervous system) since one of the Category 1 (nervous system) ingredients is more than 10%. Classified as Category 1 (central nervous system) since one of the Category 1 (central nervous system) ingredients is more than 10%.
Aspiration Hazard	Classified as Classification not possible since the kinematic viscosity is unknown.
<b>Section 12 – ECOLOGICAL INFORMATION</b>	
Hazardous to the Aquatic Environment, Short-Term (Acute)	Classification not possible since lots of the concentrations of unknown ingredients.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classified as Category 3 since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is more than 25%.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone Layer	Unable to classify due to insufficient data.
<b>Section 13 – DISPOSAL CONSIDERATIONS</b>	
Residual waste	Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste (Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.  Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.  Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts.

For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated  
containers and  
packaging

Empty containers should be treated as industrial wastes and not allowed to contain waste.

#### Section 14 – TRANSPORT INFORMATION

##### International Regulations

Regulatory Information Conform to the provisions of IMO.  
by Sea

UN No. 1210  
Proper Shipping Name PRINTING INK RELATED MATERIAL  
Class 3  
Packing Group II  
Marine Pollutant Not applicable  
Liquid Substance Not applicable  
Transported in Bulk  
According to MARPOL  
73/78, Annex II, the  
IBC Code

##### Regulations in Japan

Regulatory Information Conform to the provisions of ICAO/IATA.  
by Air

UN No. 1210  
Proper Shipping Name PRINTING INK RELATED MATERIAL  
Class 3  
Packing Group II

Regulatory Information Complies with the Fire Service Act.  
by Road or Rail

Regulatory Information Conform to the provisions of the Ship Safety Law.  
by Sea

UN No. 1210  
Proper Shipping Name PRINTING INK RELATED MATERIAL  
Class 3  
Packing Group II  
Marine Pollutant Not applicable  
Liquid Substance Not applicable  
Transported in Bulk  
According to MARPOL  
73/78, Annex II, the  
IBC Code

Regulatory Information Conform to the provisions of the Civil Aeronautics Law.  
by Air

UN No. 1210  
Proper Shipping Name PRINTING INK RELATED MATERIAL  
Class 3  
Packing Group II

Emergency Response Guide  
Number

130

#### Section 15 – REGULATORY INFORMATION

Industrial Safety and Health  
Act

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph  
1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement  
Ordinance 2 of Appendix 6  
the standards for work environment monitoring Article 65 part 2-1



	<p>Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)</p> <p>Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)</p> <p>Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)</p> <p>Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4) Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2–1and part 2, Attached Table9) Chromium and its compounds (excluding chromic acid and chromate and dichromate and dichromate) (Trade Secrets)</p> <p>Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2–1and part 2, Attached Table9) Methanol(Number:560) (Trade Secrets) Methyl ethyl ketone(Number:570) (Trade Secrets) Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2–1and part 2, Attached Table9) Copper and its compounds(Number:379) (Trade Secrets) Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (ii))</p> <p>Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594–2, Paragraph 1 of the Safety and Health Regulations, 0531–9 issued on May 31, Reiwa 4, and 0704–1 and 5 of July 4, Reiwa 5)</p> <p>Methanol Methyl ethyl ketone</p>
Industrial Safety and Health Act(after 2024/4/1)	<p>Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2–1and part 2, Attached Table9) Chromium and its compounds (excluding hexavalent chromium compounds)(Trade Secrets)</p>
Poisonous and Deleterious Substances Control Act	Not applicable
Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleum non water-soluble Packing Group II
Water Pollution Prevention Act	Specified substances (article 2, paragraph 4 of the Act, article 3 of the Enforcement Ordinance)
Narcotics and Psychotropics Control Act	raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4)
Foreign Exchange and Foreign Trade Act	Import Trade Control Order Appended Table I part 16
	Import Trade Control Order Appended Table II (Import Approval )
Ship Safety Law	Flammable liquids(Order Article 3,Appended Table I)
Aviation Law	Flammable liquids(Order Article 194,Appended Table I)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

## Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	<p>Second-class organic solvents, etc. contain more than 5% of Second-class organic solvents.</p> <p>In the “15. Applicable laws” column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kankahatsu, on January 11, 2022. )</p> <p>In the case where “composition and ingredient information” corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.</p>
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	<p>2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.</p> <p>We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.</p> <p>The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.</p>
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act	The flash point of Class I petroleum is less than 21 ° c.
Poisonous and Deleterious Substances Control Act	The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	<p>Substances treated as equipment are exempt from this law.</p> <p>Cd&lt;100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP &lt;1000ppm</p>
Allowable concentration Standards	<p>TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit</p> <p>JIS Z7253:2019</p>
Cited Literature	<p>1) International Chemical Safety Cards</p> <p>2) National Institute of Technology and Evaluation (NITE), Japan</p> <p>3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan</p> <p>4) EZSDS(JCDB)</p>
Additional Information about This Product:	<p>To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.</p>

---

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.