### Revision 2024.09.17

# Safety Data Sheet (SDS)

#### Section 1 - CHEMICA

Section 1 - CHEMICALS AND C	Chemical Identifier Product Code Reference Number Name of Supplier Address	ION Ink-K87/Ink-1087K 1087K/JP-K87 22 Hitachi Industrial Equipment Systems Co.,Ltd. 1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan IJP ink Group, Marking Systems and Hoist Systems Division
	Phone Number Fax Number Mail Address Emergency Phone Number	+81-294-36-8682 +81-294-36-8975 aida-kohhei@hitachi-ies.co.jp +81-294-36-8682
	Recommended Use Restriction on Use	Industrial ink jet printers If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.
Section 2 - HAZARDS IDENTIF		
GHS Classification of the C	hemical Physicochemical Health Hazards	Flammable liquids Category 2 Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Reproductive toxicity Category 1B Specific target organ toxicity (single exposure) Category 2(kidney) Specific target organ toxicity (single exposure) Category 3(narcotic effect, respiratory tract irritation)
		Specific target organ toxicity (repeated exposure) Category 1 (nervous system)
	Environmental Hazards	Hazardous to the aquatic environment, short-term (acute) Category 3
		Hazardous to the aquatic environment, long-term (chronic) Category 3
		Other hazards than mentioned above are Not classified or Classification not possible.
GHS Label Elements	Pictograms	
	Signal Word Hazard Statements	Danger H225 Highly flammable liquid and vapour H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H360 May damage fertility or the unborn child H371 May cause damage to kidney H372 Causes damage to nervous system through prolonged or repeated exposure H412 Harmful to aquatic life with long lasting effects

Precautionary Statem	nents
Prevention	Obtain special instructions before use.(P201)
	Do not handle until all safety precautions have been read and understood.(P202)
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
	Keep container tightly closed.(P233)
	Ground and bond container and receiving equipment.(P240)
	Use explosion-proof electrical, ventilating and lighting equipment.(P241)
	Use non-sparking tools.(P242)
	Take action to prevent static discharges.(P243)
	Do not breathe dust/fume/gas/mist/vapours/spray.(P260)
	Avoid breathing
	dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264)
	Wash eye thoroughly after handling.(P264)
	Do not eat, drink or smoke when using this product.(P270)
	Use only outdoors or in a well-ventilated area.(P271)
	Avoid release to the environment.(P273)
	Wear protective gloves/protective clothing/eye protection/face protection.(P280)
Response	IF ON SKIN: Wash with plenty of soap and water.(P302+P352)
	IF ON SKIN or hair: Take off immediately all
	contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
	IF exposed or concerned: Call a doctor.(P308+P311)
	IF exposed or concerned: Get medical advice/attention.(P308+P313)
	Call a doctor if you feel unwell.(P312)
	Get medical advice and attention if you feel unwell.(P314)
	Specific treatment.(P321)
	If skin irritation occurs: Get medical advice/attention.(P332+P313)
	If eye irritation persists: Get medical advice/attention.(P337+P313)
	Take off contaminated clothing and wash it before reuse.(P362+P364)
	In case of fire: Use appropriate media to extinguish.(P370+P378)
Storage	Store in a well-ventilated place. Keep container tightly closed.(P403+P233)
	Store in a well-ventilated place. Keep cool.(P403+P235)
	Store locked up.(P405)
Disposal	Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Mixture

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or

Chemical Name or Generic Name	Concentration or Its Ranges (wt%)	Formula	ENCS No./I ENCS No.	SHL No. ISHL No.	CAS RN
Methyl ethyl ketone	75-less than 85	CH3CH2CO CH3		Registered	78-93-3
Chromium and its compounds	3–5	-	Registered( Trade secret)	Registered( Trade secret)	Trade secret
tion 4 – FIRST AID MEASUR					
Inhalation		IF INHALED: Remove to fresh air and keep at rest in position comfortable for breathing.			
Skin Contact		IF exposed or concerned: Call a doctor. IF ON SKIN (or hair): Remove/Take off immediately a contaminated clothing. Rinse skin with water/shower			
		IF ON SKIN:	Wash with p	lenty of soap	and water.
		If skin irritat attention.	ion occurs: (	Get medical a	advice and
Eye Contact		IF IN EYES:	or concerned Rinse caution move contact	•	r. er for several esent and easy
		If eye irritation persists: Get medical advice/attentio			
Ingestion		IF exposed or concerned: Call a doctor. Rinse mouth. IF SWALLOWED: Call a doctor if you feel unwell.			
		IF exposed or concerned: Call a doctor.			
tion 5 – FIRE FIGHTING MEA	SURES				
Suitable Extinguishing Media		fire.		-	pe of surround
Unsuitable Extinguishing Media		When dust o Cylindric wa	occurs, use di ter.	ry sand.	
Specific Hazards in Case of Fire Specific Fire Fighting		monoxide. A	void inhalatio	l gases such n of smoke o sition if possi	r gases.
		Keep away f extinguishing Prohibit una	rom sources g media. uthorized sta	-	ıd use appropri
Special Protective Equipment and Precautions for Fire Fighters		around the fire. Keep unnecessary people away. Use goggles in combination with dust mask, and anothe protections as appropriate to situation.			
tion 6 – ACCIDENTAL RELE	ASE MEASURES				
Personal Precautions, Protective Equipment and Emergency Procedures	NOL MILAUUILO			on with dust te to situatior	mask, and anot า.
Environmental Precautions		Large spills :Evacuate area. Ensure adequate ventilation. Do not discharge into the drains, surface waters or			
Methods and Equipment for Containment and Cleaning Up		ground wate No informati			

Prevention Measures Secondary Accidents		Keep away from sources of ignition and prepare extinguishing media.
Section 7 - HANDLING A Handling	ND STORAGE Technical Measures	Provide ventilation system and use necessary personal protective equipment as described in "Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION".
		Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist.
		Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe Handling	Keep cool.
		Do not breathe dust/fume/gas/mist/vapours/spray.
		Do not eat, drink or smoke when using this product.
		Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 - STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	Refer to "Section 10 - STABILITY AND REACTIVITY".
	C C	Store locked up. Store container tightly closed in well-ventilated place.

#### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level		imits (Japan Occupationa		
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)		TWA 200 ppm, STEL 300 ppm	
Chromium and its compounds	Not listed	0.5mg/m3 a	as Cr3+	Not listed	
	Concentration standards specified by the Minister of Health, Labour and Welfare				
	Concentration standard value for 8-hours exposure		Concentration standard value for short- term exposure/ceiling		
Methyl ethyl ketone	Not listed		Not listed		
Chromium and its compounds	Not listed		Not listed		
Engineering Controls		Use local e fume or mis		ation in case of production of	
		Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.			
			on-proof ele electrocity	ctrical equipment and prevent	
Personal Protective Equipment	Respiratory Protection			riate respiratory protective assessments and other	

	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate.
		Select and wear appropriate safety gloves based on risk assessments and other measures.
	Eye/Face Protection	Select and wear appropriate face and eye protection based on risk assessments and other measures.
	Skin and Body Protection	Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate.
		Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.
Section 9 - PHYSICAL AND CH Physical State	EMICAL PROPERTIES	Liquid
Form		Liquid
Colour		Black
Odour		Solvent odor
Melting Point/Freezing		-86.4°C (as 2-Butanone)
Point		-80.4 C (as 2-Butanone)
Boiling Point or Initial Boiling Point and Boiling Ranges		79.6 °C (as 2-Butanone)
Flammability		Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	1.8vol% (as 2-Butanone)
	Upper Limit	11.5vol% (as 2-Butanone)
Flash Point		-8.2°C (Tag Closed Cup)
Auto-Ignition Temperature		505°C (as 2-Butanone)
Decomposition Temperature		No data available
pН		No data available
Kinematic Viscosity		3mm2/s
Solubility		water: 29g/100mL (20°C) (as 2-Butanone)
Partition Coefficient : n− Octanol/Water		0.29(as 2-Butanone)
Vapour Pressure		10.5kPa (20°C) (as 2-Butanone)
Density and/or Relative Density		0.87
Relative Gas Density		2.41 (Air=1, as 2-Butanone)
Particle Characteristics		No data available
as Methyl ethyl ketone Melting Point/Freezing Point		-86.4°C
Boiling Point or Initial Boiling Point and Boiling Ranges		79.6°C
Density and/or Relative Density		0.8061
Section 10 - STABILITY AND R	EACTIVITY	
Reactivity		Does not react dangerously under nomal conditions.
Chemical Stability Possibility of Hazardous Reaction		Stable under normal conditions of use. Flammable
Conditions to Avoid		There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures		source of Ignition. No data available

Hazardous Decomposition	No data available
Products Other Data	No data available
Section 11 - TOXICOLOGICAL INFORMATION Acute Toxicity Oral	Classification not possible since lots of the
	concentrations of unknown ingredients.
Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
Inhalation	(gas) Does not fall under gas based on GHS definitions.
	(vapour) Classified as Category 4 since ATE is 2500 to 20000(ppmV).
	(dust and mist)
Skin Corrosion/Irritation	Unable to classify due to insufficient data. Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation	Classified as Category 2A since the sum of Eye Category 2A is more than 10%.
Respiratory Sensitization	Unable to classify due to insufficient data.
Skin Sensitization	Unable to classify due to insufficient data.
Germ Cell Mutagenicity	Unable to classify due to insufficient data.
Carcinogenicity	Unable to classify due to insufficient data.
Reproductive Toxicity	(Reproductive toxicity)
	Classified as Category 1B since one of the Category 1B ingredients is more than 0.3%.
	(Reproductive toxicity, effects on or via lactation)
	Unable to classify due to insufficient data.
Specific Target Organ	Classified as Category 2(kidney) since one of the
Toxicity (Single Exposure)	Category 2(kidney) ingredients is more than 10%.
	Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.
	Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)	Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more than 10%.
Aspiration Hazard	Unable to classify due to insufficient data.
Section 12 - ECOLOGICAL INFORMATION Hazardous to the Aquatic Environment, Short-Term (Acute)	Classified as Category 3 since the sum of $(M \times 100 \times Category 1) + (10 \times Category 2) + Category 3 ingredients is more than 25%.$
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classified as Category 3 since the sum of $(M \times 100 \times Category 1) + (10 \times Category 2) + Category 3 ingredients is more than 25%.$
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone	Unable to classify due to insufficient data.
Layer	-

Section 13 - DISPOSAL CONSIDERATIONS

	Residual waste	Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.
		Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.
		Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. $\label{eq:control}$
		For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.
		When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.
		Clarify the contents of waste materials and entrust disposal to a waste disposal company.
	Contaminated containers and packaging	Empty containers should be treated as industrial wastes and not allowed to contain waste.
Section 14 - TRANSPORT INFO International Regulations		Conform to the provisions of IMO.
International Regulations	by Sea	
	UN No. Proper Shipping Name	1210 PRINTING INK RELATED MATERIAL
	Class	3 П
	Packing Group Marine Pollutant	ц Not applicable
	Liquid Substance Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code	Not applicable
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No. Proper Shipping Name	1210 PRINTING INK RELATED MATERIAL
	Class Packing Group	З П
Regulations in Japan		Complies with the Fire Service Act.
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
		1210 PRINTING INK RELATED MATERIAL
	Class Packing Group	З П
	Marine Pollutant	Not applicable
	Liquid Substance Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code	Not applicable
	by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No. Proper Shipping Name	1210 PRINTING INK RELATED MATERIAL

Emergency Response Guide	Class Packing Group	3 II 130
Number		
Section 15 - REGULATORY INF Industrial Safety and Health Act	ORMATION	Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6
		the standards for work environment monitoring Article 65 part $2-1$
		Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
		Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
		Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)
		Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2, Order Article 18 part 2–1and part 2, Attached Table9)
		Chromium and its compounds (excluding chromic acid and chromate and dichromate and dichromate) (Trade Secrets)
		Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)
		Methyl ethyl ketone (Number: 570) (Trade Secrets)
		Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))
		Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594–2, Paragraph 1 of the Safety and Health Regulations, $0531-9$ issued on May 31, Reiwa 4, and 0704–1 and 5 of July 4, Reiwa 5)
		Methyl ethyl ketone
Industrial Safety and Health Act(after 2024/4/1)		Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
		Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)
		Chromium and its compounds (excluding hexavalent chromium compounds)(Trade Secrets)
Poisonous and Deleterious Substances Control Act		Not applicable
Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof		Not applicable
Act on the Regulation of Manufacture and Evaluation of Chemical Substances		Mmonitoring chemical substances (Article 2, Paragraph 4 of the Act)
Fire Service Act		Priority Assessment Chemical Substances(Article 2 part 5) Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II

Water Pollution Prevention	Specified substances (article 2, paragraph 4 of the Act, article 3 of
Act	the Enforcement Ordinance)
Narcotics and Psychotropics Control Act	raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4)
Foreign Exchange and Foreign Trade Act	Import Trade Control Order Appended Table I part 16
	Import Trade Control Order Appended Table $ {\rm I\!I}$ (Import Approval )
Ship Safety Law Aviation Law	Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

## Section 16 - OTHER INFORMATION

ION	
Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second- class organic solvents.
	In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022. )
	In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.
	2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.
	The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act Poisonous and Deleterious Substances Control Act	The flash point of Class I petroleums is less than 21 $^\circ$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019
Cited Literature	<ol> <li>International Chemical Safety Cards</li> <li>National Institute of Technology and Evaluation (NITE), Japan</li> </ol>
	<ul> <li>3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan</li> <li>4) EZSDS(JCDB)</li> </ul>
Additional Information about This Product:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.