

Issue 2008.06.21

Revision 2024.09.17

Safety Data Sheet (SDS)

Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-F92/Ink-1092F
Product Code	1092F/JP-F92
Reference Number	25
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Department in Charge	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	aida-kohhei@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers
Restriction on Use	If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.

Section 2 – HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 1A Reproductive toxicity Category 1A Specific target organ toxicity (single exposure) Category 2(kidney) Specific target organ toxicity (single exposure) Category 3(narcotic effect, respiratory tract irritation) Specific target organ toxicity (repeated exposure) Category 1(nervous system) Specific target organ toxicity (repeated exposure) Category 2(liver) Other hazards than mentioned above are Not classified or Classification not possible.

GHS Label Elements

Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H350 May cause cancer H360 May damage fertility or the unborn child H371 May cause damage to kidney H372 Causes damage to nervous system through prolonged or repeated exposure H373 May cause damage to liver through prolonged or repeated exposure

Precautionary Statements

Prevention	Obtain special instructions before use.(P201)
	Do not handle until all safety precautions have been read and understood.(P202)
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
	Keep container tightly closed.(P233)
	Ground and bond container and receiving equipment.(P240)
	Use explosion-proof electrical, ventilating and lighting equipment.(P241)
	Use non-sparking tools.(P242)
	Take action to prevent static discharges.(P243)
	Do not breathe dust/fume/gas/mist/vapours/spray.(P260)
	Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)
	Wash hand thoroughly after handling.(P264)
	Wash eye thoroughly after handling.(P264)
	Do not eat, drink or smoke when using this product.(P270)
	Use only outdoors or in a well-ventilated area.(P271)
	Wear protective gloves/protective clothing/eye protection/face protection.(P280)
	IF ON SKIN: Wash with plenty of soap and water.(P302+P352)
Response	IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
	IF exposed or concerned: Call a doctor.(P308+P311)
	IF exposed or concerned: Get medical advice/attention.(P308+P313)
	Call a doctor if you feel unwell.(P312)
	Get medical advice and attention if you feel unwell.(P314)
	Specific treatment.(P321)
	If skin irritation occurs: Get medical advice/attention.(P332+P313)
	If eye irritation persists: Get medical advice/attention.(P337+P313)
	Take off contaminated clothing and wash it before reuse.(P362+P364)
	In case of fire: Use appropriate media to extinguish.(P370+P378)
Storage	Store in a well-ventilated place. Keep container tightly closed.(P403+P233)
	Store in a well-ventilated place. Keep cool.(P403+P235)
Disposal	Store locked up.(P405)
	Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or
Mixture

Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (wt%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Methyl ethyl ketone	75-less than 85	CH ₃ CH ₂ CO CH ₃	(2)-542	Registered	78-93-3
Ethanol	3-5	CH ₃ CH ₂ OH	(2)-202	Registered	64-17-5

Section 4 – FIRST AID MEASURES

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Call a doctor.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

IF exposed or concerned: Call a doctor.

Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

When dust occurs, use dry sand.

Unsuitable Extinguishing Media

Cylindric water.

Specific Hazards in Case of Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate extinguishing media.

Prohibit unauthorized staff from entering the area around the fire.

Keep unnecessary people away.

Special Protective Equipment and Precautions for Fire Fighters

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Section 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions,
Protective Equipment and
Emergency Procedures

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions

Large spills :Evacuate area.

Ensure adequate ventilation.

Methods and Equipment for Containment and Cleaning Up

Do not discharge into the drains, surface waters or ground water directly.

No information available

Prevention Measures for Secondary Accidents

Keep away from sources of ignition and prepare extinguishing media.

Section 7 – HANDLING AND STORAGE

Handling	Technical Measures	Provide ventilation system and use necessary personal protective equipment as described in “Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION”.
		Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe Handling	Keep cool. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product.
		Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to “Section 10 – STABILITY AND REACTIVITY”.
	Conditions for Safe Storage	Refer to “Section 10 – STABILITY AND REACTIVITY”.
Storage		Store locked up. Store container tightly closed in well-ventilated place.

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	TLVs (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m ³)	TWA 200 ppm, STEL 300 ppm
Ethanol	Not listed	Not listed	TWA -, STEL 1000 ppm

	Concentration standards specified by the Minister of Health, Labour and Welfare	
	Concentration standard value for 8-hours exposure	Concentration standard value for short-term exposure/ceiling
Methyl ethyl ketone	Not listed	Not listed
Ethanol	Not listed	Not listed

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
		Use explosion-proof electrical equipment and prevent from static electricity.
	Respiratory Protection	Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.
	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate. Select and wear appropriate safety gloves based on risk assessments and other measures.
Personal Protective Equipment		

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Eye/Face Protection Select and wear appropriate face and eye protection based on risk assessments and other measures.

Skin and Body Protection Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate.

Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Form	Liquid
Colour	Clear
Odour	Solvent odor
Melting Point/Freezing Point	-86.4°C (as 2-Butanone)
Boiling Point or Initial Boiling Point and Boiling Ranges	79.6 °C (as 2-Butanone)
Flammability	Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit 1.8vol% (as 2-Butanone)
	Upper Limit 11.5vol% (as 2-Butanone)
Flash Point	-3°C (Tag Closed Cup)
Auto-Ignition Temperature	505°C (as 2-Butanone)
Decomposition Temperature	No data available
pH	No data available
Kinematic Viscosity	2.9mm ² /s
Solubility	water: 29g/100mL (20°C) (as 2-Butanone)
Partition Coefficient : n-Octanol/Water	0.29(as 2-Butanone)
Vapour Pressure	10.5kPa (20°C) (as 2-Butanone)
Density and/or Relative Density	0.84
Relative Gas Density	2.41 (Air=1, as 2-Butanone)
Particle Characteristics	No data available
as Methyl ethyl ketone	
Melting Point/Freezing Point	-86.4°C
Boiling Point or Initial Boiling Point and Boiling Ranges	79.6°C
Density and/or Relative Density	0.8061
as Ethanol	
Boiling Point or Initial Boiling Point and Boiling Ranges	78.3°C
Density and/or Relative Density	0.7892(20°C, 4°C)

Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available
Other Data	No data available

Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions. (vapour) Classified as Category 4 since ATE is 2500 to 20000(ppmV). (dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation		Classified as Category 2A since the sum of Eye Category 2A is more than 10%.
Respiratory Sensitization		Unable to classify due to insufficient data.
Skin Sensitization		Unable to classify due to insufficient data.
Germ Cell Mutagenicity		Unable to classify due to insufficient data.
Carcinogenicity		Classified as Category 1A since one of the Category 1A ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity) Classified as Category 1A since one of the Category 1A ingredients is more than 0.3%.
		(Reproductive toxicity, effects on or via lactation) Unable to classify due to insufficient data.
Specific Target Organ Toxicity (Single Exposure)		Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.
		Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)		Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
		Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more than 10%.
Aspiration Hazard		Classified as Category 2(liver) since one of the Category 1(liver) ingredients is 1 to 10%.
		Unable to classify due to insufficient data.

Section 12 – ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term (Acute)	Classification not possible since lots of the concentrations of unknown ingredients.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classification not possible since lots of the concentrations of unknown ingredients.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Hazardous to the Ozone
Layer

Unable to classify due to insufficient data.

Section 13 – DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or into the culverts.

For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containers and packaging

Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 – TRANSPORT INFORMATION

International Regulations

Regulatory Information Conform to the provisions of IMO.
by Sea

UN No. 1210
Proper Shipping Name PRINTING INK RELATED MATERIAL
Class 3
Packing Group II
Marine Pollutant Not applicable
Liquid Substance Not applicable
Transported in Bulk
According to MARPOL
73/78, Annex II, the
IBC Code

Regulatory Information Conform to the provisions of ICAO/IATA.
by Air

UN No. 1210
Proper Shipping Name PRINTING INK RELATED MATERIAL
Class 3
Packing Group II

Regulations in Japan

Regulatory Information Complies with the Fire Service Act.
by Road or Rail

Regulatory Information Conform to the provisions of the Ship Safety Law.
by Sea

UN No. 1210
Proper Shipping Name PRINTING INK RELATED MATERIAL
Class 3
Packing Group II
Marine Pollutant Not applicable
Liquid Substance Not applicable
Transported in Bulk
According to MARPOL
73/78, Annex II, the
IBC Code

Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
UN No.	1210
Proper Shipping Name	PRINTING INK RELATED MATERIAL
Class	3
Packing Group	II
Emergency Response Guide Number	130

Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act	Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6 the standards for work environment monitoring Article 65 part 2-1 Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9) Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4) Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9) Ethanol(Number:61) (Trade Secrets) Methyl ethyl ketone(Number:570) (Trade Secrets) Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (ii)) Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5) Methyl ethyl ketone Not applicable Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof Not applicable Fire Service Act Hazardous Materials Category IV inflammable liquids Class I petroleum non water-soluble Packing Group II Water Pollution Prevention Act Hazardous substances (Article 2, Ordinance of Enforcement, article 2, Ordinance 1) that prescribe wastewater standards) Narcotics and Psychotropics Control Act raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4) Foreign Exchange and Foreign Trade Act Import Trade Control Order Appended Table I part 16 Import Trade Control Order Appended Table II (Import Approval) Ship Safety Law Aviation Law Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)
----------------------------------	--

Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.
----------------------------------	---

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

	<p>In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kankahatsu, on January 11, 2022.)</p> <p>In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.</p>
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	<p>2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.</p> <p>We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.</p>
Foreign Exchange and Foreign Trade Act	<p>The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.</p> <p>In law, printing inks are not approved for export</p>
Fire Service Act	<p>The flash point of Class I petroleum is less than 21 ° c.</p>
Poisonous and Deleterious Substances Control Act	<p>The deleterious substances is only applicable to the material, and the mixture is non-applicable.</p>
RoHS Specified Substance Concentration	<p>Substances treated as equipment are exempt from this law.</p> <p>Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm</p>
Allowable concentration Standards	<p>TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit)</p> <p>JIS Z7253:2019</p>
Cited Literature	<p>1) International Chemical Safety Cards</p> <p>2) National Institute of Technology and Evaluation (NITE), Japan</p>
Additional Information about This Product:	<p>3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan</p> <p>4) EZSDS(JCDB)</p> <p>To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.</p>