

Issue 2011.01.11

Revision 2024.09.17

Safety Data Sheet (SDS)

Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-1106K/Ink-K106
Product Code	1106K/JP-K106
Reference Number	31
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Department in Charge	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	aida-kohhei@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers
Restriction on Use	If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.

Section 2 – HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 1B Specific target organ toxicity (single exposure) Category 2(kidney) Specific target organ toxicity (single exposure) Category 3(narcotic effect, respiratory tract irritation) Specific target organ toxicity (repeated exposure) Category 1 (nervous system) Specific target organ toxicity (repeated exposure) Category 2 (central nervous system, respiratory apparatus) Other hazards than mentioned above are Not classified or Classification not possible.

GHS Label Elements

Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H350 May cause cancer H371 May cause damage to kidney H372 Causes damage to nervous system through prolonged or repeated exposure H373 May cause damage to respiratory apparatus, central nervous system through prolonged or repeated exposure

Precautionary Statements

Prevention	Obtain special instructions before use.(P201)
	Do not handle until all safety precautions have been read and understood.(P202)
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
	Keep container tightly closed.(P233)
	Ground and bond container and receiving equipment.(P240)
	Use explosion-proof electrical, ventilating and lighting equipment.(P241)
	Use non-sparking tools.(P242)
	Take action to prevent static discharges.(P243)
	Do not breathe dust/fume/gas/mist/vapours/spray.(P260)
	Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)
	Wash hand thoroughly after handling.(P264)
	Wash eye thoroughly after handling.(P264)
	Do not eat, drink or smoke when using this product.(P270)
	Use only outdoors or in a well-ventilated area.(P271)
	Wear protective gloves/protective clothing/eye protection/face protection.(P280)
Response	IF ON SKIN: Wash with plenty of soap and water.(P302+P352)
	IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
	IF exposed or concerned: Call a doctor.(P308+P311)
	IF exposed or concerned: Get medical advice/attention.(P308+P313)
	Call a doctor if you feel unwell.(P312)
	Get medical advice and attention if you feel unwell.(P314)
	Specific treatment.(P321)
	If skin irritation occurs: Get medical advice/attention.(P332+P313)
	If eye irritation persists: Get medical advice/attention.(P337+P313)
	Take off contaminated clothing and wash it before reuse.(P362+P364)
Storage	In case of fire: Use appropriate media to extinguish.(P370+P378)
	Store in a well-ventilated place. Keep container tightly closed.(P403+P233)
	Store in a well-ventilated place. Keep cool.(P403+P235)
Disposal	Store locked up.(P405)
	Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or
Mixture

Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (wt%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Methyl ethyl ketone	75-less than 85	CH ₃ CH ₂ COCH ₃	(2)-542	Registered	78-93-3
Carbon black	3-5	-	-	-	1333-86-4
Methyl isobutyl ketone	3-5	CH ₃ CH(CH ₃)CH ₂ COCH ₃	(2)-542	Registered	108-10-1

Section 4 – FIRST AID MEASURES

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Call a doctor.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

IF exposed or concerned: Call a doctor.

Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

When dust occurs, use dry sand.

Cylindric water.

Unsuitable Extinguishing Media

Specific Hazards in Case of Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate extinguishing media.

Prohibit unauthorized staff from entering the area around the fire.

Keep unnecessary people away.

Special Protective Equipment and Precautions for Fire Fighters

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Section 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions,
Protective Equipment and
Emergency Procedures

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions

Large spills :Evacuate area.

Ensure adequate ventilation.

Do not discharge into the drains, surface waters or ground water directly.

Methods and Equipment for Containment and Cleaning Up

No information available

Prevention Measures for
Secondary Accidents

Keep away from sources of ignition and prepare
extinguishing media.

Section 7 – HANDLING AND STORAGE

Handling

Technical Measures

Provide ventilation system and use necessary personal
protective equipment as described in “Section 8 –
EXPOSURE CONTROLS / PERSONAL PROTECTION”.

Ground/bond container and receiving equipment.
Use only non-sparking tools.
Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of
fume or mist.

Facilities storing or utilizing this material should be
equipped with an eyewash facility and a safety shower.

Precautions for Safe
Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye
protection/face protection.

Prevents Handling of
Incompatible
Substances or
Mixtures

Refer to “Section 10 – STABILITY AND REACTIVITY”.

Storage

Conditions for Safe
Storage

Refer to “Section 10 – STABILITY AND REACTIVITY”.

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	TLVs (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m ³)	TWA 200 ppm, STEL 300 ppm
Carbon black	Not listed	【 Dust allowable concentration 】 (Second type dust) inhalative dust 1mg/m ³ Total dust 4mg/m ³	TWA 3 mg/m ³ (l), STEL –
Methyl isobutyl ketone	20ppm	50ppm(200mg/m ³)	TWA 20 ppm, STEL 75 ppm

	Concentration standards specified by the Minister of Health, Labour and Welfare	
	Concentration standard value for 8-hours exposure	Concentration standard value for short- term exposure/ceiling
Methyl ethyl ketone	Not listed	Not listed
Carbon black	Not listed	Not listed
Methyl isobutyl ketone	Not listed	Not listed

Engineering Controls

Use local exhaust ventilation in case of production of
fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static electricity.

Personal Protective Equipment	Respiratory Protection	Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.
	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate.
	Eye/Face Protection	Select and wear appropriate safety gloves based on risk assessments and other measures. Select and wear appropriate face and eye protection based on risk assessments and other measures.
	Skin and Body Protection	Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate. Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Form	Liquid
Colour	Black
Odour	Solvent odor
Melting Point/Freezing Point	-86.4°C (as 2-Butanone)
Boiling Point or Initial Boiling Point and Boiling Ranges	79.6 °C (as 2-Butanone)
Flammability	Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit 1.8vol% (as 2-Butanone)
	Upper Limit 11.5vol% (as 2-Butanone)
Flash Point	-7.0000°C (Tag Closed Cup)
Auto-Ignition Temperature	505°C (as 2-Butanone)
Decomposition Temperature	No data available
pH	No data available
Kinematic Viscosity	3.2mm ² /s
Solubility	water: 29g/100mL (20°C) (as 2-Butanone)
Partition Coefficient : n-Octanol/Water	0.29(as 2-Butanone)
Vapour Pressure	10.5kPa (20°C) (as 2-Butanone)
Density and/or Relative Density	0.86
Relative Gas Density	2.41 (Air=1, as 2-Butanone)
Particle Characteristics	No data available
as Methyl ethyl ketone	
Melting Point/Freezing Point	-86.4°C
Boiling Point or Initial Boiling Point and Boiling Ranges	79.6°C
Density and/or Relative Density	0.8061
as Methyl isobutyl ketone	

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Melting Point/Freezing Point	-85°C
Boiling Point or Initial Boiling Point and Boiling Ranges	117°C, 35~40°C(16mmHg)
Density and/or Relative Density	0.7998(20°C/4°C)

Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available
Other Data	No data available

Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions. (vapour) Classified as Category 4 since ATE is 2500 to 20000(ppmV). (dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation		Classified as Category 2A since the sum of Eye Category 2A is more than 10%.
Respiratory Sensitization		Unable to classify due to insufficient data.
Skin Sensitization		Unable to classify due to insufficient data.
Germ Cell Mutagenicity		Unable to classify due to insufficient data.
Carcinogenicity		Classified as Category 1B since one of the Category 1B ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity) Unable to classify due to insufficient data. (Reproductive toxicity, effects on or via lactation)
Specific Target Organ Toxicity (Single Exposure)		Unable to classify due to insufficient data.
		Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.
		Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)		Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
		Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more than 10%.
		Classified as Category 2(respiratory apparatus) since one of the Category 1(respiratory apparatus) ingredients is 1 to 10%.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

		Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%.
Aspiration Hazard		Unable to classify due to insufficient data.
Section 12 – ECOLOGICAL INFORMATION		
Hazardous to the Aquatic Environment, Short-Term (Acute)		Classification not possible since lots of the concentrations of unknown ingredients.
Hazardous to the Aquatic Environment, Long-Term (Chronic)		Classification not possible since lots of the concentrations of unknown ingredients.
Ecotoxicity		No data available
Persistence		No data available
Bioaccumulative Potential		No data available
Mobility in Soil		No data available
Hazardous to the Ozone Layer		Unable to classify due to insufficient data.
Section 13 – DISPOSAL CONSIDERATIONS		
	Residual waste	<p>Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste(Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.</p> <p>Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.</p> <p>Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts.</p> <p>For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.</p> <p>When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.</p>
	Contaminated containers and packaging	<p>Clarify the contents of waste materials and entrust disposal to a waste disposal company.</p> <p>Empty containers should be treated as industrial wastes and not allowed to contain waste.</p>
Section 14 – TRANSPORT INFORMATION		
International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Regulations in Japan	Class	3
	Packing Group	II
	Regulatory Information by Road or Rail	Complies with the Fire Service Act.
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No.	1210
Emergency Response Guide Number	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
		130

Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act

Specific chemical substances, Class 2 substances, special organic solvents, etc. (Specific chemical Substances Prevention Regulations article 2, paragraph 1, no. 2, No. 3, No. 3)

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6
the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.
(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4)
Public health Care guidelines published substances (article 28, paragraph 3 of the law, Ministry of Labor guidelines)
Hazardous Substances to be notified in terms of Whose Names,etc
(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)

Carbon black (Number : 130) (Trade Secrets)

Methyl isobutyl ketone (Number:569) (Trade Secrets)

Methyl ethyl ketone (Number : 570) (Trade Secrets)

Special control substances for specific chemicals (article 38 of the Regulation for the prevention of specific chemical substances)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Substances for which concentration reference values are set (Article 577-2, Paragraph 2 of the Safety and Health Regulations, Notification No. 177 of April 27, Reiwa 5, Public Notice No. 24 of April 27, Reiwa 5)

Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)

	Methyl ethyl ketone Substances that are obligatory to use impermeable protective equipment, etc. based on special regulations (List of substances applicable to 0704 No. 1 and 5 issued on July 4, Reiwa 5)
Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable Class 1 Designated Chemical Substances (Article 2, Paragraph 2 of the Law, Article 1, Appendix 1 of the Enforcement Ordinance)
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Methyl isobutyl ketone (control number: 737) (4.9%) Priority Assessment Chemical Substances (Article 2 part 5)
Fire Service Act Water Pollution Prevention Act Narcotics and Psychotropics Control Act Foreign Exchange and Foreign Trade Act	Hazardous Materials Category IV inflammable liquids Class I petroleum non water-soluble Packing Group II Hazardous substances (Article 2, Ordinance of Enforcement, article 2, Ordinance 1) that prescribe wastewater standards) raw materials for Narcotics or Psychotropics (Appended Table IV part 9, Order Article 4) Import Trade Control Order Appended Table I part 16 Import Trade Control Order Appended Table II (Import Approval)
Ship Safety Law Aviation Law	Flammable liquids (Order Article 3, Appended Table I) Flammable liquids (Order Article 194, Appended Table I)
Section 16 – OTHER INFORMATION	
Industrial Safety and Health Act	Second-class organic solvents, etc. contain more than 5% of Second-class organic solvents. In the “15. Applicable laws” column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kankahatsu, on January 11, 2022.) In the case where “composition and ingredient information” corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances. Carbon black is not subject to the law for the use of elements, there is no numbered gazette. We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.
Foreign Exchange and Foreign Trade Act	The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort. In law, printing inks are not approved for export
Fire Service Act Poisonous and Deleterious Substances Control Act	The flash point of Class I petroleum is less than 21 ° c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.
	Substances treated as equipment are exempt from this law.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

RoHS Specified Substance Concentration	Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit)
Cited Literature	JIS Z7253:2019 1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS(JCDB)
Additional Information about This Product:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.