

Issue 2011.01.11

Revision 2025.11.12

## Safety Data Sheet (SDS)

### Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-1106K/Ink-K106
Product Code	1106K/JP-K106
Reference Number	31
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Department in Charge	Ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	aida-kohhei@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers
Restriction on Use	If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.

### Section 2 – HAZARDS IDENTIFICATION

#### GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 1B Specific target organ toxicity (single exposure) Category 2 (kidney) Specific target organ toxicity (single exposure) Category 3 (narcotic effects, respiratory tract irritation)

Specific target organ toxicity (repeated exposure)  
Category 1 (nervous system)

Specific target organ toxicity (repeated exposure)  
Category 2 (central nervous system, respiratory organs)

Other hazards than mentioned above are Not classified or Classification not possible.

#### GHS Label Elements

##### Pictograms



Signal Word Danger

Hazard Statements	H225 Highly flammable liquid and vapour H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H350 May cause cancer H371 May cause damage to kidney H372 Causes damage to nervous system through prolonged or repeated exposure H373 May cause damage to respiratory organs, central nervous system through prolonged or repeated exposure
-------------------	---

## Precautionary Statements

Prevention	<p>Obtain special instructions before use.(P201)</p> <p>Do not handle until all safety precautions have been read and understood.(P202)</p> <p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)</p> <p>Keep container tightly closed.(P233)</p> <p>Ground and bond container and receiving equipment.(P240)</p> <p>Use explosion-proof electrical, ventilating and lighting equipment.(P241)</p> <p>Use non-sparking tools.(P242)</p> <p>Take action to prevent static discharges.(P243)</p> <p>Do not breathe dust/fume/gas/mist/vapours/spray.(P260)</p> <p>Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)</p> <p>Wash hands thoroughly after handling.(P264)</p> <p>Wash eyes thoroughly after handling.(P264)</p> <p>Do not eat, drink or smoke when using this product.(P270)</p> <p>Use only outdoors or in a well-ventilated area.(P271)</p> <p>Wear protective gloves/protective clothing/eye protection/face protection.(P280)</p>
Response	<p>IF ON SKIN: Wash with plenty of soap and water.(P302+P352)</p> <p>IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)</p> <p>IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)</p> <p>IF exposed or concerned: Call a doctor.(P308+P311)</p> <p>IF exposed or concerned: Get medical advice/attention.(P308+P313)</p> <p>Call a doctor if you feel unwell.(P312)</p> <p>Get medical advice and attention if you feel unwell.(P314)</p> <p>Specific treatment.(P321)</p> <p>If skin irritation occurs: Get medical advice/attention.(P332+P313)</p> <p>If eye irritation persists: Get medical advice/attention.(P337+P313)</p> <p>Take off contaminated clothing and wash it before reuse.(P362+P364)</p> <p>In case of fire: Use appropriate media to extinguish.(P370+P378)</p>
Storage	<p>Store in a well-ventilated place. Keep container tightly closed.(P403+P233)</p> <p>Store in a well-ventilated place. Keep cool.(P403+P235)</p>
Disposal	<p>Store locked up.(P405)</p> <p>Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)</p>

## Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (wt%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Methyl ethyl ketone	75-less than 85	CH <sub>3</sub> CH <sub>2</sub> CO CH <sub>3</sub>	(2)-542	Existing	78-93-3
Carbon black	3-5	-	-	-	1333-86-4
Methyl isobutyl ketone	3-5	CH <sub>3</sub> CH(CH 3)CH <sub>2</sub> CO H <sub>3</sub>	(2)-542	Existing	108-10-1

## Section 4 – FIRST AID MEASURES

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Call a doctor.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

IF exposed or concerned: Call a doctor.

Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

## Section 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

When dust occurs, use dry sand.

Cylindric water.

Unsuitable Extinguishing Media

Specific Hazards in Case of Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate extinguishing media.

Prohibit unauthorized staff from entering the area around the fire.

Keep unnecessary people away.

Special Protective Equipment and Precautions for Fire Fighters

Use goggles in combination with dust mask, and another protections as appropriate to situation.

## Section 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions

Large spills :Evacuate area.

Ensure adequate ventilation.

Do not discharge into the drains, surface waters or ground water directly.

Methods and Equipment for Containment and Cleaning Up

No information available

Prevention Measures for Secondary Accidents

Keep away from sources of ignition and prepare extinguishing media.

Section 7 – HANDLING AND STORAGE

Handling

Technical Measures

Provide ventilation system and use necessary personal protective equipment as described in “Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION”.

Ground/bond container and receiving equipment.  
Use only non-sparking tools.  
Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.

Prevents Handling of Incompatible Substances or Mixtures

Refer to “Section 10 – STABILITY AND REACTIVITY”.

Storage

Conditions for Safe Storage

Refer to “Section 10 – STABILITY AND REACTIVITY”.

Store locked up.  
Store container tightly closed in well-ventilated place.

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	TLVs (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
Carbon black	Not listed	[ Dust allowable concentration ] (Second type dust) inhalative dust 1mg/m3 Total dust 4mg/m3	TWA 3 mg/m3(l), STEL –
Methyl isobutyl ketone	20ppm	50ppm(200mg/m3)	TWA 20 ppm, STEL 75 ppm

	Concentration standards specified by the Minister of Health, Labour and Welfare	
	Concentration standard value for 8-hours exposure	Concentration standard value for short-term exposure/ceiling
Methyl ethyl ketone	Not listed	Not listed
Carbon black	As respirable particles: 0.3 mg/m <sup>3</sup>	–(Effective date: October 1, 2025)
Methyl isobutyl ketone	Not listed	Not listed

TLVs (ACGIH) can be referenced at: <https://www.acgih.org/>

Engineering Controls

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static electrocution.

Personal Protective Equipment	Respiratory Protection	Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.
	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate.  Select and wear appropriate safety gloves based on risk assessments and other measures.
	Eye/Face Protection	Select and wear appropriate face and eye protection based on risk assessments and other measures.
	Skin and Body Protection	Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate.  Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.

#### Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State		Liquid
Form		Liquid
Colour		Black
Odour		Solvent odor
Melting Point/Freezing Point		-86.4°C (as 2-Butanone)
Boiling Point or Initial Boiling Point and Boiling Ranges		79.6 °C (as 2-Butanone)
Flammability		Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	1.8vol% (as 2-Butanone)
	Upper Limit	11.5vol% (as 2-Butanone)
Flash Point		-7.0000°C (Tag Closed Cup)
Auto-Ignition Temperature		505°C (as 2-Butanone)
Decomposition Temperature		No data available
pH		No data available
Kinematic Viscosity		3.2mm <sup>2</sup> /s
Solubility		water: 29g/100mL (20°C) (as 2-Butanone)
Partition Coefficient : n-Octanol/Water		0.29(as 2-Butanone)
Vapour Pressure		10.5kPa (20°C) (as 2-Butanone)
Density and/or Relative Density		0.86
Relative Gas Density		2.41 (Air=1, as 2-Butanone)
Particle Characteristics		No data available

#### Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Hazardous Decomposition Products	No data available
Other Data	No data available

## Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions.  (vapour) Classified as Category 4 since ATE is 2500 to 20000(ppmV). (dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation		Classified as Category 2A since the sum of Eye Category 2A is more than 10%.
Respiratory Sensitization		Unable to classify due to insufficient data.
Skin Sensitization		Unable to classify due to insufficient data.
Germ Cell Mutagenicity		Unable to classify due to insufficient data.
Carcinogenicity		Classified as Category 1B since one of the Category 1B ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity) Unable to classify due to insufficient data.
		(Reproductive toxicity, effects on or via lactation)  Unable to classify due to insufficient data.
Specific Target Organ Toxicity (Single Exposure)		Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.
		Classified as Category 3(narcotic effects) since the sum of Category 3(narcotic effects) ingredients is more than 20%.  Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)		Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more than 10%.
		Classified as Category 2(respiratory organs) since one of the Category 1(respiratory organs) ingredients is 1 to 10%.
		Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%.
Aspiration Hazard		Unable to classify due to insufficient data.

## Section 12 – ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term (Acute)	Classification not possible since lots of the concentrations of unknown ingredients.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classification not possible since lots of the concentrations of unknown ingredients.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Hazardous to the Ozone Layer

Unable to classify due to insufficient data.

#### Section 13 – DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts.

For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containers and packaging

Empty containers should be treated as industrial wastes and not allowed to contain waste.

#### Section 14 – TRANSPORT INFORMATION

International Regulations

Regulatory Information Conform to the provisions of IMO.  
by Sea

UN No. 1210  
Proper Shipping Name PRINTING INK RELATED MATERIAL  
Class 3  
Packing Group II  
Marine Pollutant Not applicable  
Liquid Substance Not applicable  
Transported in Bulk  
According to MARPOL  
73/78, Annex II, the  
IBC Code

Regulatory Information Conform to the provisions of ICAO/IATA.  
by Air

UN No. 1210  
Proper Shipping Name PRINTING INK RELATED MATERIAL  
Class 3  
Packing Group II

Regulations in Japan

Regulatory Information Complies with the Fire Service Act.  
by Road or Rail

Regulatory Information Conform to the provisions of the Ship Safety Law.  
by Sea

UN No. 1210  
Proper Shipping Name PRINTING INK RELATED MATERIAL  
Class 3  
Packing Group II  
Marine Pollutant Not applicable  
Liquid Substance Not applicable  
Transported in Bulk  
According to MARPOL  
73/78, Annex II, the  
IBC Code

Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
UN No.	1210
Proper Shipping Name	PRINTING INK RELATED MATERIAL
Class	3
Packing Group	II
Emergency Response Guide Number	130

## Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act

Specific chemical substances, Class 2 substances, special organic solvents, etc. (Specific chemical Substances Prevention Regulations article 2, paragraph 1, no. 2, No. 3, No. 3)

Methyl isobutyl ketone

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6

Methanol

Methyl ethyl ketone

the standards for work environment monitoring Article 65 part 2-1

Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)

Carbon black

Methyl isobutyl ketone

Methyl ethyl ketone

Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4)

Public health Care guidelines published substances (article 28, paragraph 3 of the law, Ministry of Labor guidelines)

Methyl isobutyl ketone

Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)

Carbon black (Ordinance on Industrial Safety and Health Number of Appended Tables 2:403) (Trade Secrets)

Methyl isobutyl ketone (Ordinance on Industrial Safety and Health Number of Appended Tables 2:2029) (Trade Secrets)

Methyl ethyl ketone (Ordinance on Industrial Safety and Health Number of Appended Tables 2:2034) (Trade Secrets)

Special control substances for specific chemicals (article 38 of the Regulation for the prevention of specific chemical substances)

Methyl isobutyl ketone

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)

Methyl ethyl ketone

Substances that are obligatory to use impermeable protective equipment, etc. based on special regulations (List of substances applicable to 0704 No. 1 and 5 issued on July 4, Reiwa 5)

Methyl isobutyl ketone

Industrial Safety and Health Act (Substances subject to labeling and notification, Carcinogenic substances) (Implementation in Reiwa 8)	Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)
	Carbon black Methyl isobutyl ketone Methyl ethyl ketone
	Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)
	Carbon black (Ordinance on Industrial Safety and Health Number of Appended Tables 2:403) (Trade Secrets) Methyl isobutyl ketone (Ordinance on Industrial Safety and Health Number of Appended Tables 2:2029) (Trade Secrets)
	Methyl ethyl ketone (Ordinance on Industrial Safety and Health Number of Appended Tables 2:2034) (Trade Secrets)
Industrial Safety and Health Act (Substances subject to labeling and notification, Carcinogenic substances) (Implementation in Reiwa 9)	Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)
	Carbon black Methyl isobutyl ketone Methyl ethyl ketone
	Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)
	Carbon black (Ordinance on Industrial Safety and Health Number of Appended Tables 2:403) (Trade Secrets) Methyl isobutyl ketone (Ordinance on Industrial Safety and Health Number of Appended Tables 2:2029) (Trade Secrets)
	Methyl ethyl ketone (Ordinance on Industrial Safety and Health Number of Appended Tables 2:2034) (Trade Secrets)
Poisonous and Deleterious Substances Control Act (Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof)	Not applicable  Class 1 Designated Chemical Substances (Article 2, Paragraph 2 of the Law, Article 1, Appendix 1 of the Enforcement Ordinance)
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Methyl isobutyl ketone (control number: 737) (4.9%) Priority Assessment Chemical Substances (Article 2 part 5)
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleum non water-soluble Packing Group II
Water Pollution Prevention Act	Hazardous substances (Article 2, Ordinance of Enforcement, article 2, Ordinance 1) that prescribe wastewater standards)
Narcotics and Psychotropics Control Act	Narcotics and psychotropic raw materials (Article 2, Paragraph 1, Item 7, Appendix 4, Item 9 of the Law, Article 5 of the Designation Order)

Foreign Exchange and  
Foreign Trade Act

Import Trade Control Order Appended Table I part 16

Export approved goods: Narcotics and psychotropic raw materials  
(Article 48, Paragraph 3 of the Law; Article 2, Appendix 2, Paragraph  
21-3 of the Export Order; Article 1 of Ministerial Ordinance No. 38 of  
June 19, 1992)

Export approved goods, specified hazardous waste, etc. (Article 48,  
Paragraph 3 of the Law, Article 2, Attached Table 2, Paragraph 35-2  
of the Export Order)

Ship Safety Law  
Aviation Law

Flammable liquids(Order Article 3,Appended Table I)

Flammable liquids(Order Article 194,Appended Table I)

#### Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	<p>Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.</p> <p>In the case where “composition and ingredient information” corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.</p> <p>2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances. Carbon black is not subject to the law for the use of elements, there is no numbered gazette.</p>
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	<p>We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.</p> <p>The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.</p>
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act Poisonous and Deleterious Substances Control Act	<p>The flash point of Class I petroleum is less than 21 ° c.</p> <p>The deleterious substances is only applicable to the material, and the mixture is non-applicable.</p>
RoHS Specified Substance Concentration	<p>Substances treated as equipment are exempt from this law.</p> <p>Cd&lt;100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP &lt;1000ppm</p>
Allowable concentration Standards Cited Literature	<p>TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019</p> <p>1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan</p> <p>3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS(JCDB)</p>
Additional Information about This Product:	<p>To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.</p>

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.