Issue 2013.09.06 Revision 2024.10.04

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-1108Y/Ink-108Y
Product Code 1108Y/JP-108Y

Reference Number 33

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Department in Charge IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

Mail Address aida-kohhei@hitachi-ies.co.jp

Emergency Phone

Number

Recommended Use

Industrial ink jet printers

+81-294-36-8682

recommended, seek the judgment of an expert/chemical substance

specialist, etc.

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Reproductive toxicity Category 1B

Specific target organ toxicity (single exposure) Category

2(kidnev)

Specific target organ toxicity (single exposure) Category

3(narcotic effect, respiratory tract irritation)

Specific target organ toxicity (repeated exposure)

Category 1 (nervous system)

Other hazards than mentioned above are Not classified

or Classification not possible.

GHS Label Elements

Pictograms



Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapour

H315 Causes skin irritation H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H360 May damage fertility or the unborn child

H371 May cause damage to kidney

H372 Causes damage to nervous system through

prolonged or repeated exposure

Precautionary Statements

Prevention Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been

read and understood.(P202)

Response

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233) Ground and bond container and receiving equipment.(P240)

Use explosion-proof electrical, ventilating and lighting equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264) Do not eat, drink or smoke when using this product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Wear protective gloves/protective clothing/eye protection/face protection.(P280)

IF ON SKIN: Wash with plenty of soap and water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313) Call a doctor if you feel unwell.(P312) Get medical advice and attention if you feel

unwell.(P314)

Specific treatment.(P321) If skin irritation occurs: Get medical

advice/attention.(P332+P313) If eye irritation persists: Get medical

advice/attention.(P337+P313) Take off contaminated clothing and wash it before reuse.(P362+P364)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS Distinction of Substance or Mixture

Storage

Mixture

Chemical Name or Generic Concentration or Its Formula ENCS No./ISHL No. CAS RN

Name	Ranges (wt%)		ENCS No.	ISHL No.	
Methyl ethyl ketone		CH3CH2CO CH3	(2)-542	Registered	78-93-3
2-Methoxy-1-methylethyl Acetate	5–10	_	(2)-3144	Registered	108-65-6
(benzothiazol-2- ylthio)succinic acid	0-1	_	(5)-6053	8-(7)-871	95154-01-1

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing. IF exposed or concerned: Call a doctor.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Eve Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth. IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding

When dust occurs, use dry sand.

Unsuitable Extinguishing Cylindric water.

Media

Specific Hazards in Case of Risk of producing harmful gases such as carbon Fire monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Special Protective Use goggles in combination with dust mask, and another

Equipment and Precautions protections as appropriate to situation. for Fire Fighters

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and **Emergency Procedures**

Environmental Precautions

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Do not discharge into the drains, surface waters or

ground water directly.

Methods and Equipment for small spill: absorb with material such as non-Containment and Cleaning combustible materialwash thoroughly after handling

Up

Large spills: Dike spills and dispose of in safe area. Prevention Measures for Keep away from sources of ignition and prepare Secondary Accidents extinguishing media.

Risk of slipping. Spilled material forms slippery floor.

Do not recklessly walk on the spillage.

Section 7 - HANDLING AND STORAGE

Handling

Storage

Technical Measures

Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment. Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.

Prevents Handling of Incompatible Substances or Refer to "Section 10 - STABILITY AND REACTIVITY".

Substances or Mixtures Conditions for Safe

Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
2-Methoxy-1-methylethyl	Not listed	Not listed	Not listed
Acetate			
(benzothiazol-2- ylthio)succinic acid	Not listed	Not listed	Not listed

	Concentration standards specified by the Minister of Health, Labour and Welfare			
	Concentration standard value for 8-hours exposure	Concentration standard value for short- term exposure/ceiling		
Methyl ethyl ketone	Not listed	Not listed		
2-Methoxy-1-methylethyl Acetate	Not listed	Not listed		
(benzothiazol-2- ylthio)succinic acid	Not listed	Not listed		

Engineering Controls

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static electrocity.

Personal Protective

Equipment

Respiratory Protection Select and wear appropriate respiratory protective

equipment based on risk assessments and other

measures.

Hand Protection Wear appropriate protective equipment, including

impervious or impermeable safety gloves, as

circumstances dictate.

Select and wear appropriate safety gloves based on risk

assessments and other measures.

Eye/Face Protection Select and wear appropriate face and eye protection

based on risk assessments and other measures.

Skin and Body Protection

Wear appropriate protective equipment such as impervious and impermeable protective clothing and

footwear, as circumstances dictate.

Select and wear appropriate protective clothing and footwear based on risk assessments and other

measures

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Form Liauid Colour Yellow Solvent odor Odour Melting Point/Freezing No data available

Point

Boiling Point or Initial 79.6 °C

Boiling Point and Boiling

Ranges

Flammability No data available

Lower and Upper Explosion Lower Limit

Limit / Flammability Limit

1.8vol%

0.26

Upper Limit 11.5vol% Flash Point -6.5°C (Tag Closed Cup)

Auto-Ignition Temperature No data available

Decomposition Temperature No data available

Нα No data available Kinematic Viscosity No data available Solubility No data available

Partition Coefficient : n-

Octanol/Water

No data available Vapour Pressure 0.893

Density and/or Relative

Density

Relative Gas Density No data available No data available Particle Characteristics

as Methyl ethyl ketone

Melting Point/Freezing -86.4°C

Point

79.6°C Boiling Point or Initial

Boiling Point and Boiling

Ranges

0.8061 Density and/or Relative

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Flammable

Reaction

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their

subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Conditions to Avoid There is a risk of explosion due to impacts, friction, flame and other

source of ignition.
No data available

Incompatible Substances or

Mixtures

Hazardous Decomposition

Skin Corrosion/Irritation

Products Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity

Oral Dermal Inhalation

Unable to classify due to insufficient data. Unable to classify due to insufficient data.

(gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

(dust and mist)

Unable to classify due to insufficient data.

Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Serious Eye Damage/Eye Classified as Category 2A since the sum of Eye

Irritation Category 2A is more than 10%.

Respiratory Sensitization Unable to classify due to insufficient data.

Skin Sensitization Unable to classify due to insufficient data.

Germ Cell Mutagenicity Unable to classify due to insufficient data.

Carcinogenicity Unable to classify due to insufficient data.

Reproductive Toxicity (Reproductive toxicity)

Classified as Category 1B since one of the Category 1B

ingredients is more than 0.3%.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data.

Specific Target Organ
Classified as Category 2(kidney) since one of the Toxicity (Single Exposure)
Category 2(kidney) ingredients is more than 10%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than

20%.

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more

than 10%.

Aspiration Hazard Classified as Classification not possible since the

kinematic viscosity is unknown.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

Specific Target Organ

Toxicity (Repeated

Exposure)

(Acute)

Ecotoxicity

Hazardous to the Aquatic Environment, Long-Term

Environment, Long-Term (Chronic)

Persistence Bioaccumulative Potential

Mobility in Soil

Hazardous to the Ozone

Layer

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available No data available

No data available

Unable to classify due to insufficient data.

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts.

For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containers and packaging

Empty containers should be treated as industrial wastes and not

allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations

Regulatory Information Conform to the provisions of IMO.

by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the

IBC Code

Regulatory Information Conform to the provisions of ICAO/IATA.

by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Regulations in Japan

Regulatory Information Complies with the Fire Service Act.

by Road or Rail

Regulatory Information Conform to the provisions of the Ship Safety Law.

by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Packing Group II
Marine Pollutant Not applicable
Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the

IBC Code

Regulatory Information Conform to the provisions of the Civil Aeronautics Law.

by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class Packing Group 3 Ⅱ 130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION
Industrial Safety and Health

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2–1and part 2, Attached Table9)

Methyl ethyl ketone (Number: 570) (Trade Secrets)
Materials for special medical examinations and current handling
workers(Industrial Safety and Health Act66 2 and Order for
Enforcement of Industrial Safety and Health Act Article 22 (i))

Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)

Methyl ethyl ketone

Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 $^{\sim}$ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)

Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57–2, Paragraph 1 of the Act, Article 18–2, Item 2 $^{\sim}$ Item 3 of the Enforcement Order, Article 34–2 Appended Table 2 of the Safety and Health Regulations)

2-Methoxy-1-methylethyl Acetate(Number:610)(Trade

Not applicable

Not applicable

Substances subject to obligation such as labeling and SDS issuance based on the Industrial Safety and Health Act (scheduled to come into effect on April 1, Reiwa 8)

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Fire Service Act

Narcotics and Psychotropics Control Act Foreign Exchange and Foreign Trade Act

Ship Safety Law Aviation Law

Section 16 - OTHER INFORMATION

Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4)

Import Trade Control Order Appended Table I part 16

Import Trade Control Order Appended Table $\, \mathrm{I\hspace{-.1em}I} \,$ (Import Approval)

Flammable liquids(Order Article 3,Appended Table I)
Flammable liquids(Order Article 194,Appended Table I)

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.

2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and Deleterious Substances Control Act

The flash point of Class I petroleums is less than 21 $^{\circ}\,$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.

RoHS Specified

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP

Substance Concentration Allowable

<1000ppm

concentration Standards

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit

JIS Z7253:2019

Cited Literature

- 1) International Chemical Safety Cards
- 2) National Institute of Technology and Evaluation (NITE), Japan
- 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan
- 4) EZSDS (JCDB)

about This Product:

Additional Information To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.