Issue 2017.10.27

Revision 2024.09.17

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Ident	
Product Code	1129W
Reference Num	nber 48
Name of Suppli	ier Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1–1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Department in	Charge IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	aida-kohhei@hitachi-ies.co.jp
Emergency Pho Number	one +81-294-36-8682
Recommended	Use Industrial ink jet printers
Restriction on	Use If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.
Section 2 – HAZARDS IDENTIFICATION	
GHS Classification of the Chemical	
Physicochemic	al Elammable liquids Category 2

Flammable liquids Category 2 Physicochemical Acute toxicity (Inhalation: vapour) Category 4 Health Hazards Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization Category 1 Germ cell mutagenicity Category 2 Specific target organ toxicity (single exposure) Category 2(respiratory system, kidney) Specific target organ toxicity (single exposure) Category 3(narcotic effect, respiratory tract irritation) Specific target organ toxicity (repeated exposure) Category 1 (nervous system) Specific target organ toxicity (repeated exposure) Category 2(central nervous system, bone) Other hazards than mentioned above are Not classified or Classification not possible. GHS Label Elements Pictograms Signal Word Danger H225 Highly flammable liquid and vapour Hazard Statements H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H341 Suspected of causing genetic defects H371 May cause damage to respiratory system, kidney H372 Causes damage to nervous system through prolonged or repeated exposure

	H373 May cause damage to bone、central nervous system through prolonged or repeated exposure
Precautionary Statem	ents
Prevention	Obtain special instructions before use.(P201) Do not handle until all safety precautions have been read and understood.(P202)
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
	Keep container tightly closed.(P233)
	Ground and bond container and receiving equipment.(P240)
	Use explosion-proof electrical, ventilating and lighting equipment.(P241)
	Use non-sparking tools.(P242) Take action to prevent static discharges.(P243)
	Do not breathe dust/fume/gas/mist/vapours/spray.(P260)
	Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)
	Wash hand thoroughly after handling.(P264)
	Wash eye thoroughly after handling.(P264) Do not eat, drink or smoke when using this
	product.(P270)
	Use only outdoors or in a well-ventilated area.(P271)
	Contaminated work clothing should not be allowed out of the workplace.(P272)
	Wear protective gloves/protective clothing/eye protection/face protection.(P280)
Response	IF ON SKIN: Wash with plenty of soap and water.(P302+P352)
	IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
	IF exposed or concerned: Call a doctor.(P308+P311)
	IF exposed or concerned: Get medical advice/attention.(P308+P313)
	Call a doctor if you feel unwell.(P312) Get medical advice and attention if you feel unwell.(P314)
	Specific treatment.(P321)
	If skin irritation occurs: Get medical advice/attention.(P332+P313)
	If skin irritation or rash occurs: Get medical advice/attention.(P333+P313)
	If eye irritation persists: Get medical advice/attention.(P337+P313)
	Take off contaminated clothing and wash it before reuse.(P362+P364)
0	In case of fire: Use appropriate media to extinguish.(P370+P378)
Storage	Store in a well-ventilated place. Keep container tightly closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405) Disposal Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture Mixture Chemical Name or Generic CAS RN Concentration or Its ENCS No./ISHL No. Formula Ranges (wt%) ENCS No. ISHL No. Name 78-93-3 Methyl ethyl ketone 70-75 CH3CH2CO (2) - 542Registered CH3 Titanium(IV) oxide 5-10 TiO2 (1)-558.(5)-Registered 13463-67-7 5225 C6H10O Cyclohexanone 1-3 (3)-2376 108-94-1 Registered Section 4 - FIRST AID MEASURES Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Call a doctor. Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice and attention. Specific treatment. IF exposed or concerned: Call a doctor. Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Call a doctor. Ingestion Rinse mouth. IF SWALLOWED: Call a doctor if you feel unwell. IF exposed or concerned: Call a doctor. Section 5 - FIRE FIGHTING MEASURES Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. When dust occurs, use dry sand. Unsuitable Extinguishing Cylindric water. Media Specific Hazards in Case of Risk of producing harmful gases such as carbon Fire monoxide. Avoid inhalation of smoke or gases. Specific Fire Fighting Fight fire from upwind position if possible Keep away from sources of ignition and use appropriate extinguishing media. Prohibit unauthorized staff from entering the area around the fire. Keep unnecessary people away. Use goggles in combination with dust mask, and another Special Protective Equipment and Precautions protections as appropriate to situation. for Fire Fighters Section 6 - ACCIDENTAL RELEASE MEASURES Personal Precautions, Use goggles in combination with dust mask, and another Protective Equipment and protections as appropriate to situation. **Emergency Procedures**

		Large spills :Evacuate area. Ensure adequate ventilation.
Environmental Precautions		Do not discharge into the drains, surface waters or ground water directly.
Methods and Equipment for	r	No information available
Containment and Cleaning Up		
Prevention Measures for Secondary Accidents		Keep away from sources of ignition and prepare extinguishing media.
Section 7 - HANDLING AND S	TORAGE	
Handling	Technical Measures	Provide ventilation system and use necessary personal protective equipment as described in "Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION".
		Ground/bond container and receiving equipment. Use only non-sparking tools.
		Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist.
		Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe Handling	Contaminated work clothing should not be allowed out of the workplace.
		Keep cool. Do not breathe dust/fume/gas/mist/vapours/spray.
		Do not eat, drink or smoke when using this product.
		Wash hands thoroughly after handling.
		Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye
		protection/face protection.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 - STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	Refer to "Section 10 - STABILITY AND REACTIVITY".
	5	Store locked up.
		Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Lim Society for O Health)	• •	TLVs (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590m	ıg∕m3)	TWA 200 ppm, STEL 300 ppm
Titanium(IV) oxide	Not listed	0.3 mg/m3; [Dust allowable concentration] (Second type dust) inhalative dust 1mg/m3 Total dust 4mg/m3		TWA 10 mg∕m3, STEL −
Cyclohexanone	20ppm 25ppm(100mg/m3)		;/m3)	TWA 20 ppm, STEL 50 ppm
		Concentration standards specified by the Minister of Health, Labour and Concentration standard value for 8-hours exposure Concentration standard value for st		on standard value for short-
Methyl ethyl ketone	Not listed	١	Not listed	-

Titanium(IV) oxide	Not listed		Not listed
Cyclohexanone	Not listed	1	Not listed
Engineering Controls		Use local exh fume or mist.	aust ventilation in case of production of
			ing or utilizing this material should be a an eyewash facility and a safety shower.
		Use explosior from static	n-proof electrical equipment and prevent electrocity.
Personal Protective Equipment	Respiratory Protection		ear appropriate respiratory protective used on risk assessments and other
	Hand Protection		iate protective equipment, including impermeable safety gloves, as s dictate.
			ear appropriate safety gloves based on risł and other measures.
	Eye/Face Protection		ear appropriate face and eye protection assessments and other measures.
	Skin and Body Protection	impervious ar	iate protective equipment such as nd impermeable protective clothing and circumstances dictate.
			ear appropriate protective clothing and ed on risk assessments and other
tion 9 - PHYSICAL AND CHI	EMICAL PROPERTIES		
Physical State		Liquid	
Form		Liquid	
Colour		White	
Odour		Solvent odor	
Melting Point/Freezing Point		-86.4°C (as 2	
Boiling Point or Initial Boiling Point and Boiling Ranges		79.6 °C (as 2-	-Butanone)
Flammability		Flammability	
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	1.8vol% (as 2-	-Butanone)
	Upper Limit	11.5vol% (as 2	
Flash Point Auto-Ignition Temperature		-8.3°C (Tag 505°C (as 2-I	
Decomposition Temperature		No data availa	able
рН		No data availa	able
Kinematic Viscosity		4.1mm2/s	
Solubility			00mL (20°C) (as 2-Butanone)
Partition Coefficient : n- Octanol/Water		0.29(as 2-But	tanone)
Vapour Pressure Density and∕or Relative Density		10.5kPa (20°0 0.92	C) (as 2-Butanone)
Relative Gas Density		2.41 (Air=1、	as 2–Butanone)
Particle Characteristics		No data availa	
as Methyl ethyl ketone		-86.4°C	
Melting Point/Freezing			

Boiling Point or Initial Boiling Point and Boiling Ranges		79.6°C
Density and/or Relative Density		0.8061
as Titanium(IV) oxide Melting Point/Freezing Point		1640°C
Decomposition Temperatu	ıre	=>3000°C
Density and/or Relative Density		4.17, 3.84, 4.26
as Cyclohexanone		
Boiling Point or Initial		155°C, 90.4°C(100mmHg), 67.8°C(40mmHg), 38.7°C
Boiling Point and Boiling Ranges		(10mmHg)
Density and/or Relative Density		0.9478(20°C, 4°C), 0.9421(25°C, 4°C)
Section 10 - STABILITY AND	REACTIVITY	
Reactivity		Does not react dangerously under nomal conditions.
Chemical Stability		Stable under normal conditions of use.
Possibility of Hazardous Reaction		Flammable
Conditions to Avoid		There is a visit of explosion due to imposts friction flows and other
		There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances	or	No data available
Mixtures		
Hazardous Decomposition	1	No data available
Products		NI 1
Other Data		No data available
Section 11 - TOXICOLOGICA	I INFORMATION	
Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the
	• • • •	concentrations of unknown ingredients.
	Inhalation	(gas)
		Does not fall under gas based on GHS definitions.
		(vapour)
		Classified as Category 4 since ATE is 2500 to 20000(ppmV).
		(dust and mist)
		Classification not possible since lots of the concentrations of unknown ingredients.
Skin Corrosion/Irritation		Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye		Classified as Category 2A since the sum of Eye
Irritation		Category 2A is more than 10%.
Respiratory Sensitization		Unable to classify due to insufficient data.
Skin Sensitization		Classified as Category 1 since one of the Category 1 ingredients is more than 1.0%.
Germ Cell Mutagenicity		Classified as Category 2 since one of the Category 2 ingredients is more than 1.0%.
Carcinogenicity		Classification not possible since lots of the concentrations of unknown ingredients.

(Reproductive toxicity)

Classification not possible since lots of the concentrations of unknown ingredients.

Reproductive Toxicity

(Acute)

Layer

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Unable to classify due to insufficient data. Specific Target Organ Classified as Category 2(kidney) since one of the Toxicity (Single Exposure) Category 2(kidney) ingredients is more than 10%. Classified as Category 2(respiratory system) since one of the Category 1(respiratory system) ingredients is 1 to 10%. Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20% Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%. Specific Target Organ Classified as Category 1(nervous system) since one of Toxicity (Repeated the Category 1(nervous system) ingredients is more than 10%. Exposure) Classified as Category 2(bone) since one of the Category 1(bone) ingredients is 1 to 10%. Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%. Aspiration Hazard Unable to classify due to insufficient data. Section 12 - ECOLOGICAL INFORMATION Hazardous to the Aquatic Classification not possible since lots of the Environment, Short-Term concentrations of unknown ingredients. Hazardous to the Aquatic Classification not possible since lots of the Environment, Long-Term concentrations of unknown ingredients. (Chronic) No data available Ecotoxicity Persistence No data available **Bioaccumulative Potential** No data available Mobility in Soil No data available Hazardous to the Ozone Unable to classify due to insufficient data.

(Reproductive toxicity, effects on or via lactation)

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials. the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

	Contaminated containers and packaging	Empty containers should be treated as industrial wastes and not allowed to contain waste.
Section 14 - TRANSPORT INFO International Regulations		Conform to the provisions of IMO.
	UN No.	1210 PRINTING INK RELATED MATERIAL 3 II
	Marine Pollutant Liquid Substance Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code	Not applicable Not applicable
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No. Proper Shipping Name Class Packing Group	1210 PRINTING INK RELATED MATERIAL 3 II
Regulations in Japan		Complies with the Fire Service Act.
	by Sea	Conform to the provisions of the Ship Safety Law.
	UN No. Proper Shipping Name Class	1210 PRINTING INK RELATED MATERIAL 3
	Packing Group Marine Pollutant Liquid Substance	I Not applicable Not applicable
	Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	Class	1210 PRINTING INK RELATED MATERIAL 3
Emergency Response Guide Number	Packing Group	Ш 130
Section 15 - REGULATORY INFO Industrial Safety and Health Act	ORMATION	Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6 the standards for work environment monitoring Article 65 part 2-1
		Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
		Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4) Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)
		Cyclohexanone(Number:231)(Trade Secrets) Methyl ethyl ketone(Number:570)(Trade Secrets)

Titanium(IV) oxide (Trade Secrets) Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Chemical substances that damage the skin, etc. / Harmful substances that cause skin irritation (Article 594-2, Paragraph 1 of the Safety and Health Regulations, No. 0531 No. 9 issued on May 31, 2020, No. 0704 issued on July 4, 2020) List of substances applicable to No. 1 and 5)

Cyclohexanone Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)

Cyclohexanone Methyl ethyl ketone Not applicable

Not applicable

Priority Assessment Chemical Substances(Article 2 part 5)

Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4) Import Trade Control Order Appended Table I part 16

Import Trade Control Order Appended Table II (Import Approval)

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Industrial Safety and Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents. In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.

2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances. Act on the Regulation of Manufacture and Evaluation of Chemical Substances

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Fire Service Act

Narcotics and Psychotropics Control Act Foreign Exchange and Foreign Trade Act

Ship Safety Law Aviation Law

Section 16 - OTHER INFORMATION

Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act Poisonous and Deleterious Substances Control Act	The flash point of Class I petroleums is less than 21 $^\circ$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP $<\!1000ppm$
Allowable concentration Standards	TLV-TWA:Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019
Cited Literature	1) International Chemical Safety Cards
	 2) National Institute of Technology and Evaluation (NITE), Japan
	 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS (JCDB)
Additional Information about This Product:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.