Issue 2022.03.03

Revision 2024.09.13

## Safety Data Sheet (SDS)

### Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Ink-1145T Product Code 1145T Reference Number 62

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd. Address 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken,

316-8502 Japan

Department in Charge IJP ink Group, Marking Systems and Hoist Systems Division

+81-294-36-8682 Phone Number Fax Number +81-294-36-8975

Mail Address aida-kohhei@hitachi-ies.co.jp

**Emergency Phone** 

Number

+81-294-36-8682

Recommended Use Industrial ink jet printers

If the product is to be used for applications other than those Restriction on Use

recommended, seek the judgment of an expert/chemical substance

specialist, etc.

## Section 2 - HAZARDS IDENTIFICATION GHS Classification of the Chemical

Flammable liquids Category 2 Physicochemical Acute toxicity (oral) Category 4 Health Hazards

Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

Germ cell mutagenicity Category 2 Carcinogenicity Category 2 Reproductive toxicity Category 1B

Specific target organ toxicity (single exposure) Category 1 (visual organ, systemic toxicity, central

nervous system)

Specific target organ toxicity (single exposure)

Category 2(kidney)

Specific target organ toxicity (single exposure)

Category 3 (narcotic effect, respiratory tract irritation)

Specific target organ toxicity (repeated exposure) Category 1 (visual organ, nervous system, central

nervous system)

Environmental Hazardous to the aquatic environment, short-term Hazards (acute) Category 3

Other hazards than mentioned above are Not classified

or Classification not possible.

#### **GHS Label Elements**

#### **Pictograms**



Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapour

H302+H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation H318 Causes serious eye damage H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H341 Suspected of causing genetic defects

H351 Suspected of causing cancer

H360 May damage fertility or the unborn child H370 Causes damage to visual organ, systemic

toxicity, central nervous system

H371 May cause damage to kidney
H372 Causes damage to visual organ, nervous system,

central nervous system through prolonged or repeated exposure

H402 Harmful to aquatic life

#### **Precautionary Statements**

Prevention

Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been

read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233)
Ground and bond container and receiving

equipment.(P240)

Use explosion-proof electrical, ventilating and lighting

equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Do not eat, drink or smoke when using this

product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Avoid release to the environment.(P273)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF SWALLOWED: Call a doctor if you feel unwell.(P301+P312)

IF ON SKIN: Wash with plenty of soap and

water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or

shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Immediately call a doctor.(P310)

Call a doctor if you feel unwell.(P312)
Get medical advice and attention if you feel

unwell.(P314)

Specific treatment.(P321)

Rinse mouth.(P330)

If skin irritation occurs: Get medical advice/attention.(P332+P313)

Take off contaminated clothing and wash it before

reuse.(P362+P364)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or

Mixture

Mixture

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./IS	SHL No.	CAS RN
Name	Ranges (wt%)		ENCS No.	ISHL No.	
Methyl ethyl ketone	50-60	CH3CH2CO CH3	(2)-542	Registered	78-93-3
Iodides	1-3	_	Trade secret	Trade secret	Trade secret
Methanol	10-20	СНЗОН	(2)-201	Registered	67-56-1
2,4-Pentanedione		CH3COCH2 COCH3	(2)-562	Registered	123-54-6

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing

IF exposed or concerned: Call a doctor. Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

Immediately call a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

IF exposed or concerned: Call a doctor. IF SWALLOWED: Immediately call a doctor.

Rinse mouth.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Use extinguishing agent suitable for type of surrounding

fire.

When dust occurs, use dry sand.

Unsuitable Extinguishing Cylindric water.

Media

Media

Eye Contact

Ingestion

Specific Hazards in Case of Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

**Equipment and Precautions** 

for Fire Fighters

Special Protective

### Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and **Emergency Procedures** 

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Do not discharge into the drains, surface waters or **Environmental Precautions** 

ground water directly. No information available

Methods and Equipment for Containment and Cleaning

Storage

Prevention Measures for Secondary Accidents

Keep away from sources of ignition and prepare

extinguishing media.

Section 7 - HANDLING AND STORAGE

Handling **Technical Measures**  Provide ventilation system and use necessary personal protective equipment as described in "Section 8 EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of

Refer to "Section 10 - STABILITY AND REACTIVITY".

Incompatible Substances or Mixtures

Conditions for Safe

Storage

Refer to "Section 10 - STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	TLVs (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m3)	TWA 200 ppm, STEL 300 ppm
Iodides	Not listed	Not listed	Not listed
Methanol	200ppm	200ppm(260mg/m3)(skin )	TWA 200 ppm, STEL 250 ppm (Skin)
2,4-Pentanedione	Not listed	Not listed	TWA 25 ppm, STEL - (Skin)

	Concentration standards specified by the Minister of Health, Labour and Welfare			
		Concentration standard value for short- term exposure/ceiling		
Methyl ethyl ketone	Not listed	Not listed		

Iodides	Not listed	Not listed
Methanol	Not listed	Not listed
2,4-Pentanedione	Not listed	Not listed

**Engineering Controls** Use local exhaust ventilation in case of production of

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity

Personal Protective

Equipment

Respiratory Protection

Select and wear appropriate respiratory protective equipment based on risk assessments and other

measures

Hand Protection Wear appropriate protective equipment, including

impervious or impermeable safety gloves, as

circumstances dictate.

Select and wear appropriate safety gloves based on risk

assessments and other measures.

Eye/Face Protection Select and wear appropriate face and eve protection

based on risk assessments and other measures.

Skin and Body

Wear appropriate protective equipment such as Protection impervious and impermeable protective clothing and

footwear, as circumstances dictate.

Select and wear appropriate protective clothing and footwear based on risk assessments and other

measures.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Liquid Form Colour Black Odour Solvent odor

Melting Point/Freezing -86.4°C (as 2-Butanone)

Point

**Boiling Point or Initial** 79.6 °C (as 2-Butanone)

**Boiling Point and Boiling** 

Ranges

Flammability Flammability

Lower and Upper Explosion Lower Limit 1.8vol% (as 2-Butanone)

Limit / Flammability Limit

11.5vol% (as 2-Butanone) Upper Limit

Flash Point -4.1°C (Tag Closed Cup) Auto-Ignition Temperature 505°C (as 2-Butanone)

No data available Decomposition

Temperature

No data available

Kinematic Viscosity 3.7 mm 2/s

Solubility water: 29g/100mL (20°C) (as 2-Butanone)

Partition Coefficient : n-0.29(as 2-Butanone)

Octanol/Water

Vapour Pressure 10.5kPa (20°C) (as 2-Butanone)

Density and/or Relative

Density

2.41 (Air=1, as 2-Butanone) Relative Gas Density

Particle Characteristics No data available

as Methyl ethyl ketone

-86.4°C Melting Point/Freezing

Point

Boiling Point or Initial

Boiling Point and Boiling

Density and/or Relative 0.8061

Density

as Methanol

Melting Point/Freezing

Point

**Boiling Point or Initial** 64.1°C, 59.4°C(610mmHg), 39.9°C(260mmHg), 15°C

Boiling Point and Boiling (73mmHg)

Ranges

Density and/or Relative

Density

as 2,4-Pentanedione

Melting Point/Freezing Point

**Boiling Point or Initial** 

**Boiling Point and Boiling** Ranges

Density and/or Relative

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity

Chemical Stability

Possibility of Hazardous

Reaction

Conditions to Avoid

Incompatible Substances or

**Mixtures** 

Hazardous Decomposition

**Products** 

Other Data

Section 11 - TOXICOLOGICAL INFORMATION

**Acute Toxicity** 

Oral

Dermal

Inhalation

Serious Eye Damage/Eye

Skin Corrosion/Irritation

Irritation Respiratory Sensitization

Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Reproductive Toxicity

79.6°C

-93.9°C

 $0.866(-59^{\circ}C/4^{\circ}C), 0.81(0^{\circ}C/4^{\circ}C), 0.8006(10^{\circ}C/4^{\circ}C),$ 

0.7910(20°C), 0.7964(15°C/15°C)

-23°C

139°C(746mmHg)

0.9721(25°C, 4°C)

Does not react dangerously under nomal conditions.

Stable under normal conditions of use.

There is a risk of explosion due to impacts, friction, flame and other

source of ignition. No data available

No data available

No data available

Classified as Category 4 since ATE is 300 to

2000(mg/kg).

Classification not possible since lots of the

concentrations of unknown ingredients.

(gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

20000(ppmV). (dust and mist)

Classification not possible since lots of the concentrations of unknown ingredients.

Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Classified as Category 1 since the sum of Eye Category

1 ingredients is more than 3%.

Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the

concentrations of unknown ingredients.

Classified as Category 2 since one of the Category 2

ingredients is more than 1.0%.

Classified as Category 2 since one of the Category 2

ingredients is more than 1.0%.

(Reproductive toxicity)

Classified as Category 1B since one of the Category 1B ingredients is more than 0.3%.

(Reproductive toxicity, effects on or via lactation)

Classification not possible since lots of the concentrations of unknown ingredients.

Specific Target Organ Toxicity (Single Exposure) Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.

Classified as Category 1(visual organ) since one of the Category 1(visual organ) ingredients is more than 10%.

Classified as Category 1(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is more than 10%.

Classified as Category 1(central nervous system) since one of the Category 1(central nervous system) ingredients is more than 10%.

Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.

Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more

Classified as Category 1(visual organ) since one of the Category 1(visual organ) ingredients is more than 10%.

Classified as Category 1(central nervous system) since one of the Category 1(central nervous system) ingredients is more than 10%.

Classification not possible since lots of the concentrations of unknown ingredients.

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term (Acute)

Hazardous to the Aquatic Environment, Long-Term (Chronic)

Ecotoxicity Persistence

Bioaccumulative Potential

Mobility in Soil

Hazardous to the Ozone

Layer

Section 13 - DISPOSAL CONSIDERATIONS

Classified as Category 3 since the sum of (M  $\times$  100  $\times$  Category 1) + (10  $\times$  Category 2) + Category 3

ingredients is more than 25%.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available No data available

than 10%.

No data available

Unable to classify due to insufficient data.

#### Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containers and packaging

Empty containers should be treated as industrial wastes and not

allowed to contain waste.

## Section 14 - TRANSPORT INFORMATION

International Regulations

Regulatory Conform to the provisions of IMO.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of ICAO/IATA.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class

Packing Group II

Regulations in Japan Regulatory Complies with the Fire Service Act.

Information by Road

Regulatory Conform to the provisions of the Ship Safety Law.

Information by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3
Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC

Code

Regulatory Conform to the provisions of the Civil Aeronautics Law.

Information by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3
Packing Group II
130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION Industrial Safety and Health

Act

Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc .(Article 57 part 2 ,Order Article 18 part 2–1 and part 2, Attached Table9)

Hazardous Substances to be notified in terms of Whose Names, etc .(Article 57 part 2, Order Article 18 part 2–1 and part 2, Attached Table9)

2,4-Pentanedione (Number: 1105) (1%-10%) (Trade Secrets)

Methanol(Number: 560) (1%-10%)(Trade Secrets)
Methyl ethyl ketone(Number: 570) (1%-10%)(Trade Secrets)

Hazardous Substances to be notified in terms of Whose Names, etc. (Article 57 part 2, Order Article 18 part 2-1 and part 2, Attached Table9)

Iodine compounds (iodides)(Number: 606) (less than 5%) (Trade Secrets)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594–2, Paragraph 1 of the Safety and Health Regulations, 0531–9 issued on May 31, Reiwa 4, and 0704–1 and 5 of July 4, Reiwa 5)

2,4-Pentanedione Methanol Methyl ethyl ketone Not applicable

Class 1 Designated Chemical Substances (Article 2, Paragraph 2 of the Law, Article 1, Appendix 1 of the Enforcement Ordinance)

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

2,4-Pentanedione (control number: 568) (1%-10%)(Trade Secrets)

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Water Pollution Prevention

Psychotropics Control Act

Foreign Exchange and

Foreign Trade Act

Mmonitoring chemical substances (Article 2, Paragraph 4 of the Act)

Fire Service Act

Narcotics and

Act

Priority Assessment Chemical Substances(Article 2 part 5) Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II

Specified substances (article 2, paragraph 4 of the Act, article 3 of

the Enforcement Ordinance)

raw materials for Narcotics or Psychotropics(Appended Table IV part

9, Order Article 4)

Import Trade Control Order Appended Table I part 16

Import Trade Control Order Appended Table II (Import Approval )

Ship Safety Law **Aviation Law** 

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

#### Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.

2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances.

of Manufacture and Evaluation of Chemical Substances

Act on the Regulation We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

> The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and **Deleterious** Substances Control

The flash point of Class I petroleums is less than 21  $^\circ\,$  c. The deleterious substances is only applicable to the material, and

the mixture is non-applicable.

**RoHS Specified** Substance Concentration

Act

Substances treated as equipment are exempt from this law.  $\label{eq:cdlooppm} \mathsf{Cd} \\ < 100 \mathsf{ppm} \quad \mathsf{Pb}, \, \mathsf{Hg}, \, \mathsf{Cr}(\mathsf{VI}), \, \mathsf{PBB}, \, \mathsf{PBDE}, \, \mathsf{DEHP}, \, \mathsf{DBP}, \, \mathsf{BBP}, \, \mathsf{DIBP}$ 

Allowable concentration Standards

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL

(Short Term Exposure Limit

JIS Z7253:2019

Cited Literature 1) International Chemical Safety Cards

- 2) National Institute of Technology and Evaluation (NITE), Japan
- 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan
- 4) EZSDS(JCDB)

about This Product:

Additional Information To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.