

Issue 2015.12.21

Revision 2024.09.13

Safety Data Sheet (SDS)

Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-1304K
Product Code	1304K
Reference Number	52
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Department in Charge	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	aida-kohhei@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers
Restriction on Use	If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.

Section 2 – HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Acute toxicity (Inhalation: vapour) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Specific target organ toxicity (single exposure) Category 2 (kidney) Specific target organ toxicity (single exposure) Category 3 (narcotic effect, respiratory tract irritation)
Environmental Hazards	Specific target organ toxicity (repeated exposure) Category 1 (nervous system) Hazardous to the aquatic environment, short-term (acute) Category 2 Other hazards than mentioned above are Not classified or Classification not possible.

GHS Label Elements

Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H371 May cause damage to kidney H372 Causes damage to nervous system through prolonged or repeated exposure H401 Toxic to aquatic life
Precautionary Statements	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210) Keep container tightly closed.(P233)

	Ground and bond container and receiving equipment.(P240) Use explosion-proof electrical, ventilating and lighting equipment.(P241) Use non-sparking tools.(P242) Take action to prevent static discharges.(P243) Do not breathe dust/fume/gas/mist/vapours/spray.(P260) Avoid breathing dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264) Do not eat, drink or smoke when using this product.(P270) Use only outdoors or in a well-ventilated area.(P271) Avoid release to the environment.(P273) Wear protective gloves/protective clothing/eye protection/face protection.(P280) IF ON SKIN: Wash with plenty of soap and water.(P302+P352) IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353) IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338) IF exposed or concerned: Call a doctor.(P308+P311) Call a doctor if you feel unwell.(P312) Get medical advice and attention if you feel unwell.(P314) Specific treatment.(P321) If skin irritation occurs: Get medical advice/attention.(P332+P313) If eye irritation persists: Get medical advice/attention.(P337+P313) Take off contaminated clothing and wash it before reuse.(P362+P364) In case of fire: Use appropriate media to extinguish.(P370+P378)
Response	
Storage	Store in a well-ventilated place. Keep container tightly closed.(P403+P233) Store in a well-ventilated place. Keep cool.(P403+P235)
Disposal	Store locked up.(P405) Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixture

Chemical Name or Generic Name	Concentration or Its Ranges (wt%)	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Methyl ethyl ketone	70-75	CH3CH2CO CH3	(2)-542	Registered	78-93-3

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Chromium and its compounds	3-5	-	Registered(Trade secret)	Registered(Trade secret)	Trade secret
----------------------------	-----	---	--------------------------	--------------------------	--------------

Section 4 – FIRST AID MEASURES**Inhalation**

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

IF exposed or concerned: Call a doctor.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

Eye Contact

If skin irritation occurs: Get medical advice and attention.

Specific treatment.

IF exposed or concerned: Call a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

IF exposed or concerned: Call a doctor.

Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 – FIRE FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing agent suitable for type of surrounding fire.

When dust occurs, use dry sand.

Unsuitable Extinguishing Media

Cylindric water.

Specific Hazards in Case of Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate extinguishing media.

Prohibit unauthorized staff from entering the area around the fire.

Keep unnecessary people away.

Special Protective Equipment and Precautions for Fire Fighters

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Section 6 – ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions

Large spills :Evacuate area.

Ensure adequate ventilation.

Do not discharge into the drains, surface waters or ground water directly.

Methods and Equipment for Containment and Cleaning Up

No information available

Prevention Measures for Secondary Accidents

Keep away from sources of ignition and prepare extinguishing media.

Section 7 – HANDLING AND STORAGE**Handling****Technical Measures**

Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

		Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe Handling	Wear protective gloves/eye protection/face protection. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Keep cool. Do not breathe dust/fume/gas/mist/vapours/spray.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 – STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	Refer to "Section 10 – STABILITY AND REACTIVITY". Store locked up. Store container tightly closed in well-ventilated place.

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	TLVs (ACGIH)
Methyl ethyl ketone	200ppm	200ppm(590mg/m ³)	TWA 200 ppm, STEL 300 ppm
Chromium and its compounds	Not listed	0.5mg/m ³ as Cr ³⁺	Not listed

	Concentration standards specified by the Minister of Health, Labour and Welfare	
	Concentration standard value for 8-hours exposure	Concentration standard value for short-term exposure/ceiling
Methyl ethyl ketone	Not listed	Not listed
Chromium and its compounds	Not listed	Not listed

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Personal Protective Equipment	Respiratory Protection	Use explosion-proof electrical equipment and prevent from static electricity. Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.
	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate. Select and wear appropriate safety gloves based on risk assessments and other measures.
	Eye/Face Protection	Select and wear appropriate face and eye protection based on risk assessments and other measures.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Skin and Body
Protection

Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate.

Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Form	Liquid
Colour	Black
Odour	Solvent odor
Melting Point/Freezing Point	-86.4°C (as 2-Butanone)
Boiling Point or Initial Boiling Point and Boiling Ranges	79.6 °C (as 2-Butanone)
Flammability	Flammability
Lower and Upper Explosion Limit / Flammability Limit	1.8vol% (as 2-Butanone)
	Upper Limit
Flash Point	11.5vol% (as 2-Butanone)
Auto-Ignition Temperature	-7.3°C (Tag Closed Cup)
	505°C (as 2-Butanone)
Decomposition Temperature	No data available
pH	No data available
Kinematic Viscosity	3.7mm ² /s
Solubility	water: 29g/100mL (20°C) (as 2-Butanone)
Partition Coefficient : n-Octanol/Water	0.29(as 2-Butanone)
Vapour Pressure	10.5kPa (20°C) (as 2-Butanone)
Density and/or Relative Density	0.87
Relative Gas Density	2.41 (Air=1, as 2-Butanone)
Particle Characteristics	No data available
as Methyl ethyl ketone	
Melting Point/Freezing Point	-86.4°C
Boiling Point or Initial Boiling Point and Boiling Ranges	79.6°C
Density and/or Relative Density	0.8061

Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available
Other Data	No data available

Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
----------------	------	--

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions.
		(vapour) Classified as Category 4 since ATE is 2500 to 20000(ppmV).
		(dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.
Serious Eye Damage/Eye Irritation		Classified as Category 2A since the sum of 10 × (Eye Category 1 + Skin Category 1) is more than 10%.
Respiratory Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Skin Sensitization		Unable to classify due to insufficient data.
Germ Cell Mutagenicity		Classification not possible since lots of the concentrations of unknown ingredients.
Carcinogenicity		Classification not possible since lots of the concentrations of unknown ingredients.
Reproductive Toxicity		(Reproductive toxicity) Unable to classify due to insufficient data. (Reproductive toxicity, effects on or via lactation)
Specific Target Organ Toxicity (Single Exposure)		Unable to classify due to insufficient data. Classified as Category 2(kidney) since one of the Category 2(kidney) ingredients is more than 10%.
		Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.
		Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)		Classified as Category 1(nervous system) since one of the Category 1(nervous system) ingredients is more than 10%.
Aspiration Hazard		Unable to classify due to insufficient data.
Section 12 – ECOLOGICAL INFORMATION		
Hazardous to the Aquatic Environment, Short-Term (Acute)		Classified as Category 2 since the sum of (M × 10 × Category 1) + Category 2 ingredients is more than 25%.
Hazardous to the Aquatic Environment, Long-Term (Chronic)		Classification not possible since lots of the concentrations of unknown ingredients.
Ecotoxicity		No data available
Persistence		No data available
Bioaccumulative Potential		No data available
Mobility in Soil		No data available
Hazardous to the Ozone Layer		Unable to classify due to insufficient data.

Section 13 – DISPOSAL CONSIDERATIONS

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Residual waste	<p>Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste(Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.</p> <p>Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.</p> <p>Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or into the culverts.</p> <p>For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.</p> <p>When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.</p> <p>Clarify the contents of waste materials and entrust disposal to a waste disposal company.</p>
Contaminated containers and packaging	Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 – TRANSPORT INFORMATION

International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance Transported in Bulk	Not applicable
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Regulatory Information by Road	Complies with the Fire Service Act.
Regulations in Japan	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance Transported in Bulk	Not applicable
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No.	1210

	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
Emergency Response Guide Number		130
Section 15 – REGULATORY INFORMATION		
Industrial Safety and Health Act	Ordinance on the Prevention of Organic Solvent Poisoning Paragraph 1 Article 1 part 4 (Second-class organic solvents, etc.), Enforcement Ordinance 2 of Appendix 6 the standards for work environment monitoring Article 65 part 2-1	
	Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)	
	Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)	
	Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4)	
	Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)	
	Chromium and its compounds (excluding chromic acid and chromate and dichromate and dichromate) (Number: 142) (less than 5%) (Trade Secrets)	
	Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)	
	Methyl ethyl ketone (Number: 570) (1%-10%)(Trade Secrets)	
	Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))	
	Substances for which concentration reference values are set (Article 577-2, Paragraph 2 of the Safety and Health Regulations, Notification No. 177 of April 27, Reiwa 5, Public Notice No. 24 of April 27, Reiwa 5)	
Industrial Safety and Health Act(after 2024/4/1)	Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)	
	Methyl ethyl ketone	
	Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)	
Poisonous and Deleterious Substances Control Act	Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)	
	Chromium and its compounds (excluding hexavalent chromium compounds)(Number: 142) (less than 5%) (Trade Secrets)	
	Not applicable	
Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable	

Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Priority Assessment Chemical Substances(Article 2 part 5)
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II
Water Pollution Prevention Act	Specified substances (article 2, paragraph 4 of the Act, article 3 of the Enforcement Ordinance)
Narcotics and Psychotropics Control Act	raw materials for Narcotics or Psychotropics(Appended Table IV part 9, Order Article 4)
Foreign Exchange and Foreign Trade Act	Import Trade Control Order Appended Table I part 16 Import Trade Control Order Appended Table II (Import Approval)
Ship Safety Law	Flammable liquids(Order Article 3,Appended Table I)
Aviation Law	Flammable liquids(Order Article 194,Appended Table I)

Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second- class organic solvents. In the “15. Applicable laws” column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.) In the case where “composition and ingredient information” corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	2-butanone and methyl ethyl ketone, MEK and ethyl methyl ketone are the same substances. We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more. The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act	The flash point of Class I petroleums is less than 21 ° c.
Poisonous and Deleterious Substances Control Act	The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards Cited Literature	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019 1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS(JCDB)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Additional Information about This Product: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.