Safety Data Sheet (SDS)

Section 1 - CHEMIC

Section 1 – CHEMICALS AND		
	Chemical Identifier	Ink-3128FA
	Product Code	3128FA
	Reference Number	47
	Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
	Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
	Department in Charge	IJP ink Group, Marking Systems and Hoist Systems Division
	Phone Number	+81-294-36-8682
	Fax Number	+81-294-36-8975
	Mail Address	aida-kohhei@hitachi-ies.co.jp
	Emergency Phone Number	+81-294-36-8682
	Recommended Use	Industrial ink jet printers
	Restriction on Use	If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.
Section 2 – HAZARDS IDENTI GHS Classification of the (
	Physicochemical	Flammable liquids Category 2
	Health Hazards	Serious eye damage/eye irritation Category 1
		Carcinogenicity Category 1A
		Reproductive toxicity Category 1A
		Specific target organ toxicity (single exposure)
		Category 2(systemic toxicity, central nervous system)
		Specific target organ toxicity (single exposure)
		Category 3(narcotic effect, respiratory tract irritation)
		Specific target organ toxicity (repeated exposure) Category 1(liver)
		Specific target organ toxicity (repeated exposure) Category 2(blood, central nervous system)
		Other hazards than mentioned above are Not classified or Classification not possible.
GHS Label Elements		
	Pictograms	$\land \land \land \land$
	Signal Word	Danger
	Hazard Statements	H225 Highly flammable liquid and vapour
		H318 Causes serious eye damage
		H335 May cause respiratory irritation
		H336 May cause drowsiness or dizziness
		H350 May cause cancer
		H360 May damage fertility or the unborn child
		H371 May cause damage to systemic toxicity, central
		nervous system
		H272 Causes demons to liver through prolonged or

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their

H372 Causes damage to liver through prolonged or

subsidiaries shall not be liable for the accuracy or completeness of the information described above.

repeated exposure

	H373 May cause damage to blood、central nervous system through prolonged or repeated exposure
Precautionary Stat	ements
Prevention	Obtain special instructions before use.(P201)
	Do not handle until all safety precautions have been read and understood.(P202)
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
	Keep container tightly closed.(P233)
	Ground and bond container and receiving equipment.(P240)
	Use explosion-proof electrical, ventilating and lighting equipment.(P241)
	Use non-sparking tools.(P242)
	Take action to prevent static discharges.(P243)
	Do not breathe
	dust/fume/gas/mist/vapours/spray.(P260)
	Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)
	Wash hand thoroughly after handling.(P264)
	Do not eat, drink or smoke when using this product.(P270)
	Use only outdoors or in a well-ventilated area.(P271)
	Wear protective gloves/protective clothing/eye protection/face protection.(P280)
Response	IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
	IF exposed or concerned: Call a doctor.(P308+P311)
	IF exposed or concerned: Get medical advice/attention.(P308+P313)
	Immediately call a doctor.(P310)
	Call a doctor if you feel unwell.(P312)
	Get medical advice and attention if you feel unwell.(P314)
	In case of fire: Use appropriate media to extinguish.(P370+P378)
Storage	Store in a well-ventilated place. Keep container tightly closed.(P403+P233)
	Store in a well-ventilated place. Keep cool.(P403+P235)
	Store locked up.(P405)
Disposal	Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture		Mixture		
Chemical Name or Generic Name	Concentration or Its Ranges (wt%)	Formula	ENCS No./ISHL No. ENCS No. ISHL No.	CAS RN

Ethanol 7	0-75	CH3CH2OH	(2)-202	Registered	64-17-5		
Isopropyl alcohol 3	-5	CH3CH(OH)CH3	(2)-207	Registered	67-63-0		
n-Propyl alcohol 5	-10	CH3CH2CH 2OH		Registered	71-23-8		
lithium nitrate 0	1-1	LiNO3	(1)-765	Registered	7790-69-4		
ction 4 – FIRST AID MEASURES Inhalation	8	position con	nfortable fo		l keep at rest in a		
Skin Contact		IF ON SKIN	(or hair): R	emove/Take c	off immediately all h water/shower.		
		IF ON SKIN:	Wash with	plenty of soar	o and water.		
		attention.		Get medical			
Eye Contact		Immediately IF IN EYES:	call a doct Rinse cauti move conta	iously with wa	or. ter for several resent and easy t		
Ingestion		Rinse mouth	IF exposed or concerned: Call a doctor. Rinse mouth. IF SWALLOWED: Call a doctor if you feel unwell.				
		IF exposed o	or concerne	ed: Call a docto	or.		
ection 5 – FIRE FIGHTING MEAS	URES						
Suitable Extinguishing Media		fire.			ype of surroundin		
Unsuitable Extinguishing Media		When dust occurs, use dry sand. Cylindric water.					
Specific Hazards in Case of Fire		Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.					
Specific Fire Fighting		Keep away f extinguishin Prohibit una	Fight fire from upwind position if possible Keep away from sources of ignition and use appropriate extinguishing media. Prohibit unauthorized staff from entering the area				
		around the f Keep unnec		ole awav.			
Special Protective Equipment and Precautions for Fire Fighters		Use goggles in combination with dust mask, and another protections as appropriate to situation.					
ection 6 - ACCIDENTAL RELEAS	E MEASURES						
Personal Precautions, Protective Equipment and Emergency Procedures				tion with dust ate to situatio	mask, and anothe n.		
Environmental Precautions		Large spills :Evacuate area. Ensure adequate ventilation. Do not discharge into the drains, surface waters or ground water directly.					
Methods and Equipment for Containment and Cleaning Up		No informat		e			
Prevention Measures for Secondary Accidents		Keep away f extinguishin		es of ignition a	nd prepare		
ection 7 - HANDLING AND STOP	RAGE						

3/10

Handling	Technical Measures	Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".
		Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe Handling	Keep cool.
	Папашпд	Do not breathe dust/fume/gas/mist/vapours/spray.
		Do not eat, drink or smoke when using this product.
		Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 - STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	Refer to "Section 10 - STABILITY AND REACTIVITY".
		Store locked up. Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Li Society for Occupation	•	TLVs (ACGIH)
Ethanol	Not listed	Not listed		TWA -, STEL 1000 ppm
Isopropyl alcohol	200ppm	【 Maximum concentrati (980mg/m3)	on 】400ppm	TWA 200 ppm, STEL 400 ppm
n−Propyl alcohol	Not listed	Not listed		TWA 100 ppm, STEL -
lithium nitrate	Not listed	Not listed		Not listed
	Concentration standar Welfare	ds specified	by the Minist	er of Health, Labour and
	Concentration standar 8-hours exposure			on standard value for short- ire/ceiling
Ethanol	Not listed	Not listed		
Isopropyl alcohol	Not listed	Not listed		
n-Propyl alcohol	Not listed	Not listed		
lithium nitrate	Not listed		Not listed	

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist.
		Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
		Use explosion-proof electrical equipment and prevent from static electrocity.
Personal Protective Equipment	Respiratory Protection	Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.

	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate.
		Select and wear appropriate safety gloves based on risk assessments and other measures.
	Eye/Face Protection	Select and wear appropriate face and eye protection based on risk assessments and other measures.
	Skin and Body Protection	Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate.
		Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.
Section 9 - PHYSICAL AND CH	IEMICAL PROPERTIES	
Physical State		Liquid
Form		Liquid
Colour		Clear
Odour		Solvent odor
Melting Point/Freezing Point		−114.5 °C(as Ethanol)
Boiling Point or Initial Boiling Point and Boiling Ranges		78.3℃(as Ethanol)
Flammability		Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	3.3vol% (as Ethanol)
	Upper Limit	19vol% (as Ethanol)
Flash Point		12.7°C (Tag Closed Cup)
Auto-Ignition Temperature		363°C (as Ethanol)
Decomposition Temperature		No data available
рH		No data available
Kinematic Viscosity		3.8mm2/s
Solubility		water soluble in any(as Ethanol)
Partition Coefficient : n− Octanol∕Water		-0.31 (as Ethanol)
Vapour Pressure		5.9kPa (20°C)(as Ethanol)
Density and/or Relative		0.82
Density and/ or Relative		0.02
Relative Gas Density		1.59 (Air=1, as Ethanol)
Particle Characteristics		No data available
as Ethanol		
Boiling Point or Initial Boiling Point and Boiling Ranges		78.3°C
Density and/or Relative Density		0.7892(20°C, 4°C)
as Isopropyl alcohol		
Boiling Point or Initial		82.4°C
Boiling Point and Boiling Ranges		
Density and/or Relative Density		0.7863(20°C, 20°C)
as n−Propyl alcohol		
Boiling Point or Initial Boiling Point and Boiling Ranges		97.4°C, 49.92°C(90mmHg), 30.35°C(28.5mmHg)

C	/1	Δ
ю,	/ Τ	υ

Density and/or Relative Density		0.8035(20°C/4°C)
as lithium nitrate Melting Point/Freezing Point		261°C
Decomposition Temperature		000°C
Kinematic Viscosity Density and∕or Relative Density		0mm2/S(40°C) 2.37(20°C, 4°C)
Section 10 - STABILITY AND F Reactivity	EACTIVITY	Does not react dangerously under nomal conditions.
Chemical Stability Possibility of Hazardous Reaction		Stable under normal conditions of use. Flammable
Conditions to Avoid		There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures		No data available
Hazardous Decomposition Products		No data available
Other Data		No data available
Section 11 - TOXICOLOGICAL	INFORMATION	
Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions.
		Des not fail under gas based on GHS definitions.
		(vapour)
		Classification not possible since lots of the concentrations of unknown ingredients.
		(dust and mist)
		Classification not possible since lots of the concentrations of unknown ingredients.
Skin Corrosion/Irritation		Classification not possible since lots of the concentrations of unknown ingredients.
Serious Eye Damage/Eye Irritation		Classified as Category 1 since the sum of Eye Category 1 ingredients is more than 3%.
Respiratory Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Skin Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Germ Cell Mutagenicity		Classification not possible since lots of the concentrations of unknown ingredients.
Carcinogenicity		Classified as Category 1A since one of the Category 1A ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity)
		Classified as Category 1A since one of the Category 1A ingredients is more than 0.3%.
		(Reproductive toxicity, effects on or via lactation)
		Classification not possible since lots of the concentrations of unknown ingredients.

Classified as Category 2(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is 1 to 10%.
Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%.
Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.
Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Classified as Category 1(liver) since and of the

Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%.

Classified as Category 2(central nervous system) since one of the Category 2(central nervous system) ingredients is more than 10%.

Classified as Category 2(blood) since one of the Category 1(blood) ingredients is 1 to 10%. Classification not possible since lots of the concentrations of unknown ingredients.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term (Acute) Hazardous to the Aquatic Environment, Long-Term (Chronic) Ecotoxicity Persistence

Bioaccumulative Potential Mobility in Soil

Specific Target Organ Toxicity (Single Exposure)

Specific Target Organ

Toxicity (Repeated

Aspiration Hazard

Exposure)

Hazardous to the Ozone Layer

Section 13 - DISPOSAL CONSIDERATIONS Residual waste Classification not possible since lots of the concentrations of unknown ingredients.

Classification not possible since lots of the concentrations of unknown ingredients.

No data available No data available No data available

No data available Unable to classify due to insufficient data.

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts. For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

	Contaminated containers and packaging	Clarify the contents of waste materials and entrust disposal to a waste disposal company. Empty containers should be treated as industrial wastes and not allowed to contain waste.
Section 14 - TRANSPORT INFO International Regulations	Regulatory Information by Sea UN No.	Conform to the provisions of IMO. 1210 PRINTING INK RELATED MATERIAL 3 II Not applicable Not applicable
	Class	Conform to the provisions of ICAO/IATA. 1210 PRINTING INK RELATED MATERIAL 3
Regulations in Japan	Class Packing Group Marine Pollutant Liquid Substance Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code Regulatory Information by Air UN No.	II Complies with the Fire Service Act. Conform to the provisions of the Ship Safety Law. 1210 PRINTING INK RELATED MATERIAL 3 II Not applicable Not applicable Not applicable Conform to the provisions of the Civil Aeronautics Law. 1210 PRINTING INK RELATED MATERIAL 3 II 130
Number Section 15 – REGULATORY INF Industrial Safety and Health Act	ORMATION	the standards for work environment monitoring Article 65 part 2–1 Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9) Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4) Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2–1and part 2, Attached Table9) Ethanol(Number: 61) (70%–80%) (Trade Secrets) Propyl alcohol(Number: 494) (1%–10%)(Trade Secrets)

Lithium Nitrate (Number: 310) (less than 5%) (Trade Secrets)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Chemical substances that damage the skin, etc. / Harmful substances that cause skin irritation (Article 594–2, Paragraph 1 of the Safety and Health Regulations, No. 0531 No. 9 issued on May 31, 2020, No. 0704 issued on July 4, 2020) List of substances applicable to No. 1 and 5)

n-Propyl alcohol Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)

Propyl alcohol

Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable Not applicable

Not applicable

Mmonitoring chemical substances (Article 2, Paragraph 4 of the Act)

Priority Assessment Chemical Substances(Article 2 part 5) Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II Hazardous substances (Article 2, Ordinance of Enforcement, article 2, Ordinance 1) that prescribe wastewater standards) Import Trade Control Order Appended Table I part 16

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)

Industrial Safety and
Health ActSecond-class organic solvents, etc.contain more than 5% of Second-
class organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.

Isopropyl alcohol belongs to propyl alcohol. Act on the Regulation of Manufacture and Evaluation of Chemical Substances

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Fire Service Act

Water Pollution Prevention Act Foreign Exchange and Foreign Trade Act Ship Safety Law Aviation Law

Section 16 - OTHER INFORMATION

Foreign Exchange and Foreign Trade Act	The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort. In law, printing inks are not approved for export
Fire Service Act Poisonous and Deleterious Substances Control Act	The flash point of Class I petroleums is less than 21 $^\circ$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA:Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019
Cited Literature	 International Chemical Safety Cards National Institute of Technology and Evaluation (NITE), Japan
	 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS(JCDB)
Additional Information about This Product:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.