

Issue 2020.08.27

Revision 2024.10.01

Safety Data Sheet (SDS)

Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-4143K
Product Code	4143K
Reference Number	61
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Department in Charge	IJP ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	aida-kohhei@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers
Restriction on Use	If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.

Section 2 – HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Serious eye damage/eye irritation Category 1 Carcinogenicity Category 1A Reproductive toxicity Category 1A Specific target organ toxicity (single exposure) Category 2(systemic toxicity, central nervous system) Specific target organ toxicity (single exposure) Category 3(narcotic effect, respiratory tract irritation) Specific target organ toxicity (repeated exposure) Category 1 (liver) Specific target organ toxicity (repeated exposure) Category 2(blood, central nervous system)
Environmental Hazards	Hazardous to the aquatic environment, short-term (acute) Category 3 Other hazards than mentioned above are Not classified or Classification not possible.

GHS Label Elements

Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H318 Causes serious eye damage H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H350 May cause cancer H360 May damage fertility or the unborn child H371 May cause damage to systemic toxicity, central nervous system H372 Causes damage to liver through prolonged or repeated exposure

		H373 May cause damage to blood, central nervous system through prolonged or repeated exposure
		H402 Harmful to aquatic life
Precautionary Statements		
Prevention		Obtain special instructions before use.(P201)
		Do not handle until all safety precautions have been read and understood.(P202)
		Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
		Keep container tightly closed.(P233)
		Ground and bond container and receiving equipment.(P240)
		Use explosion-proof electrical, ventilating and lighting equipment.(P241)
		Use non-sparking tools.(P242)
		Take action to prevent static discharges.(P243)
		Do not breathe dust/fume/gas/mist/vapours/spray.(P260)
		Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)
Response		Wash hand thoroughly after handling.(P264)
		Do not eat, drink or smoke when using this product.(P270)
		Use only outdoors or in a well-ventilated area.(P271)
		Avoid release to the environment.(P273)
		Wear protective gloves/protective clothing/eye protection/face protection.(P280)
		IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
		IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
		IF exposed or concerned: Call a doctor.(P308+P311)
		IF exposed or concerned: Get medical advice/attention.(P308+P313)
Storage		Immediately call a doctor.(P310)
		Call a doctor if you feel unwell.(P312)
		Get medical advice and attention if you feel unwell.(P314)
		In case of fire: Use appropriate media to extinguish.(P370+P378)
Disposal		Store in a well-ventilated place. Keep container tightly closed.(P403+P233)
		Store in a well-ventilated place. Keep cool.(P403+P235)
Disposal		Store locked up.(P405)
		Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture		Mixture		
Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.	CAS RN

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Name	Ranges (wt%)		ENCS No.	ISHL No.	
Ethanol	30-less than 40	CH ₃ CH ₂ OH	(2)-202	Registered	64-17-5
Isopropyl alcohol	1-3	CH ₃ CH(OH) CH ₃	(2)-207	Registered	67-63-0
n-Propyl alcohol	3-5	CH ₃ CH ₂ CH ₂ OH	(2)-207	Registered	71-23-8
dimethyl carbonate	20-30	CH ₃ OCOO CH ₃	(2)-2853	Registered	616-38-6
lithium nitrate	0.1-1	LiNO ₃	(1)-765	Registered	7790-69-4
α -Methylstyrene	0.1-1	C ₉ H ₁₀	(3)-5,(3)-8	Registered	98-83-9
Chromium and its compounds	3-5	-	Registered(Trade secret)	Registered(Trade secret)	Trade secret

Section 4 – FIRST AID MEASURES

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

IF exposed or concerned: Call a doctor.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

Eye Contact

If skin irritation occurs: Get medical advice and attention.

IF exposed or concerned: Call a doctor.

Immediately call a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

IF exposed or concerned: Call a doctor.

Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media

When dust occurs, use dry sand.

Cylindric water.

Specific Hazards in Case of Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate extinguishing media.

Prohibit unauthorized staff from entering the area around the fire.

Special Protective Equipment and Precautions for Fire Fighters

Keep unnecessary people away.

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Section 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions

Large spills :Evacuate area.

Ensure adequate ventilation.

Methods and Equipment for Containment and Cleaning Up

Do not discharge into the drains, surface waters or ground water directly.

No information available

Prevention Measures for
Secondary AccidentsKeep away from sources of ignition and prepare
extinguishing media.

Section 7 – HANDLING AND STORAGE

Handling

Technical Measures

Provide ventilation system and use necessary personal
protective equipment as described in "Section 8 –
EXPOSURE CONTROLS / PERSONAL PROTECTION".Ground/bond container and receiving equipment.
Use only non-sparking tools.
Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of
fume or mist.Facilities storing or utilizing this material should be
equipped with an eyewash facility and a safety shower.Precautions for Safe
Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye
protection/face protection.Prevents Handling of
Incompatible
Substances or
Mixtures

Refer to "Section 10 – STABILITY AND REACTIVITY".

Storage

Conditions for Safe
Storage

Refer to "Section 10 – STABILITY AND REACTIVITY".

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	TLVs (ACGIH)
Ethanol	Not listed	Not listed	TWA -, STEL 1000 ppm
Isopropyl alcohol	200ppm	【 Maximum allowable concentration 】 400ppm (980mg/m ³)	TWA 200 ppm, STEL 400 ppm
n-Propyl alcohol	Not listed	Not listed	TWA 100 ppm, STEL -
dimethyl carbonate	Not listed	Not listed	Not listed
lithium nitrate	Not listed	Not listed	Not listed
α-Methylstyrene	Not listed	Not listed	TWA 10 ppm, STEL -
Chromium and its compounds	Not listed	0.5mg/m ³ as Cr ³⁺	Not listed

	Concentration standards specified by the Minister of Health, Labour and Welfare	
	Concentration standard value for 8-hours exposure	Concentration standard value for short- term exposure/ceiling
Ethanol	Not listed	Not listed
Isopropyl alcohol	Not listed	Not listed
n-Propyl alcohol	Not listed	Not listed
dimethyl carbonate	Not listed	Not listed
lithium nitrate	Not listed	Not listed
α-Methylstyrene	10ppm	-
Chromium and its compounds	Not listed	Not listed

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
		Use explosion-proof electrical equipment and prevent from static electricity.
Personal Protective Equipment	Respiratory Protection	Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.
	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate. Select and wear appropriate safety gloves based on risk assessments and other measures.
	Eye/Face Protection	Select and wear appropriate face and eye protection based on risk assessments and other measures.
	Skin and Body Protection	Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate. Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State		Liquid
Form		Liquid
Colour		Black
Odour		Solvent odor
Melting Point/Freezing Point		-114.5 °C (as Ethanol)
Boiling Point or Initial Boiling Point and Boiling Ranges		78.3°C (as Ethanol)
Flammability		Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	3.3vol% (as Ethanol)
	Upper Limit	19vol% (as Ethanol)
Flash Point		8°C (Tag Closed Cup)
Auto-Ignition Temperature		363°C (as Ethanol)
Decomposition Temperature		No data available
pH		No data available
Kinematic Viscosity		4.3mm ² /s
Solubility		water soluble in any (as Ethanol)
Partition Coefficient : n-Octanol/Water		-0.31 (as Ethanol)
Vapour Pressure		5.9kPa (20°C) (as Ethanol)
Density and/or Relative Density		0.85
Relative Gas Density		1.59 (Air=1, as Ethanol)
Particle Characteristics		No data available
as Ethanol		
Boiling Point or Initial Boiling Point and Boiling Ranges		78.3°C
Density and/or Relative Density		0.7892(20°C, 4°C)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

as Isopropyl alcohol	
Boiling Point or Initial Boiling Point and Boiling Ranges	82.4°C
Density and/or Relative Density	0.7863(20°C, 20°C)
as n-Propyl alcohol	
Boiling Point or Initial Boiling Point and Boiling Ranges	97.4°C, 49.92°C(90mmHg), 30.35°C(28.5mmHg)
Density and/or Relative Density	0.8035(20°C/4°C)
as dimethyl carbonate	
Melting Point/Freezing Point	0.5°C
Boiling Point or Initial Boiling Point and Boiling Ranges	90~91°C
Density and/or Relative Density	1.0702(20°C/4°C)
as lithium nitrate	
Melting Point/Freezing Point	261°C
Decomposition Temperature	600°C
Kinematic Viscosity	0mm ² /S(40°C)
Density and/or Relative Density	2.37(20°C, 4°C)
as α-Methylstyrene	
Boiling Point or Initial Boiling Point and Boiling Ranges	161~162°C, 54.5~55°C(14mmHg)
Density and/or Relative Density	0.9134(17.4°C/4°C)

Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available
Other Data	No data available

Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions.
		(vapour) Classification not possible since lots of the concentrations of unknown ingredients.
		(dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classification not possible since lots of the concentrations of unknown ingredients.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Serious Eye Damage/Eye Irritation	Classified as Category 1 since the sum of Eye Category 1 ingredients is more than 3%.
Respiratory Sensitization	Classification not possible since lots of the concentrations of unknown ingredients.
Skin Sensitization	Classification not possible since lots of the concentrations of unknown ingredients.
Germ Cell Mutagenicity	Classification not possible since lots of the concentrations of unknown ingredients.
Carcinogenicity	Classified as Category 1A since one of the Category 1A ingredients is more than 0.1%.
Reproductive Toxicity	(Reproductive toxicity) Classified as Category 1A since one of the Category 1A ingredients is more than 0.3%. (Reproductive toxicity, effects on or via lactation) Classification not possible since lots of the concentrations of unknown ingredients.
Specific Target Organ Toxicity (Single Exposure)	Classified as Category 2(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is 1 to 10%. Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%. Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%. Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)	Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%. Classified as Category 2(central nervous system) since one of the Category 2(central nervous system) ingredients is more than 10%. Classified as Category 2(blood) since one of the Category 1(blood) ingredients is 1 to 10%.
Aspiration Hazard	Unable to classify due to insufficient data.

Section 12 – ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term (Acute)	Classified as Category 3 since the sum of $(M \times 100 \times \text{Category 1}) + (10 \times \text{Category 2}) + \text{Category 3}$ ingredients is more than 25%.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classification not possible since lots of the concentrations of unknown ingredients.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone Layer	Unable to classify due to insufficient data.

Section 13 – DISPOSAL CONSIDERATIONS

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Residual waste	<p>Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.</p> <p>Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.</p> <p>Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts.</p> <p>For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.</p> <p>When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.</p> <p>Clarify the contents of waste materials and entrust disposal to a waste disposal company.</p>
Contaminated containers and packaging	Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 – TRANSPORT INFORMATION

International Regulations	Regulatory Information	Conform to the provisions of IMO.
	by Sea	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information	Conform to the provisions of ICAO/IATA.
	by Air	
Regulations in Japan	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Regulatory Information	Complies with the Fire Service Act.
	by Road or Rail	
	Regulatory Information	Conform to the provisions of the Ship Safety Law.
	by Sea	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information	Conform to the provisions of the Civil Aeronautics Law.
	by Air	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Class	3
Packing Group	II
Emergency Response Guide Number	130

Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.
(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.
(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.
(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.
(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4)
Hazardous Substances to be notified in terms of Whose Names,etc
(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)

Hazardous Substances to be notified in terms of Whose Names,etc
(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)

α -Methylstyrene(Number:36) (Trade Secrets)

Ethanol(Number:61) (Trade Secrets)

Hazardous Substances to be notified in terms of Whose Names,etc
(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)

Chromium and its compounds (excluding chromic acid and chromate and dichromate and dichromate) (Trade Secrets)

Hazardous Substances to be notified in terms of Whose Names,etc
(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)

Propyl alcohol(Number:494) (Trade Secrets)

Lithium Nitrate(Number:310) (Trade Secrets)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Substances for which concentration reference values are set (Article 577-2, Paragraph 2 of the Safety and Health Regulations, Notification No. 177 of April 27, Reiwa 5, Public Notice No. 24 of April 27, Reiwa 5)

Chemical substances that damage the skin, etc. / Harmful substances that cause skin irritation (Article 594-2, Paragraph 1 of the Safety and Health Regulations, No. 0531 No. 9 issued on May 31, 2020, No. 0704 issued on July 4, 2020) List of substances applicable to No. 1 and 5)

n-Propyl alcohol

Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)

Propyl alcohol

Industrial Safety and Health
Act(after 2024/4/1)

Dangerous or Harmful Substances Subject to Be Indicated their
Names, etc.
(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)

Hazardous Substances to be notified in terms of Whose Names,etc
(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached
Table9)

Chromium and its compounds (excluding hexavalent chromium
compounds)(Trade Secrets)

Substances subject to
obligation such as labeling
and SDS issuance based on
the Industrial Safety and
Health Act (scheduled to
come into effect on April 1,
Reiwa 8)

Dangerous goods and hazardous goods for which the name, etc.
should be indicated (Article 57, Paragraph 1 of the Act, Article 18,
Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of
Article 30 of the Safety and Health Regulations)

Dangerous goods and hazardous goods whose names, etc. should be
notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~
Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of
the Safety and Health Regulations)

dimethyl carbonate(Number:1188) (Trade Secrets)

Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class
2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not
applicable

Poisonous and Deleterious
Substances Control Act
Act on Confirmation, etc. of
Release Amounts of
Specific Chemical
Substances in the
Environment and Promotion
of Improvements to the
Management Thereof

Not applicable

Not applicable

Act on the Regulation of
Manufacture and Evaluation
of Chemical Substances

Mmonitoring chemical substances (Article 2, Paragraph 4 of the Act)

Fire Service Act

Priority Assessment Chemical Substances(Article 2 part 5)

Hazardous Materials Category IV inflammable liquids Class I
petroleums non water-soluble Packing Group II

Water Pollution Prevention
Act

Hazardous substances (Article 2, Ordinance of Enforcement, article 2,
Ordinance 1) that prescribe wastewater standards)

Specified substances (article 2, paragraph 4 of the Act, article 3 of
the Enforcement Ordinance)

Foreign Exchange and
Foreign Trade Act

Import Trade Control Order Appended Table I part 16

Ship Safety Law
Aviation Law

Flammable liquids(Order Article 3,Appended Table I)

Flammable liquids(Order Article 194,Appended Table I)

Section 16 – OTHER INFORMATION

Industrial Safety and
Health Act

Second-class organic solvents, etc.contain more than 5% of Second-
class organic solvents.

In the “15. Applicable laws” column, the materials for which label and
SDS will be mandated are also listed. (Substance without a decree
number.) Reiwa based on 0111 No. 1 from the Kankahatsu, on
January 11, 2022.)

In the case where “composition and ingredient information”
corresponds to the secret of the business, the description of the
content is the conventional range display. However, it is possible to
notify us separately by the method of information transmission agreed
with the customer, such as a confidentiality agreement. For more
information, please contact our sales representative.

	Isopropyl alcohol belongs to propyl alcohol. dimethyl carbonate, DMC and Carbonic Acid Dimethyl Ester is the same substance.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.
	The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act	The flash point of Class I petroleum is less than 21 ° c.
Poisonous and Deleterious Substances Control Act	The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019
Cited Literature	1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS(JCDB)
Additional Information about This Product:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.