

Issue 2022.7.21

Revision 2025.11.13

Safety Data Sheet (SDS)

Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	Ink-4147F
Product Code	4147F
Reference Number	63
Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
Address	1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken, 316-8502 Japan
Department in Charge	Ink Group, Marking Systems and Hoist Systems Division
Phone Number	+81-294-36-8682
Fax Number	+81-294-36-8975
Mail Address	aida-kohhei@hitachi-ies.co.jp
Emergency Phone Number	+81-294-36-8682
Recommended Use	Industrial ink jet printers
Restriction on Use	If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc.

Section 2 – HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical	Flammable liquids Category 2
Health Hazards	Serious eye damage/eye irritation Category 2A Carcinogenicity Category 1A Reproductive toxicity Category 1A Specific target organ toxicity (single exposure) Category 2(systemic toxicity, central nervous system) Specific target organ toxicity (single exposure) Category 3(narcotic effects, respiratory tract irritation) Specific target organ toxicity (repeated exposure) Category 1 (liver) Specific target organ toxicity (repeated exposure) Category 2 (blood system, central nervous system)
	Other hazards than mentioned above are Not classified or Classification not possible.

GHS Label Elements

Pictograms



Signal Word	Danger
Hazard Statements	H225 Highly flammable liquid and vapour H319 Causes serious eye irritation H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H350 May cause cancer H360 May damage fertility or the unborn child H371 May cause damage to systemic toxicity, central nervous system H372 Causes damage to liver through prolonged or repeated exposure H373 May cause damage to blood system, central nervous system through prolonged or repeated exposure

Isopropyl alcohol	1-3	CH ₃ CH(OH) CH ₃	(2)-207	Existing	67-63-0
n-Propyl alcohol	1-3	CH ₃ CH ₂ CH 2OH	(2)-207	Existing	71-23-8
dimethyl carbonate	60-70	CH ₃ OCOO CH ₃	(2)-2853	Existing	616-38-6
2-Methoxy-1-methylethyl Acetate	1-3	-	(2)-3144	Existing	108-65-6
Nitrocellulose	3-5	-	(8)-176	Existing	9004-70-0

Section 4 – FIRST AID MEASURES

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Call a doctor.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

IF exposed or concerned: Call a doctor.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

IF exposed or concerned: Call a doctor.

Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

When dust occurs, use dry sand.

Unsuitable Extinguishing
Media

Cylindric water.

Specific Hazards in Case of
Fire

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.

Specific Fire Fighting

Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate extinguishing media.

Prohibit unauthorized staff from entering the area around the fire.

Keep unnecessary people away.

Special Protective
Equipment and Precautions
for Fire Fighters

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Section 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions,
Protective Equipment and
Emergency Procedures

Use goggles in combination with dust mask, and another protections as appropriate to situation.

Environmental Precautions

Large spills :Evacuate area.

Ensure adequate ventilation.

Methods and Equipment for
Containment and Cleaning
Up

Do not discharge into the drains, surface waters or ground water directly.

No information available

Prevention Measures for
Secondary Accidents

Keep away from sources of ignition and prepare extinguishing media.

Section 7 – HANDLING AND STORAGE

Handling	Technical Measures	<p>Provide ventilation system and use necessary personal protective equipment as described in "Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION".</p> <p>Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.</p> <p>Take precautionary measures against static discharge.</p> <p>Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.</p>
	Precautions for Safe Handling	<p>Keep cool.</p> <p>Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>Do not eat, drink or smoke when using this product.</p> <p>Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.</p>
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 – STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	<p>Refer to "Section 10 – STABILITY AND REACTIVITY".</p> <p>Store locked up. Store container tightly closed in well-ventilated place.</p>

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	TLVs (ACGIH)
Ethanol	Not listed	Not listed	TWA -, STEL 1000 ppm
Isopropyl alcohol	200ppm	【 Maximum allowable concentration 】 400ppm (980mg/m3)	TWA 200 ppm, STEL 400 ppm
n-Propyl alcohol	Not listed	Not listed	TWA 100 ppm, STEL -
dimethyl carbonate	Not listed	Not listed	Not listed
2-Methoxy-1-methylethyl Acetate	Not listed	Not listed	Not listed
Nitrocellulose	Not listed	Not listed	Not listed

	Concentration standards specified by the Minister of Health, Labour and Welfare	
	Concentration standard value for 8-hours exposure	Concentration standard value for short-term exposure/ceiling
Ethanol	Not listed	Not listed
Isopropyl alcohol	Not listed	Not listed
n-Propyl alcohol	Not listed	Not listed
dimethyl carbonate	Not listed	Not listed
2-Methoxy-1-methylethyl Acetate	Not listed	Not listed
Nitrocellulose	Not listed	Not listed

TLVs (ACGIH) can be referenced at: <https://www.acgih.org/>

Engineering Controls	Use local exhaust ventilation in case of production of fume or mist.
----------------------	--

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static electricity.

Personal Protective Equipment	Respiratory Protection	Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.
	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate. Select and wear appropriate safety gloves based on risk assessments and other measures.
	Eye/Face Protection	Select and wear appropriate face and eye protection based on risk assessments and other measures.
	Skin and Body Protection	Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate. Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State		Liquid
Form		Liquid
Colour		Clear
Odour		Solvent odor
Melting Point/Freezing Point		4.6 °C (as Dimethyl carbonate)
Boiling Point or Initial Boiling Point and Boiling Ranges		90.3 °C (as Dimethyl carbonate)
Flammability		Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	4.2vol% (as Dimethyl carbonate)
	Upper Limit	12.9vol% (as Dimethyl carbonate)
Flash Point		7.3°C (Tag Closed Cup)
Auto-Ignition Temperature		458°C (as Dimethyl carbonate)
Decomposition Temperature		No data available
pH		No data available
Kinematic Viscosity		3mm ² /s
Solubility		water-solubility 139g/L (20°C) (as Dimethyl carbonate)
Partition Coefficient : n-Octanol/Water		No data available
Vapour Pressure		7.38kPa (20°C) (as Dimethyl carbonate)
Density and/or Relative Density		0.99
Relative Gas Density		3.1 (air=1) (as Dimethyl carbonate)
Particle Characteristics		No data available

Section 10 – STABILITY AND REACTIVITY

Reactivity	Does not react dangerously under normal conditions.
Chemical Stability	Stable under normal conditions of use.
Possibility of Hazardous Reaction	Flammable
Conditions to Avoid	There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures	No data available

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Hazardous Decomposition Products
Other Data

No data available
No data available

Section 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity	Oral	Classification not possible since lots of the concentrations of unknown ingredients.
	Dermal	Classification not possible since lots of the concentrations of unknown ingredients.
	Inhalation	(gas) Does not fall under gas based on GHS definitions. (vapour) Classification not possible since lots of the concentrations of unknown ingredients. (dust and mist) Unable to classify due to insufficient data.
Skin Corrosion/Irritation		Classification not possible since lots of the concentrations of unknown ingredients.
Serious Eye Damage/Eye Irritation		Classified as Category 2A since the sum of 10 × (Eye Category 1 + Skin Category 1) is more than 10%.
Respiratory Sensitization		Unable to classify due to insufficient data.
Skin Sensitization		Classification not possible since lots of the concentrations of unknown ingredients.
Germ Cell Mutagenicity		Classification not possible since lots of the concentrations of unknown ingredients.
Carcinogenicity		Classified as Category 1A since one of the Category 1A ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity) Classified as Category 1A since one of the Category 1A ingredients is more than 0.3%. (Reproductive toxicity, effects on or via lactation) Classification not possible since lots of the concentrations of unknown ingredients.
Specific Target Organ Toxicity (Single Exposure)		Classified as Category 2(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is 1 to 10%. Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%. Classified as Category 3(narcotic effects) since the sum of Category 3(narcotic effects) ingredients is more than 20%. Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)		Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%. Classified as Category 2(central nervous system) since one of the Category 2(central nervous system) ingredients is more than 10%. Classified as Category 2(blood system) since one of the Category 1(blood system) ingredients is 1 to 10%.
Aspiration Hazard		Classification not possible since lots of the concentrations of unknown ingredients.

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Section 12 – ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term (Acute)	Classification not possible since lots of the concentrations of unknown ingredients.
Hazardous to the Aquatic Environment, Long-Term (Chronic)	Classification not possible since lots of the concentrations of unknown ingredients.
Ecotoxicity	No data available
Persistence	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Hazardous to the Ozone Layer	Unable to classify due to insufficient data.

Section 13 – DISPOSAL CONSIDERATIONS

Residual waste	<p>Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.</p> <p>Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.</p> <p>Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts.</p> <p>For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.</p> <p>When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.</p>
Contaminated containers and packaging	<p>Clarify the contents of waste materials and entrust disposal to a waste disposal company.</p> <p>Empty containers should be treated as industrial wastes and not allowed to contain waste.</p>

Section 14 – TRANSPORT INFORMATION

International Regulations	Regulatory Information	Conform to the provisions of IMO.
	by Sea	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL	
	73/78, Annex II, the	
	IBC Code	
	Regulatory Information	Conform to the provisions of ICAO/IATA.
	by Air	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Regulations in Japan	Packing Group	II
	Regulatory Information by Road or Rail	Complies with the Fire Service Act.
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to MARPOL 73/78, Annex II, the IBC Code	
	Regulatory Information by Air	Conform to the provisions of the Civil Aeronautics Law.
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
Class	3	
Packing Group	II	
Emergency Response Guide Number	130	

Section 15 – REGULATORY INFORMATION

Industrial Safety and Health Act

the standards for work environment monitoring Article 65 part 2-1

Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)

Ethanol
Nitrocellulose
Propyl alcohol

Hazardous and Explosive Products (Enforcement Ordinance Appendix 1 No. 1)

Dangerous Goods and Flammable Objects (Enforcement Ordinance Appendix 1 No. 2)

Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4)

Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)

Ethanol(Ordinance on Industrial Safety and Health Number of Appended Tables 2:205) (Trade Secrets)

Nitrocellulose(Ordinance on Industrial Safety and Health Number of Appended Tables 2:1477) (Trade Secrets)

Propyl alcohol(Ordinance on Industrial Safety and Health Number of Appended Tables 2:1780) (Trade Secrets)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Chemical substances that damage the skin, etc. / Harmful substances that cause skin irritation (Article 594-2, Paragraph 1 of the Safety and Health Regulations, No. 0531 No. 9 issued on May 31, 2020, No. 0704 issued on July 4, 2020) List of substances applicable to No. 1 and 5)

n-Propyl alcohol

	Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)
Industrial Safety and Health Act (Substances subject to labeling and notification ,Carcinogenic substances) (Implementation in Reiwa 8)	Propyl alcohol Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)
	Ethanol Nitrocellulose Propyl alcohol dimethyl carbonate 2-Methoxy-1-methylethyl Acetate Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)
	Ethanol (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 205) (Trade Secrets) Nitrocellulose (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 1477) (Trade Secrets) Propyl alcohol (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 1780) (Trade Secrets) dimethyl carbonate (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 1188) (Trade Secrets) 2-Methoxy-1-methylethyl Acetate (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 610) (Trade Secrets)
Industrial Safety and Health Act (Substances subject to labeling and notification ,Carcinogenic substances) (Implementation in Reiwa 9)	Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)
	Ethanol Nitrocellulose Propyl alcohol dimethyl carbonate 2-Methoxy-1-methylethyl Acetate Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)
	Ethanol (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 205) (Trade Secrets) Nitrocellulose (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 1477) (Trade Secrets) Propyl alcohol (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 1780) (Trade Secrets) dimethyl carbonate (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 1188) (Trade Secrets) 2-Methoxy-1-methylethyl Acetate (Ordinance on Industrial Safety and Health Number of Appended Tables 2: 610) (Trade Secrets)
Poisonous and Deleterious Substances Control Act	Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof	Not applicable
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Priority Assessment Chemical Substances(Article 2 part 5)
Fire Service Act	Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II
Water Pollution Prevention Act	Hazardous substances (Article 2, Ordinance of Enforcement, article 2, Ordinance 1) that prescribe wastewater standards)
Foreign Exchange and Foreign Trade Act	Import Trade Control Order Appended Table I part 1
Ship Safety Law	Import Trade Control Order Appended Table I part 16
Aviation Law	Export approved goods, specified hazardous waste, etc. (Article 48, Paragraph 3 of the Law, Article 2, Attached Table 2, Paragraph 35-2 of the Export Order)
	Flammable liquids(Order Article 3,Appended Table I)
	Flammable liquids(Order Article 194,Appended Table I)

Section 16 – OTHER INFORMATION

Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.
	In the case where “composition and ingredient information” corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.
	Isopropyl alcohol belongs to propyl alcohol. dimethyl carbonate, DMC and Carbonic Acid Dimethyl Ester is the same substance.
Act on the Regulation of Manufacture and Evaluation of Chemical Substances	We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.
	The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
Fire Service Act	The flash point of Class I petroleums is less than 21 ° c.
Poisonous and Deleterious Substances Control Act	The deleterious substances is only applicable to the material, and the mixture is non-applicable.
RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
Allowable concentration Standards	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019
Cited Literature	1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan 4) EZSDS(JCDB)

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

Additional Information about This Product: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.