

Issue 2023.01.23

Revision 2025.11.13

## Safety Data Sheet (SDS)

### Section 1 – CHEMICALS AND COMPANY IDENTIFICATION

|                        |  |
|------------------------|--|
| Chemical Identifier    | Ink-4148K  |
| Product Code           | 4148K  |
| Reference Number       | 70   |
| Name of Supplier       | Hitachi Industrial Equipment Systems Co.,Ltd.  |
| Address                | 1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken,<br>316-8502 Japan  |
| Department in Charge   | Ink Group, Marking Systems and Hoist Systems Division  |
| Phone Number           | +81-294-36-8682  |
| Fax Number             | +81-294-36-8975  |
| Mail Address           | aida-kohhei@hitachi-ies.co.jp  |
| Emergency Phone Number | +81-294-36-8682  |
| Recommended Use        | Industrial ink jet printers  |
| Restriction on Use     | If the product is to be used for applications other than those recommended, seek the judgment of an expert/chemical substance specialist, etc. |

### Section 2 – HAZARDS IDENTIFICATION

#### GHS Classification of the Chemical

|                 |  |
|-----------------|--|
| Physicochemical | Flammable liquids Category 2   |
| Health Hazards  | Acute toxicity (Inhalation: vapour) Category 4<br>Skin corrosion/irritation Category 2<br>Serious eye damage/eye irritation Category 2B<br>Reproductive toxicity Category 1B<br>Specific target organ toxicity (single exposure) Category 3 (narcotic effects, respiratory tract irritation) |

|                       |  |
|-----------------------|--|
| Environmental Hazards | Hazardous to the aquatic environment, short-term (acute) Category 3<br>Hazardous to the aquatic environment, long-term (chronic) Category 3<br>Other hazards than mentioned above are Not classified or Classification not possible. |
|-----------------------|--|

#### GHS Label Elements

##### Pictograms



|                   |  |
|-------------------|--|
| Signal Word       | Danger   |
| Hazard Statements | H225 Highly flammable liquid and vapour<br>H315+H320 Causes skin and eye irritation<br>H332 Harmful if inhaled<br>H335 May cause respiratory irritation<br>H336 May cause drowsiness or dizziness<br>H360 May damage fertility or the unborn child<br>H412 Harmful to aquatic life with long lasting effects |

##### Precautionary Statements

|            |  |
|------------|--|
| Prevention | Obtain special instructions before use.(P201)<br>Do not handle until all safety precautions have been read and understood.(P202)<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)<br><br>Keep container tightly closed.(P233) |
|------------|--|



|   |   |
|---|---|
| Skin Contact  | <p>IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>IF ON SKIN: Wash with plenty of soap and water.</p> <p>If skin irritation occurs: Get medical advice and attention.</p> <p>IF exposed or concerned: Get medical advice and attention.</p> <p>Specific treatment.</p> |
| Eye Contact   | <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>If eye irritation persists: Get medical advice/attention.</p> <p>IF exposed or concerned: Get medical advice and attention.</p>  |
| Ingestion   | <p>Rinse mouth.</p> <p>IF SWALLOWED: Call a doctor if you feel unwell.</p> <p>IF exposed or concerned: Get medical advice and attention.</p>  |
| <b>Section 5 – FIRE FIGHTING MEASURES</b>                           |   |
| Suitable Extinguishing Media  | <p>Use extinguishing agent suitable for type of surrounding fire.</p> <p>When dust occurs, use dry sand.</p>  |
| Unsuitable Extinguishing Media                                      | <p>Cylindric water.</p>   |
| Specific Hazards in Case of Fire                                    | <p>Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.</p>   |
| Specific Fire Fighting  | <p>Fight fire from upwind position if possible</p> <p>Keep away from sources of ignition and use appropriate extinguishing media.</p> <p>Prohibit unauthorized staff from entering the area around the fire.</p> <p>Keep unnecessary people away.</p>   |
| Special Protective Equipment and Precautions for Fire Fighters      | <p>Use goggles in combination with dust mask, and another protections as appropriate to situation.</p>  |
| <b>Section 6 – ACCIDENTAL RELEASE MEASURES</b>                      |   |
| Personal Precautions, Protective Equipment and Emergency Procedures | <p>Use goggles in combination with dust mask, and another protections as appropriate to situation.</p> <p>Large spills :Evacuate area.</p> <p>Ensure adequate ventilation.</p>  |
| Environmental Precautions   | <p>Do not discharge into the drains, surface waters or ground water directly.</p>   |
| Methods and Equipment for Containment and Cleaning Up               | <p>small spill : absorb with material such as non-combustible material wash thoroughly after handling</p>   |
| Prevention Measures for Secondary Accidents                         | <p>Large spills: Dike spills and dispose of in safe area.</p> <p>Keep away from sources of ignition and prepare extinguishing media.</p> <p>Risk of slipping. Spilled material forms slippery floor.</p> <p>Do not recklessly walk on the spillage.</p>   |
| <b>Section 7 – HANDLING AND STORAGE</b>                             |   |
| Handling  | <p>Provide ventilation system and use necessary personal protective equipment as described in “Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION”.</p> <p>Ground/bond container and receiving equipment.</p> <p>Use only non-sparking tools.</p>  |
| Technical Measures  |   |

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

|         |  |   |
|---------|--|---|
|         |  | Use explosion-proof electrical/ventilating/lighting.  |
|         |  | Take precautionary measures against static discharge.   |
|         |  | Use local exhaust ventilation in case of production of fume or mist.  |
|         |  | Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.  |
|         | Precautions for Safe Handling                            | Keep cool.<br><br>Avoid breathing dust/fume/gas/mist/vapours/spray.<br><br>Wash hands thoroughly after handling.<br>Use only outdoors or in a well-ventilated area.<br>Wear protective gloves/protective clothing/eye protection/face protection. |
|         | Prevents Handling of Incompatible Substances or Mixtures | Refer to "Section 10 – STABILITY AND REACTIVITY".   |
| Storage | Conditions for Safe Storage                              | Refer to "Section 10 – STABILITY AND REACTIVITY".<br><br>Store locked up.<br>Store container tightly closed in well-ventilated place.   |

Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

|                            | Japan Administration Level | Exposure Limits (Japan Society for Occupational Health) | TLVs (ACGIH)       |
|----------------------------|----------------------------|---|--------------------|
| Methyl isopropyl ketone    | Not listed                 | Not listed  | TWA 20 ppm, STEL – |
| Chromium and its compounds | Not listed                 | 0.5mg/m <sup>3</sup> as Cr <sup>3+</sup>                | Not listed         |

|                            | Concentration standards specified by the Minister of Health, Labour and Welfare |  |
|----------------------------|---|--|
|                            | Concentration standard value for 8-hours exposure                               | Concentration standard value for short-term exposure/ceiling |
| Methyl isopropyl ketone    | Not listed  | Not listed   |
| Chromium and its compounds | Not listed  | Not listed   |

TLVs (ACGIH) can be referenced at: <https://www.acgih.org/>

|                               |                          |   |
|-------------------------------|--------------------------|---|
| Engineering Controls          |                          | Use local exhaust ventilation in case of production of fume or mist.<br>Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.      |
| Personal Protective Equipment | Respiratory Protection   | Use explosion-proof electrical equipment and prevent from static electrocity.<br>Select and wear appropriate respiratory protective equipment based on risk assessments and other measures. |
|                               | Hand Protection          | Select and wear appropriate safety gloves based on risk assessments and other measures.   |
|                               | Eye/Face Protection      | Select and wear appropriate face and eye protection based on risk assessments and other measures.   |
|                               | Skin and Body Protection | Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.  |

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

## Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

|   |             |  |
|---|-------------|--|
| Physical State  |             | Liquid                                     |
| Form  |             | Liquid                                     |
| Colour  |             | Black                                      |
| Odour   |             | Solvent odor                               |
| Melting Point/Freezing Point                              |             | -95°C (as Methyl isopropyl ketone)         |
| Boiling Point or Initial Boiling Point and Boiling Ranges |             | 94°C (as Methyl isopropyl ketone)          |
| Flammability  |             | Flammability                               |
| Lower and Upper Explosion Limit / Flammability Limit      | Lower Limit | 1.2vol% (as Methyl isopropyl ketone)       |
|   | Upper Limit | 8vol% (as Methyl isopropyl ketone)         |
| Flash Point   |             | 0.6°C (Tag Closed Cup)                     |
| Auto-Ignition Temperature                                 |             | 475°C(as Methyl isopropyl ketone)          |
| Decomposition Temperature                                 |             | No data available                          |
| pH  |             | No data available                          |
| Kinematic Viscosity                                       |             | 3.7mm <sup>2</sup> /s                      |
| Solubility  |             | water: 6g/L(as Methyl isopropyl ketone)    |
| Partition Coefficient : n-Octanol/Water                   |             | 0.84 (as Methyl isopropyl ketone)          |
| Vapour Pressure   |             | 5.5kPa (20°C) (as Methyl isopropyl ketone) |
| Density and/or Relative Density                           |             | 0.864                                      |
| Relative Gas Density                                      |             | No data available                          |
| Particle Characteristics                                  |             | No data available                          |

## Section 10 – STABILITY AND REACTIVITY

|                                     |  |  |
|-------------------------------------|--|--|
| Reactivity                          |  | Does not react dangerously under normal conditions.  |
| Chemical Stability                  |  | Stable under normal conditions of use.   |
| Possibility of Hazardous Reaction   |  | Flammable  |
| Conditions to Avoid                 |  | There is a risk of explosion due to impacts, friction, flame and other source of ignition. |
| Incompatible Substances or Mixtures |  | No data available  |
| Hazardous Decomposition Products    |  | No data available  |
| Other Data                          |  | No data available  |

## Section 11 – TOXICOLOGICAL INFORMATION

|                                   |            |   |
|-----------------------------------|------------|---|
| Acute Toxicity                    | Oral       | Classification not possible since lots of the concentrations of unknown ingredients.                    |
|                                   | Dermal     | Classification not possible since lots of the concentrations of unknown ingredients.                    |
|                                   | Inhalation | (gas)<br>Does not fall under gas based on GHS definitions.  |
|                                   |            | (vapour)<br>Classified as Category 4 since ATE is 2500 to 20000(ppmV).                                  |
|                                   |            | (dust and mist)<br>Classification not possible since lots of the concentrations of unknown ingredients. |
| Skin Corrosion/Irritation         |            | Classified as Category 2 since the sum of Category 2 ingredients is more than 10%.                      |
| Serious Eye Damage/Eye Irritation |            | Classified as Category 2B since the sum of Eye Category 2B ingredients is more than 10%.                |

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

|  |  |
|--|--|
| Respiratory Sensitization                          | Classification not possible since lots of the concentrations of unknown ingredients.   |
| Skin Sensitization                                 | Classification not possible since lots of the concentrations of unknown ingredients.   |
| Germ Cell Mutagenicity                             | Classification not possible since lots of the concentrations of unknown ingredients.   |
| Carcinogenicity                                    | Classification not possible since lots of the concentrations of unknown ingredients.   |
| Reproductive Toxicity                              | (Reproductive toxicity)<br>Classified as Category 1B since one of the Category 1B ingredients is more than 0.3%.<br>(Reproductive toxicity, effects on or via lactation)<br><br>Classification not possible since lots of the concentrations of unknown ingredients.     |
| Specific Target Organ Toxicity (Single Exposure)   | Classified as Category 3(narcotic effects) since the sum of Category 3(narcotic effects) ingredients is more than 20%.<br>Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%. |
| Specific Target Organ Toxicity (Repeated Exposure) | Classification not possible since lots of the concentrations of unknown ingredients.   |
| Aspiration Hazard                                  | Classification not possible since lots of the concentrations of unknown ingredients.   |

## Section 12 – ECOLOGICAL INFORMATION

|   |   |
|---|---|
| Hazardous to the Aquatic Environment, Short-Term (Acute)  | Classified as Category 3 since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is more than 25%. |
| Hazardous to the Aquatic Environment, Long-Term (Chronic) | Classified as Category 3 since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients is more than 25%. |
| Ecotoxicity   | No data available   |
| Persistence   | No data available   |
| Bioaccumulative Potential                                 | No data available   |
| Mobility in Soil  | No data available   |
| Hazardous to the Ozone Layer                              | Unable to classify due to insufficient data.  |

## Section 13 – DISPOSAL CONSIDERATIONS

|                |  |
|----------------|--|
| Residual waste | Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on “specially controlled industrial waste(Flammable waste oil)” from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.<br><br>Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.<br>Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the ground or in to the culverts. |
|----------------|--|

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

For waste materials generated by wastewater treatment, incineration, etc. either carry out processing in accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containers and packaging  
Empty containers should be treated as industrial wastes and not allowed to contain waste.

#### Section 14 – TRANSPORT INFORMATION

|                           |                        |   |
|---------------------------|------------------------|---|
| International Regulations | Regulatory Information | Conform to the provisions of IMO.                       |
|                           | by Sea                 |   |
|                           | UN No.                 | 1210  |
|                           | Proper Shipping Name   | PRINTING INK RELATED MATERIAL                           |
|                           | Class                  | 3   |
|                           | Packing Group          | II  |
|                           | Marine Pollutant       | Not applicable  |
|                           | Liquid Substance       | Not applicable  |
|                           | Transported in Bulk    |   |
|                           | According to MARPOL    |   |
|                           | 73/78, Annex II, the   |   |
|                           | IBC Code               |   |
|                           | Regulatory Information | Conform to the provisions of ICAO/IATA.                 |
|                           | by Air                 |   |
|                           | UN No.                 | 1210  |
|                           | Proper Shipping Name   | PRINTING INK RELATED MATERIAL                           |
|                           | Class                  | 3   |
|                           | Packing Group          | II  |
| Regulations in Japan      | Regulatory Information | Complies with the Fire Service Act.                     |
|                           | by Road or Rail        |   |
|                           | Regulatory Information | Conform to the provisions of the Ship Safety Law.       |
|                           | by Sea                 |   |
|                           | UN No.                 | 1210  |
|                           | Proper Shipping Name   | PRINTING INK RELATED MATERIAL                           |
|                           | Class                  | 3   |
|                           | Packing Group          | II  |
|                           | Marine Pollutant       | Not applicable  |
|                           | Liquid Substance       | Not applicable  |
|                           | Transported in Bulk    |   |
|                           | According to MARPOL    |   |
|                           | 73/78, Annex II, the   |   |
|                           | IBC Code               |   |
|                           | Regulatory Information | Conform to the provisions of the Civil Aeronautics Law. |
|                           | by Air                 |   |
|                           | UN No.                 | 1210  |
|                           | Proper Shipping Name   | PRINTING INK RELATED MATERIAL                           |
|                           | Class                  | 3   |
|                           | Packing Group          | II  |
| Emergency Response Guide  |                        | 130   |
| Number                    |                        |   |

#### Section 15 – REGULATORY INFORMATION

|                                  |  |
|----------------------------------|--|
| Industrial Safety and Health Act | Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations) |
|----------------------------------|--|

Methyl propyl ketone

|  |   |
|--|---|
|  | <p>Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.<br/>(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)</p> <p>Chromium and its compounds (excluding chromic acid and chromate and dichromate and dichromate)</p> <p>Dangerous Substances –Flammable substances(Order Article Appended Table 1 part 4)</p> <p>Hazardous Substances to be notified in terms of Whose Names,etc<br/>(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)</p> <p>Chromium and its compounds (excluding chromic acid and chromate and dichromate and dichromate) (Trade Secrets)</p> <p>Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)</p> <p>Methyl propyl ketone(Ordinance on Industrial Safety and Health Number of Appended Tables 2:2135) (Trade Secrets)</p> |
| Industrial Safety and Health Act(after 2024/4/1)   | <p>Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.<br/>(Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)</p> <p>Hazardous Substances to be notified in terms of Whose Names,etc<br/>(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9)</p> <p>Chromium and its compounds (excluding hexavalent chromium compounds)(Trade Secrets)</p>  |
| Industrial Safety and Health Act(Substances subject to labeling and notification ,Carcinogenic substances) (Implementation in Reiwa 8) | <p>Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)</p> <p>Methyl propyl ketone</p> <p>Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)</p> <p>Methyl propyl ketone(Ordinance on Industrial Safety and Health Number of Appended Tables 2:2135) (Trade Secrets)</p>  |
| Industrial Safety and Health Act(Substances subject to labeling and notification ,Carcinogenic substances) (Implementation in Reiwa 9) | <p>Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 ~ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)</p> <p>Methyl propyl ketone</p> <p>Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 ~ Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)</p> <p>Methyl propyl ketone(Ordinance on Industrial Safety and Health Number of Appended Tables 2:2135) (Trade Secrets)</p>  |
| Poisonous and Deleterious Substances Control Act   | <p>Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable</p> <p>Not applicable</p>   |

|   |   |
|---|---|
| Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof | Not applicable  |
| Act on the Regulation of Manufacture and Evaluation of Chemical Substances  | Priority Assessment Chemical Substances(Article 2 part 5)   |
| Fire Service Act  | Hazardous Materials Category IV inflammable liquids Class I<br>petroleums non water-soluble Packing Group II  |
| Water Pollution Prevention Act  | Specified substances (article 2, paragraph 4 of the Act, article 3 of the Enforcement Ordinance)  |
| Foreign Exchange and Foreign Trade Act  | Import Trade Control Order Appended Table I part 16<br><br>Export approved goods, specified hazardous waste, etc. (Article 48, Paragraph 3 of the Law, Article 2, Attached Table 2, Paragraph 35-2 of the Export Order) |
| Ship Safety Law<br>Aviation Law   | Flammable liquids(Order Article 3,Appended Table I)<br>Flammable liquids(Order Article 194,Appended Table I)  |

## Section 16 – OTHER INFORMATION

|  |   |
|--|---|
| Industrial Safety and Health Act   | Second-class organic solvents, etc.contain more than 5% of Second-class organic solvents.<br><br>In the case where “composition and ingredient information” corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.<br><br>3-methyl-2-butanone and Methyl isopropyl ketone are the same substances. Methyl isopropyl ketone belongs to Methyl propyl ketone. |
| Act on the Regulation of Manufacture and Evaluation of Chemical Substances | We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.<br><br>The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.  |
| Foreign Exchange and Foreign Trade Act                                     | In law, printing inks are not approved for export   |
| Fire Service Act   | The flash point of Class I petroleums is less than 21 ° c.  |
| Poisonous and Deleterious Substances Control Act                           | The deleterious substances is only applicable to the material, and the mixture is non-applicable.   |
| RoHS Specified Substance Concentration                                     | Substances treated as equipment are exempt from this law.<br>Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm   |
| Allowable concentration Standards Cited Literature                         | TLV-TWA:Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit<br>JIS Z7253:2019<br>1) International Chemical Safety Cards<br>2) National Institute of Technology and Evaluation (NITE), Japan<br><br>3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan<br>4) EZSDS(JCDB)   |

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

---

**Additional Information about This Product:** To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.