Issue 2015.11.24 Revision 2025.01.30

## Safety Data Sheet (SDS)

## Section 1 - CHEMICA

Section 1 – CHEMICALS AND (	COMPANY IDENTIFICAT	Solvent-S3127
	Product Code	Solvent-S3127 S3127
	Reference Number	1021
	Name of Supplier	Hitachi Industrial Equipment Systems Co.,Ltd.
	Address	1–1 Higashitaga-cho 1–chome,Hitachi–shi, Ibaraki–ken,
		316–8502 Japan
	Department in Charge	IJP ink Group, Marking Systems and Hoist Systems Division
	Phone Number	+81-294-36-8682
	Fax Number	+81-294-36-8975
	Mail Address	aida-kohhei@hitachi-ies.co.jp
	Emergency Phone	+81-294-36-8682
	Number	
	Recommended Use	Industrial ink jet printers
	Restriction on Use	If the product is to be used for applications other than those
		recommended, seek the judgment of an expert/chemical substance specialist, etc.
Section 2 – HAZARDS IDENTIF GHS Classification of the C		
	Physicochemical	Flammable liquids Category 2
	Health Hazards	Serious eye damage/eye irritation Category 1
	riouran nazarao	Carcinogenicity Category 1A
		Reproductive toxicity Category 1A
		Specific target organ toxicity (single exposure)
		Category 2(systemic toxicity, central nervous system)
		Specific target organ toxicity (single exposure)
		Category 3(narcotic effect, respiratory tract irritation)
		Specific target organ toxicity (repeated exposure) Category 1(liver)
		Specific target organ toxicity (repeated exposure)
		Category 2(blood, central nervous system)
		Other hazards than mentioned above are Not classified
		or Classification not possible.
GHS Label Elements	Distances	
	Pictograms	
	Signal Word	Danger
	Hazard Statements	H225 Highly flammable liquid and vapour
		H318 Causes serious eye damage
		H335 May cause respiratory irritation
		H336 May cause drowsiness or dizziness
		H350 May cause cancer
		H360 May damage fertility or the unborn child
		H371 May cause damage to systemic toxicity, central
		nervous system

As far as we know, the information that is listed here is accurate. However, the above-mentioned suppliers or their subsidiaries shall not be liable for the accuracy or completeness of the information described above.

repeated exposure

H372 Causes damage to liver through prolonged or

	H373 May cause damage to blood、central nervous system through prolonged or repeated exposure
Precautionary Stat	tements
Prevention	Obtain special instructions before use.(P201)
	Do not handle until all safety precautions have been read and understood.(P202)
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)
	Keep container tightly closed.(P233)
	Ground and bond container and receiving equipment.(P240)
	Use explosion-proof electrical, ventilating and lighting equipment.(P241)
	Use non-sparking tools.(P242)
	Take action to prevent static discharges.(P243)
	Do not breathe
	dust/fume/gas/mist/vapours/spray.(P260)
	Avoid breathing dust/fume/gas/mist/vapours/spray.(P261)
	Wash hand thoroughly after handling.(P264)
	Do not eat, drink or smoke when using this product.(P270)
	Use only outdoors or in a well-ventilated area.(P271)
	Wear protective gloves/protective clothing/eye protection/face protection.(P280)
Response	IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.(P304+P340)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
	IF exposed or concerned: Call a doctor.(P308+P311)
	IF exposed or concerned: Get medical advice/attention.(P308+P313)
	Immediately call a doctor.(P310)
	Call a doctor if you feel unwell.(P312)
	Get medical advice and attention if you feel unwell.(P314)
	In case of fire: Use appropriate media to extinguish.(P370+P378)
Storage	Store in a well-ventilated place. Keep container tightly closed.(P403+P233)
	Store in a well-ventilated place. Keep cool.(P403+P235)
	Store locked up.(P405)
Disposal	Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture		Mixture			
Chemical Name or Generic Name	Concentration or Its Ranges (wt%)		ENCS No./IS ENCS No.	SHL No. ISHL No.	CAS RN

Ethanol	85-90	CH3CH2OH	(2)-202	Registered	64-17-5
Isopropyl alcohol	3–5	CH3CH(OH )CH3	(2)-207	Registered	67-63-0
n-Propyl alcohol	5-10	CH3CH2CH 2OH	(2)–207	Registered	71–23–8
ction 4 – FIRST AID MEAS Inhalation	SURES	position com IF exposed c	nfortable fo or concerne	r breathing. ed: Call a docto	
Skin Contact		contaminate	d clothing.		ff immediately all h water/shower.
		If skin irritat attention. IF exposed o	ion occurs: or concerne	Get medical ed: Call a docto	advice and
Eye Contact		minutes. Rer do. Continue	Rinse caut move conta e rinsing.	iously with wat act lenses, if pr	resent and easy to
Ingestion		IF exposed or concerned: Call a doctor. Rinse mouth. IF SWALLOWED: Call a doctor if you feel unwell.			
		IF exposed o	or concerne	ed: Call a docto	or.
ction 5 – FIRE FIGHTING Suitable Extinguishing Media	MEASURES	Use extingui fire. When dust o			ype of surrounding
Unsuitable Extinguishing Media		Cylindric wa			
Specific Hazards in Case Fire Specific Fire Fighting	e of	monoxide. A Fight fire fro Keep away f extinguishing	void inhalat om upwind p rom source g media. uthorized s	ful gases such tion of smoke o position if poss as of ignition an taff from enter	or gases. sible nd use appropriate
Special Protective Equipment and Precautio for Fire Fighters	ons		in combina	•	mask, and anothe on.
ction 6 - ACCIDENTAL RI Personal Precautions, Protective Equipment an Emergency Procedures		protections	as appropri	ate to situatio	mask, and anothei n.
Environmental Precautio		ground wate	uate ventil narge into t r directly.	ation. he drains, surf	ace waters or
Methods and Equipment Containment and Cleanir Up Prevention Measures for	ng	No informati Keep away f		e es of ignition a	nd prepare
Secondary Accidents		extinguishing			πα μισμαι σ
ction 7 – HANDLING AND Handling	STORAGE Technical Measures	protective e	quipment a	s described in	ecessary personal ″Section 8 – AL PROTECTION″

		Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting.
		Take precautionary measures against static discharge.
		Use local exhaust ventilation in case of production of fume or mist. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
	Precautions for Safe	Keep cool.
	Handling	Do not breathe dust/fume/gas/mist/vapours/spray.
		Do not eat, drink or smoke when using this product.
		Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 - STABILITY AND REACTIVITY".
Storage	Conditions for Safe Storage	Refer to "Section 10 - STABILITY AND REACTIVITY".
	-0-	Store locked up. Store container tightly closed in well-ventilated place.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for	TLVs (ACGIH)
		Occupational Health)	
Ethanol	Not listed	Not listed	TWA -, STEL 1000 ppm
Isopropyl alcohol		【 Maximum allowable concentration 】 400ppm (980mg/m3)	TWA 200 ppm, STEL 400 ppm
n-Propyl alcohol	Not listed	Not listed	TWA 100 ppm, STEL -

	Concentration standards specified Welfare	Concentration standards specified by the Minister of Health, Labour and Welfare		
	Concentration standard value for 8-hours exposure	Concentration standard value for short- term exposure/ceiling		
Ethanol	Not listed	Not listed		
Isopropyl alcohol	Not listed	Not listed		
n-Propyl alcohol	Not listed	Not listed		

TLVs (ACGIH) can be referenced at: https://www.acgih.org/

Engineering Controls		Use local exhaust ventilation in case of production of fume or mist.
		Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
		Use explosion-proof electrical equipment and prevent from static electrocity.
Personal Protective Equipment	Respiratory Protection	Select and wear appropriate respiratory protective equipment based on risk assessments and other measures.
	Hand Protection	Wear appropriate protective equipment, including impervious or impermeable safety gloves, as circumstances dictate.

		Select and wear appropriate safety gloves based on risk assessments and other measures.
	Eye/Face Protection	Select and wear appropriate face and eye protection based on risk assessments and other measures.
	Skin and Body Protection	Wear appropriate protective equipment such as impervious and impermeable protective clothing and footwear, as circumstances dictate.
		Select and wear appropriate protective clothing and footwear based on risk assessments and other measures.
Section 9 - PHYSICAL AND CH	EMICAL PROPERTIES	
Physical State Form		Liquid Liquid
Colour		Clear
Odour		Solvent odor
Melting Point/Freezing Point		−114.5 °C(as Ethanol)
Boiling Point or Initial Boiling Point and Boiling Ranges		78.3°C(as Ethanol)
Flammability		Flammability
Lower and Upper Explosion Limit / Flammability Limit	Lower Limit	3.3vol% (as Ethanol)
	Upper Limit	19vol% (as Ethanol)
Flash Point		16°C (Tag Closed Cup)
Auto-Ignition Temperature		363°C (as Ethanol)
Decomposition Temperature		No data available
рН		No data available
Kinematic Viscosity		1.3mm2/s
Solubility		water soluble in any(as Ethanol)
Partition Coefficient : n− Octanol/Water		–0.31 (as Ethanol)
Vapour Pressure		5.9kPa (20°C)(as Ethanol)
Density and∕or Relative Density		0.79
Relative Gas Density		1.59 (Air=1, as Ethanol)
Particle Characteristics		No data available
as Ethanol		
Boiling Point or Initial Boiling Point and Boiling Ranges		78.3°C
Density and∕or Relative Density		0.7892(20°C, 4°C)
as Isopropyl alcohol Boiling Point or Initial Boiling Point and Boiling Ranges		82.4°C
Density and/or Relative Density		0.7863(20°C, 20°C)
as n-Propyl alcohol Boiling Point or Initial Boiling Point and Boiling Ranges		97.4°C, 49.92°C(90mmHg ), 30.35°C(28.5mmHg )
Density and/or Relative Density		0.8035(20°C/4°C)

Section 10 - STABILITY AND REACTIVITY

Reactivity Chemical Stability Possibility of Hazardous		Does not react dangerously under nomal conditions. Stable under normal conditions of use. Flammable
Reaction Conditions to Avoid		There is a risk of explosion due to impacts, friction, flame and other source of ignition.
Incompatible Substances or Mixtures		No data available
Hazardous Decomposition Products		No data available
Other Data		No data available
Section 11 - TOXICOLOGICAL		
Acute Toxicity	Oral	Classified as Not classified since ATE is more than 2000(mg/kg).
	Dermal	Classified as Not classified since ATE is more than 2000(mg/kg).
	Inhalation	(gas) Does not fall under gas based on GHS definitions.
		(vapour)
		Classification not possible since lots of the concentrations of unknown ingredients.
		(dust and mist)
Skin Corrosion/Irritation		Unable to classify due to insufficient data. Classified as Not classified since ingredients that has a hazard category are contained less than the concentration limit.
Serious Eye Damage/Eye Irritation		Classified as Category 1 since the sum of Eye Category 1 ingredients is more than 3%.
Respiratory Sensitization		Unable to classify due to insufficient data.
Skin Sensitization Germ Cell Mutagenicity		Unable to classify due to insufficient data. Unable to classify due to insufficient data.
Carcinogenicity		Classified as Category 1A since one of the Category 1A ingredients is more than 0.1%.
Reproductive Toxicity		(Reproductive toxicity) Classified as Category 1A since one of the Category 1A ingredients is more than 0.3%.
		(Reproductive toxicity, effects on or via lactation)
Specific Target Organ Toxicity (Single Exposure)		Unable to classify due to insufficient data. Classified as Category 2(systemic toxicity) since one of the Category 1(systemic toxicity) ingredients is 1 to 10%.
		Classified as Category 2(central nervous system) since one of the Category 1(central nervous system) ingredients is 1 to 10%.
		Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation) ingredients is more than 20%.
		Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than 20%.
Specific Target Organ Toxicity (Repeated Exposure)		Classified as Category 2(blood) since one of the Category 1(blood) ingredients is 1 to 10%.
		Classified as Category 1(liver) since one of the Category 1(liver) ingredients is more than 10%.
		Classified as Category 2(central nervous system) since one of the Category 2(central nervous system) ingredients is more than 10%.
Aspiration Hazard		Unable to classify due to insufficient data.

Section 12 - ECOLOGICAL IN	FORMATION	
Hazardous to the Aquatic		Classified as Not classified since the sum of $(M \times 100 \times 100)$
Environment, Short-Term		Category 1) + $(10 \times Category 2)$ + Category 3
(Acute)		ingredients is less than 25%.
Hazardous to the Aquatic		Classified as Not classified since the sum of (M $ imes$ 100 $ imes$
Environment, Long-Term		Category 1) + $(10 \times \text{Category 2})$ + Category 3
(Chronic)		ingredients is less than 25%.
Ecotoxicity		No data available
Persistence		No data available
Bioaccumulative Potential		No data available
Mobility in Soil		No data available
Hazardous to the Ozone		Unable to classify due to insufficient data.
Layer		
Section 13 - DISPOSAL CONS		
	Residual waste	Because waste materials such as liquid waste, paper towels used to
	Residual Waste	wipe it up, or empty containers are flammable combustible materials,
		the section on "specially controlled industrial waste(Flammable
		waste oil)" from the Waste Management and Public Cleaning Law
		(Waste Management Law) is applicable.
		Either appropriately process in accordance with Waste Management
		and Public Cleaning Law, or commission a contractor licensed for
		transport or disposal of industrial waste requiring special
		management.
		Do not let wastewater, etc. used for cleaning machinery or
		containers flow directly onto the groundor in to the culverts.
		For waste materials generated by wastewater treatment,
		incineration, etc. either carry out processingin accordance with the
		Waste Management and Public Cleaning Law and related laws and
		regulations, or commission a licensed vendor to do so.
		When incinerating of waste materials, etc., do not use an incinerator
		without cleaning equipment, as harmful gas will be generated.
		Clarify the contents of waste materials and entrust disposal to a
		waste disposal company.
	Contaminated	Empty containers should be treated as industrial wastes and not
	containers and	allowed to contain waste.
	packaging	
Section 14 - TRANSPORT INF		
International Regulations	Regulatory	Conform to the provisions of IMO.
	Information by Sea	
	UN No.	1210
	Proper Shipping Name	PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	Π
	Marine Pollutant	Not applicable
	Liquid Substance	Not applicable
	Transported in Bulk	
	According to	
	MARPOL 73/78,	
	Annex II , the IBC	
	Code	
	Regulatory	Conform to the provisions of ICAO/IATA.
	Information by Air	
	UN No.	1210
		PRINTING INK RELATED MATERIAL
	Class	3
	Packing Group	з П
Regulations in Jacon	Regulatory	II Complies with the Fire Service Act.
Regulations in Japan	Regulatory Information by Road	Comples with the Life Service Act.

	Class Packing Group Marine Pollutant Liquid Substance Transported in Bulk According to MARPOL 73/78, Annex II , the IBC Code Regulatory Information by Air UN No. Proper Shipping Name	Conform to the provisions of the Ship Safety Law. 1210 PRINTING INK RELATED MATERIAL 3 I Not applicable Not applicable Conform to the provisions of the Civil Aeronautics Law. 1210 PRINTING INK RELATED MATERIAL 2
	Class Packing Group	3 II
Emergency Response Guide Number		130
Section 15 - REGULATORY INF Industrial Safety and Health Act	ORMATION	the standards for work environment monitoring Article 65 $$ part 2–1 $$
		Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57 part 1 ,Order Article 18 part 1 and 2, Attached Table9)
		Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4) Hazardous Substances to be notified in terms of Whose Names,etc .(Article 57 part 2 ,Order Article 18 part 2-1and part 2, Attached Table9) Ethanol(Number:61) (Trade Secrets) Propyl alcohol(Number:494) (Trade Secrets) Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i)) Chemical substances that damage the skin, etc. / Harmful
		substances that cause skin irritation (Article 594-2, Paragraph 1 of the Safety and Health Regulations, No. 0531 No. 9 issued on May 31, 2020, No. 0704 issued on July 4, 2020) List of substances applicable to No. 1 and 5)
		n-Propyl alcohol Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)
		Propyl alcohol Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable
Poisonous and Deleterious Substances Control Act		Not applicable
Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof		Not applicable

Act on the Regulation of Manufacture and Evaluati of Chemical Substances	on	Priority Assessment Chemical Substances(Article 2 part 5)
Fire Service Act Foreign Exchange and Foreign Trade Act Ship Safety Law Aviation Law		Hazardous Materials Category IV inflammable liquids alcohols Packing Group II Import Trade Control Order Appended Table I part 16 Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194,Appended Table I)
Section 16 - OTHER INFORMATION		
	Industrial Safety and Health Act	Second-class organic solvents, etc.contain more than 5% of Second- class organic solvents.
		In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.
	Act on the Regulation of Manufacture and Evaluation of Chemical Substances	Isopropyl alcohol belongs to propyl alcohol. We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.
		The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.
	Foreign Exchange and Foreign Trade Act	In law, printing inks are not approved for export
	Fire Service Act Poisonous and Deleterious Substances Control Act	The flash point of Class I petroleums is less than 21 $\degree$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.
	RoHS Specified Substance Concentration	Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm
	Allowable concentration Standards Cited Literature	TLV-TWA: Threshold Limit Values-Time Weighted Average STEL (Short Term Exposure Limit JIS Z7253:2019 1) International Chemical Safety Cards 2) National Institute of Technology and Evaluation (NITE), Japan
	Additional Information about This Product:	<ul> <li>3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan</li> <li>4) EZSDS(JCDB)</li> </ul>