Issue 2017.06.14 Revision 2024.09.17

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Solvent-S4136 Chemical Identifier Product Code S4136 Reference Number 1023

Name of Supplier Hitachi Industrial Equipment Systems Co., Ltd. 1-1 Higashitaga-cho 1-chome, Hitachi-shi, Ibaraki-ken, Address

316-8502 Japan

Department in Charge IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

Mail Address aida-kohhei@hitachi-ies.co.jp

Emergency Phone

Number

Recommended Use

Industrial ink jet printers

+81-294-36-8682

Restriction on Use If the product is to be used for applications other than those

recommended, seek the judgment of an expert/chemical substance

specialist, etc.

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Flammable liquids Category 2

Health Hazards Acute toxicity (Inhalation: vapour) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2B

Reproductive toxicity Category 2

Specific target organ toxicity (single exposure) Category

3(narcotic effect, respiratory tract irritation)

Other hazards than mentioned above are Not classified

or Classification not possible.

GHS Label Flements

Pictograms



Signal Word

Hazard Statements H225 Highly flammable liquid and vapour

H315+H320 Causes skin and eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn child

Precautionary Statements

Prevention Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been

read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233) Ground and bond container and receiving

equipment.(P240)

Use explosion-proof electrical, ventilating and lighting

equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Wash eye thoroughly after handling.(P264)

Use only outdoors or in a well-ventilated area.(P271)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN: Wash with plenty of soap and

water.(P302+P352)

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or

shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep

comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Call a doctor if you feel unwell.(P312)

Specific treatment.(P321)

If skin irritation occurs: Get medical advice/attention.(P332+P313)

If eye irritation persists: Get medical

advice/attention.(P337+P313)

Take off contaminated clothing and wash it before

reuse.(P362+P364)

In case of fire: Use appropriate media to extinguish.(P370+P378)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Mixtu

Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (wt%)		ENCS No.	ISHL No.	
Methyl isopropyl ketone		CH3CH(CH 3)COCH3	(2)-542	Registered	563-80-4

Section 4 - FIRST AID MEASURES

Inhalation IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

IF exposed or concerned: Get medical advice and

attention.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention.

IF exposed or concerned: Get medical advice and

attention.

Specific treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Get medical advice and

Ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Get medical advice and

attention.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding

fire.

When dust occurs, use dry sand.

Cylindric water.

Unsuitable Extinguishing

Specific Hazards in Case of

Specific Fire Fighting

Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases. Fight fire from upwind position if possible

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Special Protective **Equipment and Precautions**

for Fire Fighters

Use goggles in combination with dust mask, and another

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions. Protective Equipment and **Emergency Procedures**

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Environmental Precautions Do not discharge into the drains, surface waters or

> ground water directly. No information available

Methods and Equipment for Containment and Cleaning

Prevention Measures for Secondary Accidents

Keep away from sources of ignition and prepare

extinguishing media.

Section 7 - HANDLING AND STORAGE

Handling **Technical Measures** Provide ventilation system and use necessary personal protective equipment as described in "Section 8 EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe Handling

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Keep cool.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Prevents Handling of

Incompatible

Conditions for Safe

Refer to "Section 10 - STABILITY AND REACTIVITY".

Substances or **Mixtures**

Refer to "Section 10 - STABILITY AND REACTIVITY".

Storage Store locked up

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Health)	
Methyl isopropyl ketone Not listed Not listed TWA 20 ppm, ST	EL -

	Concentration standards specified by the Minister of Health, Labour and Welfare				
	Concentration standard value for 8-hours exposure	Concentration standard value for short- term exposure/ceiling			
Methyl isopropyl ketone	Not listed	Not listed			

Engineering Controls Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Personal Protective

Equipment

Storage

Respiratory Protection Select and wear appropriate respiratory protective

equipment based on risk assessments and other

measures.

Hand Protection Select and wear appropriate safety gloves based on risk

assessments and other measures.

Eye/Face Protection Select and wear appropriate face and eve protection

based on risk assessments and other measures.

Skin and Body Protection

Select and wear appropriate protective clothing and footwear based on risk assessments and other

measures

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liauid Form Liquid Colour Clear Odour Solvent odor

Melting Point/Freezing -95°C (as Methyl isopropyl ketone)

Point

Boiling Point or Initial 94°C (as Methyl isopropyl ketone)

Boiling Point and Boiling Ranges

Flammability Flammability

Lower and Upper Explosion Lower Limit

Limit / Flammability Limit

1.2vol% (as Methyl isopropyl ketone)

Upper Limit 8vol% (as Methyl isopropyl ketone)

Flash Point

0.5°C (Tag Closed Cup)

Auto-Ignition Temperature 475°C(as Methyl isopropyl ketone)

Decomposition Temperature No data available

No data available Kinematic Viscosity 0.6 mm 2/s

Solubility water: 6g/L(as Methyl isopropyl ketone) Partition Coefficient : n-0.84 (as Methyl isopropyl ketone) Octanol/Water

Vapour Pressure 5.5kPa (20°C) (as Methyl isopropyl ketone)

Density and/or Relative

Density

Relative Gas Density No data available Particle Characteristics No data available

as Methyl isopropyl ketone 95°C Boiling Point or Initial

Boiling Point and Boiling

Ranges

0.8046(16°C/4°C) Density and/or Relative

Density

Section 10 - STABILITY AND REACTIVITY

Reactivity Does not react dangerously under nomal conditions.

Chemical Stability Stable under normal conditions of use. Flammable

Possibility of Hazardous

Reaction

There is a risk of explosion due to impacts, friction, flame and other Conditions to Avoid

> source of ignition. No data available

Incompatible Substances or

Mixtures

Hazardous Decomposition No data available

Products

Other Data No data available

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity Classified as Not classified since Category 5 is not

adopted in JIS 7 7252.

Dermal Classified as Not classified since ATE is over more than

2000(mg/kg).

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classified as Category 4 since ATE is 2500 to

(dust and mist)

Unable to classify due to insufficient data.

Classified as Category 2 since the sum of Category 2

ingredients is more than 10%.

Classified as Category 2B since the sum of Eye Serious Eye Damage/Eye

Irritation

Skin Corrosion/Irritation

Reproductive Toxicity

Category 2B ingredients is more than 10%. Respiratory Sensitization Unable to classify due to insufficient data.

Skin Sensitization Unable to classify due to insufficient data. Germ Cell Mutagenicity Unable to classify due to insufficient data. Carcinogenicity Unable to classify due to insufficient data.

(Reproductive toxicity)

Classified as Category 2 since one of the Category 2

ingredients is more than 3.0%.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data.

Specific Target Organ Toxicity (Single Exposure) Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than

20%

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Specific Target Organ Toxicity (Repeated Exposure)

Unable to classify due to insufficient data.

Aspiration Hazard

Unable to classify due to insufficient data.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment, Short-Term

Category 1) + (10 × Category 2) + Category 3 ingredients is less than 25%.

(Acute)

(Chronic)

Classified as Not classified since the sum of (M × 100 × Category 1) + (10 × Category 2) + Category 3 ingredients

Classified as Not classified since the sum of (M × 100 ×

Hazardous to the Aquatic Environment, Long-Term

is less than 25%.

Ecotoxicity Persistence Bioaccumulative Potential

No data available No data available No data available

Mobility in Soil

No data available

Hazardous to the Ozone

Unable to classify due to insufficient data.

Laver

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts.

For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company

Contaminated containers and packaging

Empty containers should be treated as industrial wastes and not allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations Regulatory Information Conform to the provisions of IMO.

by Sea

UN No. 2397

3-METHYLBUTAN-2-ONE Proper Shipping Name

Class 3 Packing Group Π

Marine Pollutant Not applicable

Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex $\, {\rm I\hspace{-.1em}I} \,$, the IBC Code

Regulatory Information Conform to the provisions of ICAO/IATA.

by Air

UN No. 2397

Proper Shipping Name 3-METHYLBUTAN-2-ONE

Class 3 Π Packing Group

Regulations in Japan

Regulatory Information Complies with the Fire Service Act.

by Road or Rail

Regulatory Information Conform to the provisions of the Ship Safety Law.

by Sea

UN No.

3-METHYLBUTAN-2-ONE Proper Shipping Name

Class 3 Packing Group Π

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code

Regulatory Information Conform to the provisions of the Civil Aeronautics Law.

by Air

UN No. 2397

Proper Shipping Name 3-METHYLBUTAN-2-ONE

3 Class Packing Group Π 130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health

Act

Dangerous or Harmful Substances Subject to Be Indicated their

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names,etc (Article 57 part 2, Order Article 18 part 2-1 and part 2, Attached Table9)

Methyl propyl ketone (Number: 590) (Trade Secrets)

(Number: No Number)) (Number: No Number))

Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not

applicable Not applicable

Poisonous and Deleterious Substances Control Act

Act on Confirmation, etc. of Release Amounts of

Specific Chemical Substances in the **Environment and Promotion** of Improvements to the Management Thereof

Not applicable

Hazardous Materials Category IV inflammable liquids Class I

Fire Service Act petroleums non water-soluble Packing Group II

Foreign Exchange and Foreign Trade Act Ship Safety Law Aviation Law

Import Trade Control Order Appended Table I part 16

Flammable liquids(Order Article 3,Appended Table I) Flammable liquids(Order Article 194, Appended Table I)

Section 16 - OTHER INFORMATION

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.

3-methyl-2-butanone and Methyl isopropyl ketone are the same substances. Methyl isopropyl ketone belongs to Methyl propyl ketone.

Act on the Regulation of Manufacture and **Evaluation of Chemical** Substances

We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and Deleterious Substances Control Act

The flash point of Class I petroleums is less than 21 $^{\circ}\,$ c. The deleterious substances is only applicable to the material, and the mixture is non-applicable.

RoHS Specified Substance Concentration

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm

Allowable concentration Standards

TLV-TWA: Threshold Limit Values-Time Weighted Average STEL

(Short Term Exposure Limit

JIS Z7253:2019

Cited Literature

- 1) International Chemical Safety Cards
- 2) National Institute of Technology and Evaluation (NITE), Japan
- 3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan

4) EZSDS (JCDB)

Additional Information about This Product:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.