Issue 2020.12.29 Revision 2024.10.01

Safety Data Sheet (SDS)

Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier Solvent-S4143
Product Code S4143
Reference Number 1025

Name of Supplier Hitachi Industrial Equipment Systems Co.,Ltd.

Address 1-1 Higashitaga-cho 1-chome,Hitachi-shi, Ibaraki-ken,

316-8502 Japan

+81-294-36-8682

Department in Charge IJP ink Group, Marking Systems and Hoist Systems Division

Phone Number +81-294-36-8682 Fax Number +81-294-36-8975

Mail Address aida-kohhei@hitachi-ies.co.jp

Emergency Phone

Number

Recommended Use

Industrial ink jet printers

recommended, seek the judgment of an expert/chemical substance

specialist, etc.

Section 2 - HAZARDS IDENTIFICATION

GHS Classification of the Chemical

Physicochemical Health Hazards Flammable liquids Category 2

Serious eye damage/eye irritation Category 1

Carcinogenicity Category 1A Reproductive toxicity Category 1A

Specific target organ toxicity (single exposure) Category

2(systemic toxicity, central nervous system)

Specific target organ toxicity (single exposure) Category

3(narcotic effect, respiratory tract irritation)

Specific target organ toxicity (repeated exposure)

Category 1 (liver)

Specific target organ toxicity (repeated exposure) Category 2(blood, central nervous system)

Other hazards than mentioned above are Not classified

or Classification not possible.

GHS Label Elements

Pictograms



Signal Word

Danger

Hazard Statements H225 Highly flammable liquid and vapour

H318 Causes serious eye damage H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H350 May cause cancer

H360 May damage fertility or the unborn child H371 May cause damage to systemic toxicity, central

nervous system

H372 Causes damage to liver through prolonged or

repeated exposure

H373 May cause damage to blood, central nervous system through prolonged or repeated exposure

Precautionary Statements

Prevention

Obtain special instructions before use.(P201)

Do not handle until all safety precautions have been

read and understood.(P202)

Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.(P210)

Keep container tightly closed.(P233)
Ground and bond container and receiving

equipment.(P240)

Use explosion-proof electrical, ventilating and lighting

equipment.(P241)

Use non-sparking tools.(P242)

Take action to prevent static discharges.(P243)

Do not breathe

dust/fume/gas/mist/vapours/spray.(P260)

Avoid breathing

dust/fume/gas/mist/vapours/spray.(P261) Wash hand thoroughly after handling.(P264) Do not eat, drink or smoke when using this

product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

Wear protective gloves/protective clothing/eye

protection/face protection.(P280)

Response

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower.(P303+P361+P353)

IF INHALED: Remove person to fresh air and keep

comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.(P305+P351+P338)

IF exposed or concerned: Call a doctor.(P308+P311)

IF exposed or concerned: Get medical advice/attention.(P308+P313)

Immediately call a doctor.(P310)

Call a doctor if you feel unwell.(P312)

Get medical advice and attention if you feel

unwell.(P314)

In case of fire: Use appropriate media to

extinguish.(P370+P378)

Storage Store in a well-ventilated place. Keep container tightly

closed.(P403+P233)

Store in a well-ventilated place. Keep cool.(P403+P235)

Store locked up.(P405)

Disposal Dispose of contents and container in accordance with

local, regional and national regulations (to be

specified).(P501)

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixtu

Mixture

THINCAL O					
Chemical Name or Generic	Concentration or Its	Formula	ENCS No./ISHL No.		CAS RN
Name	Ranges (wt%)		ENCS No.	ISHL No.	
dimethyl carbonate	60-70	CH3OCOO CH3	(2)-2853	Registered	616-38-6
Ethanol	30-less than 40	СН3СН2ОН	(2)-202	Registered	64-17-5

Isopropyl alcohol	1-3	CH3CH(OH)CH3	(2)-207	Registered	67-63-0
n-Propyl alcohol	3–5	CH3CH2CH 2OH	(2)-207	Registered	71-23-8

Section 4 - FIRST AID MEASURES

IF INHALED: Remove to fresh air and keep at rest in a Inhalation

position comfortable for breathing. IF exposed or concerned: Call a doctor.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and

attention

IF exposed or concerned: Call a doctor.

Immediately call a doctor. Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

IF exposed or concerned: Call a doctor.

Ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

IF exposed or concerned: Call a doctor.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding

fire.

When dust occurs, use dry sand.

Unsuitable Extinguishing Cylindric water.

Media

Specific Hazards in Case of Risk of producing harmful gases such as carbon

monoxide. Avoid inhalation of smoke or gases. Fight fire from upwind position if possible Specific Fire Fighting

Keep away from sources of ignition and use appropriate

extinguishing media.

Prohibit unauthorized staff from entering the area

around the fire.

Keep unnecessary people away.

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions. Protective Equipment and

Equipment and Precautions

Emergency Procedures

Special Protective

for Fire Fighters

Use goggles in combination with dust mask, and another

protections as appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Environmental Precautions Do not discharge into the drains, surface waters or

> ground water directly. No information available

Methods and Equipment for Containment and Cleaning

Keep away from sources of ignition and prepare

Prevention Measures for Secondary Accidents extinguishing media.

Section 7 - HANDLING AND STORAGE

Handling Technical Measures Provide ventilation system and use necessary personal

protective equipment as described in "Section 8 -EXPOSURE CONTROLS / PERSONAL PROTECTION".

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Precautions for Safe

Handling

Keep cool.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Prevents Handling of

Incompatible Substances or Refer to "Section 10 - STABILITY AND REACTIVITY".

Mixtures

Conditions for Safe

Refer to "Section 10 - STABILITY AND REACTIVITY".

Storage

Store locked up.

Store container tightly closed in well-ventilated place.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

	Japan Administration Level	Exposure Limits (Japan Society for Occupational Health)	
dimethyl carbonate	Not listed	Not listed	Not listed
Ethanol	Not listed	Not listed	TWA -, STEL 1000 ppm
Isopropyl alcohol	200ppm	[Maximum allowable concentration] 400ppm (980mg/m3)	TWA 200 ppm, STEL 400 ppm
n-Propyl alcohol	Not listed	Not listed	TWA 100 ppm, STEL -

	Concentration standards specified by the Minister of Health, Labour and Welfare		
	Concentration standard value for 8-hours exposure	Concentration standard value for short-term exposure/ceiling	
dimethyl carbonate	Not listed	Not listed	
Ethanol	Not listed	Not listed	
Isopropyl alcohol	Not listed	Not listed	
n-Propyl alcohol	Not listed	Not listed	

Engineering Controls Use local exhaust ventilation in case of production of

fume or mist.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent

from static electrocity.

Personal Protective Equipment

Storage

Respiratory Protection Select and wear appropriate respiratory protective equipment based on risk assessments and other

measures.

Hand Protection

Wear appropriate protective equipment, including

impervious or impermeable safety gloves, as

circumstances dictate.

Select and wear appropriate safety gloves based on risk

assessments and other measures.

Eye/Face Protection Select and wear appropriate face and eye protection

based on risk assessments and other measures.

Skin and Body Protection Wear appropriate protective equipment such as impervious and impermeable protective clothing and

footwear, as circumstances dictate.

Select and wear appropriate protective clothing and footwear based on risk assessments and other

measures.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical StateLiquidFormLiquidColourClearOdouraromatic odor

Melting Point/Freezing 4.6 °C (as Dimethyl carbonate)

Point

Boiling Point or Initial 90.3 °C (as Dimethyl carbonate)

Boiling Point and Boiling

Ranges

Flammability Flammability

Lower and Upper Explosion Lower Limit 4.2vol% (as Dimethyl carbonate)

Limit / Flammability Limit

Upper Limit 12.9vol% (as Dimethyl carbonate)

Flash Point 7°C (Tag Closed Cup)
Auto-Ignition Temperature 458°C (as Dimethyl carbonate)

Decomposition Temperature No data available

pH No data available Kinematic Viscosity 0.6mm2/s

Solubility water-solubility139g/L (20°C) (as Dimethyl carbonate)

Partition Coefficient : n- No data available

Octanol/Water

Vapour Pressure 7.38kPa (20°C)(as Dimethyl carbonate)

Density and/or Relative 0.936

Density

Relative Gas Density 3.1 (air=1)(as Dimethyl carbonate)

Particle Characteristics No data available

as dimethyl carbonate

Melting Point/Freezing 0.5°C

Point

Boiling Point or Initial 90∼91°C

 $\label{eq:Boiling Point and Boiling} \text{Boiling Point and Boiling}$

Ranges

Density and/or Relative 1.0702(20°C/4°C)

Density

as Ethanol

Boiling Point or Initial 78.3°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.7892(20°C, 4°C)

Density

as Isopropyl alcohol

Boiling Point or Initial 82.4°C

Boiling Point and Boiling

Ranges

Density and/or Relative 0.7863(20°C, 20°C)

Density

as n-Propyl alcohol

Boiling Point or Initial Boiling Point and Boiling

Ranges

97.4°C, 49.92°C(90mmHg), 30.35°C(28.5mmHg)

Does not react dangerously under nomal conditions.

There is a risk of explosion due to impacts, friction, flame and other

Stable under normal conditions of use.

Density and/or Relative

Density

0.8035(20°C/4°C)

source of ignition.

No data available

No data available

Section 10 - STABILITY AND REACTIVITY

Reactivity Chemical Stability Possibility of Hazardous

Reaction

Conditions to Avoid

Incompatible Substances or

Mixtures

Hazardous Decomposition

Products Other Data

No data available

Flammable

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity

Oral

Classified as Not classified since ATE is more than

2000(mg/kg).

Dermal Classified as Not classified since Category 5 is not

adopted in JIS Z 7252.

Inhalation (gas)

Does not fall under gas based on GHS definitions.

(vapour)

Classification not possible since lots of the concentrations of unknown ingredients.

(dust and mist)

Unable to classify due to insufficient data.

Skin Corrosion/Irritation Classified as Not classified since ingredients that has a

hazard category are contained less than the

concentration limit

Serious Eye Damage/Eye Classified as Category 1 since the sum of Eye Category Irritation

1 ingredients is more than 3%.

Respiratory Sensitization Unable to classify due to insufficient data.

Skin Sensitization Unable to classify due to insufficient data. Germ Cell Mutagenicity Unable to classify due to insufficient data.

Classified as Category 1A since one of the Category 1A Carcinogenicity

ingredients is more than 0.1%.

Reproductive Toxicity (Reproductive toxicity)

Classified as Category 1A since one of the Category 1A

ingredients is more than 0.3%.

(Reproductive toxicity, effects on or via lactation)

Unable to classify due to insufficient data.

Classified as Category 2(systemic toxicity) since one of Specific Target Organ Toxicity (Single Exposure) the Category 1(systemic toxicity) ingredients is 1 to

10%.

Classified as Category 2(central nervous system) since one of the Category 1(central nervous system)

ingredients is 1 to 10%.

Classified as Category 3(respiratory tract irritation) since the sum of Category 3(respiratory tract irritation)

ingredients is more than 20%.

Classified as Category 3(narcotic effect) since the sum of Category 3(narcotic effect) ingredients is more than

Specific Target Organ Toxicity (Repeated

Exposure)

Classified as Category 2(blood) since one of the Category 1(blood) ingredients is 1 to 10%.

Classified as Category 1(liver) since one of the Category

1(liver) ingredients is more than 10%.

Classified as Category 2(central nervous system) since one of the Category 2(central nervous system)

ingredients is more than 10%.

Aspiration Hazard Unable to classify due to insufficient data.

Section 12 - ECOLOGICAL INFORMATION

Hazardous to the Aquatic Classification not possible since lots of the Environment, Short-Term concentrations of unknown ingredients.

(Acute)

(Chronic)

Hazardous to the Aquatic Classification not possible since lots of the Environment, Long-Term concentrations of unknown ingredients.

Ecotoxicity No data available
Persistence No data available
Bioaccumulative Potential No data available

Mobility in Soil No data available

Hazardous to the Ozone Unable to classify due to insufficient data.

Layer

Section 13 - DISPOSAL CONSIDERATIONS

Residual waste

Because waste materials such as liquid waste, paper towels used to wipe it up, or empty containers are flammable combustible materials, the section on "specially controlled industrial waste(Flammable waste oil)" from the Waste Management and Public Cleaning Law (Waste Management Law) is applicable.

Either appropriately process in accordance with Waste Management and Public Cleaning Law, or commission a contractor licensed for transport or disposal of industrial waste requiring special management.

Do not let wastewater, etc. used for cleaning machinery or containers flow directly onto the groundor in to the culverts.

For waste materials generated by wastewater treatment, incineration, etc. either carry out processingin accordance with the Waste Management and Public Cleaning Law and related laws and regulations, or commission a licensed vendor to do so.

When incinerating of waste materials, etc., do not use an incinerator without cleaning equipment, as harmful gas will be generated.

Clarify the contents of waste materials and entrust disposal to a waste disposal company.

Contaminated containers and packaging

Empty containers should be treated as industrial wastes and not

and allowed to contain waste.

Section 14 - TRANSPORT INFORMATION

International Regulations Regulatory Information Conform to the provisions of IMO.

by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3
Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the IBC Code

Regulatory Information Conform to the provisions of ICAO/IATA.

by Air

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Regulations in Japan

Regulatory Information Complies with the Fire Service Act.

by Road or Rail

Regulatory Information Conform to the provisions of the Ship Safety Law.

by Sea

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3 Packing Group II

Marine Pollutant Not applicable Liquid Substance Not applicable

Transported in Bulk According to MARPOL 73/78, Annex II, the

Regulatory Information Conform to the provisions of the Civil Aeronautics Law.

by Air

IBC Code

UN No. 1210

Proper Shipping Name PRINTING INK RELATED MATERIAL

Class 3
Packing Group II
130

Emergency Response Guide

Number

Section 15 - REGULATORY INFORMATION

Industrial Safety and Health Act

the standards for work environment monitoring Article 65 part 2-1

Dangerous or Harmful Substances Subject to Be Indicated their Names, etc.

(Article 57 part 1, Order Article 18 part 1 and 2, Attached Table9)

Dangerous Substances -Flammable substances(Order Article Appended Table 1 part 4)

Hazardous Substances to be notified in terms of Whose Names, etc. (Article 57 part 2, Order Article 18 part 2–1 and part 2, Attached Table9)

Ethanol(Number: 61) (Trade Secrets)
Propyl alcohol(Number: 494) (Trade Secrets)

Materials for special medical examinations and current handling workers(Industrial Safety and Health Act66 2 and Order for Enforcement of Industrial Safety and Health Act Article 22 (i))

Chemical substances that damage the skin, etc. / Harmful substances that cause skin irritation (Article 594–2, Paragraph 1 of the Safety and Health Regulations, No. 0531 No. 9 issued on May 31, 2020, No. 0704 issued on July 4, 2020) List of substances applicable to No. 1 and 5)

n-Propyl alcohol

Chemical substances that damage the skin, etc., and harmful substances that absorb the skin (List of substances subject to Article 594-2, Paragraph 1 of the Safety and Health Regulations, 0531-9 issued on May 31, Reiwa 4, and 0704-1 and 5 of July 4, Reiwa 5)

Propyl alcohol

Dangerous goods and hazardous goods for which the name, etc. should be indicated (Article 57, Paragraph 1 of the Act, Article 18, Item 2 $^{\sim}$ Item 3 of the Enforcement Order, Appended Table 2 of Article 30 of the Safety and Health Regulations)

Substances subject to obligation such as labeling and SDS issuance based on the Industrial Safety and Health Act (scheduled to come into effect on April 1, Reiwa 8)

Dangerous goods and hazardous goods whose names, etc. should be notified (Article 57-2, Paragraph 1 of the Act, Article 18-2, Item 2 Item 3 of the Enforcement Order, Article 34-2 Appended Table 2 of the Safety and Health Regulations)

dimethyl carbonate (Number: 1188) (Trade Secrets) Organic Solvent Poisoning Prevention Regulations Article 1-2 (Class 2 Organic Solvents, etc.), Enforcement Ordinance Appendix 6-2 Not applicable

Priority Assessment Chemical Substances(Article 2 part 5)

Flammable liquids(Order Article 194,Appended Table I)

Not applicable

Not applicable

Poisonous and Deleterious Substances Control Act Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the **Environment and Promotion** of Improvements to the

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Management Thereof

Fire Service Act Hazardous Materials Category IV inflammable liquids Class I petroleums non water-soluble Packing Group II

Import Trade Control Order Appended Table I part 16

Foreign Exchange and Foreign Trade Act Flammable liquids(Order Article 3,Appended Table I) Ship Safety Law

Section 16 - OTHER INFORMATION

Aviation Law

Industrial Safety and Health Act

Second-class organic solvents, etc.contain more than 5% of Secondclass organic solvents.

In the "15. Applicable laws" column, the materials for which label and SDS will be mandated are also listed. (Substance without a decree number.) Reiwa based on 0111 No. 1 from the Kiankahatsu, on January 11, 2022.)

In the case where "composition and ingredient information" corresponds to the secret of the business, the description of the content is the conventional range display. However, it is possible to notify us separately by the method of information transmission agreed with the customer, such as a confidentiality agreement. For more information, please contact our sales representative.

Isopropyl alcohol belongs to propyl alcohol. dimethyl carbonate, DMC and Carbonic Acid Dimethyl Ester is the same substance.

Act on the Regulation of Manufacture and **Evaluation of Chemical** Substances

We have a Priority Assessment Chemical Substance posting threshold of 0.1% or more.

The posting of a Priority Assessment Chemical Substance in SDS is as of November 2019 as an effort.

Foreign Trade Act

Foreign Exchange and In law, printing inks are not approved for export

Fire Service Act Poisonous and Deleterious Substances Control Act

The flash point of Class I petroleums is less than 21 $^{\circ}\,$ c. The deleterious substances is only applicable to the material, and the

mixture is non-applicable.

RoHS Specified Substance Concentration

Substances treated as equipment are exempt from this law. Cd<100ppm Pb, Hg, Cr(VI), PBB, PBDE, DEHP, DBP, BBP, DIBP <1000ppm

Allowable concentration Standards Cited Literature ${\sf TLV-TWA:} Threshold\ {\sf Limit}\ {\sf Values-Time}\ {\sf Weighted}\ {\sf Average}\ {\sf STEL}\ ({\sf Short}\ {\sf Term}\ {\sf Exposure}\ {\sf Limit}$

JIS Z7253:2019

1) International Chemical Safety Cards

2) National Institute of Technology and Evaluation (NITE), Japan

3) Site for Safe Workplace by Ministry of Health, Labour and Welfare, Japan

4) EZSDS (JCDB)

Additional Information about This Product:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.